

SL NO.	Specification	Rev	Title	TEC Standard
1	21.101	18.0.0	Technical Specifications and Technical Reports for a UTRAN-based 3GPP system	TS-21.101 V1.0.0
2	21.111	18.0.0	USIM and IC card requirements	TS-21.111 V1.0.0
3	21.201	18.0.0	Technical Specifications and Technical Reports for an Evolved Packet System (EPS) based 3GPP system	TS-21.201 V1.0.0
4	21.202	18.0.0	Technical Specifications and Technical Reports relating to the Common IP Multimedia Subsystem (IMS)	TS-21.202 V1.0.0
5	21.205	18.0.0	Technical Specifications and Technical Reports for a 5G based 3GPP system	TS-21.205 V1.0.0
6	22.001	18.0.1	Principles of circuit telecommunication services supported by a Public Land Mobile Network (PLMN)	TS-22.001 V1.0.0
7	22.002	18.0.1	Circuit Bearer Services (BS) supported by a Public Land Mobile Network (PLMN)	TS-22.002 V1.0.0
8	22.003	18.0.1	Circuit Teleservices supported by a Public Land Mobile Network (PLMN)	TS-22.003 V1.0.0
9	22.004	18.0.1	General on supplementary services	TS-22.004 V1.0.0
10	22.011	18.5.0	Service accessibility	TS-22.011 V1.0.0
11	22.016	18.0.1	International Mobile station Equipment Identities (IMEI)	TS-22.016 V1.0.0
12	22.022	18.0.1	Personalisation of Mobile Equipment (ME); Mobile functionality specification	TS-22.022 V1.0.0
13	22.024	18.0.1	Description of Charge Advice Information (CAI)	TS-22.024 V1.0.0
14	22.03	18.0.1	Man-Machine Interface (MMI) of the User Equipment (UE)	TS-22.030 V1.0.0
15	22.031	18.0.0	3G Security; Fraud Information Gathering System (FIGS); Service description; Stage 1	TS-22.031 V1.0.0
16	22.032	18.0.0	Immediate Service Termination (IST); Service description; Stage 1	TS-22.032 V1.0.0
17	22.034	18.0.1	High Speed Circuit Switched Data (HSCSD); Stage 1	TS-22.034 V1.0.0
18	22.038	18.0.1	(U)SIM Application Toolkit (USAT); Service description; Stage 1	TS-22.038 V1.0.0
19	22.041	18.0.1	Operator Determined Barring (ODB)	TS-22.041 V1.0.0

20	22.042	18.0.1	Network Identity and TimeZone (NITZ); Service description; Stage 1	TS-22.042 V1.0.0
21	22.053	18.0.0	Tandem Free Operation (TFO); Service description; Stage 1	TS-22.053 V1.0.0
22	22.057	18.0.1	Mobile Execution Environment (MExE); Service description; Stage 1	TS-22.057 V1.0.0
23	22.06	18.0.1	General Packet Radio Service (GPRS); Service description; Stage 1	TS-22.060 V1.0.0
24	22.066	18.0.1	Support of Mobile Number Portability (MNP); Service description; Stage 1	TS-22.066 V1.0.0
25	22.067	18.0.1	enhanced Multi Level Precedence and Pre-emption service (eMLPP); Stage 1	TS-22.067 V1.0.0
26	22.071	18.0.1	Location Services (LCS); Service description; Stage 1	TS-22.071 V1.0.0
27	22.072	18.0.1	Call Deflection (CD) service description; Stage 1	TS-22.072 V1.0.0
28	22.076	18.0.0	Noise suppression for the AMR codec; Service description; Stage 1	TS-22.076 V1.0.0
29	22.078	18.0.1	Customised Applications for Mobile network Enhanced Logic (CAMEL); Service description; Stage 1	TS-22.078 V1.0.0
30	22.079	18.0.1	Support of Optimal Routeing (SOR); Service definition; Stage 1	TS-22.079 V1.0.0
31	22.081	18.0.1	Line Identification supplementary services; Stage 1	TS-22.081 V1.0.0
32	22.082	18.0.1	Call Forwarding (CF) Supplementary Services; Stage 1	TS-22.082 V1.0.0
33	22.083	18.0.1	Call Waiting (CW) and Call Holding (HOLD); Supplementary Services; Stage 1	TS-22.083 V1.0.0
34	22.084	18.0.1	MultiParty (MPTY) supplementary service; Stage 1	TS-22.084 V1.0.0
35	22.085	18.0.1	Closed User Group (CUG) supplementary services; Stage 1	TS-22.085 V1.0.0
36	22.086	18.0.1	Advice of Charge (AoC) supplementary services; Stage 1	TS-22.086 V1.0.0
37	22.087	18.0.1	User-to-User Signalling (UUS); Service description; Stage 1	TS-22.087 V1.0.0
38	22.088	18.0.1	Call Barring (CB) supplementary services; Stage 1	TS-22.088 V1.0.0
39	22.09	18.0.1	Unstructured Supplementary Service Data (USSD); Stage 1	TS-22.090 V1.0.0
40	22.091	18.0.1	Explicit Call Transfer (ECT) supplementary service; Stage 1	TS-22.091 V1.0.0
41	22.093	18.0.1	Completion of Calls to Busy Subscriber (CCBS); Service description, Stage 1	TS-22.093 V1.0.0

42	22.094	18.0.1	Follow Me service description; Stage 1	TS-22.094 V1.0.0
43	22.096	18.0.1	Name identification supplementary services; Stage 1	TS-22.096 V1.0.0
44	22.097	18.0.1	Multiple Subscriber Profile (MSP) Phase 2; Service description; Stage 1	TS-22.097 V1.0.0
45	22.101	18.6.0	Service aspects; Service principles	TS-22.101 V1.0.0
46	22.104	18.4.0	Service requirements for cyber-physical control applications in vertical domains	TS-22.104 V1.0.0
47	22.105	18.0.1	Services and service capabilities	TS-22.105 V1.0.0
48	22.115	18.1.0	Service aspects; Charging and billing	TS-22.115 V1.0.0
49	22.119	18.0.1	Maritime communication services over 3GPP system	TS-22.119 V1.0.0
50	22.125	18.1.0	Unmanned Aerial System (UAS) support in 3GPP	TS-22.125 V1.0.0
51	22.129	18.0.1	Service aspects; Handover requirements between UTRAN and GERAN or other radio systems	TS-22.129 V1.0.0
52	22.135	18.0.1	Multicall; Service description; Stage 1	TS-22.135 V1.0.0
53	22.14	18.0.1	Multimedia Messaging Service (MMS); Stage 1	TS-22.140 V1.0.0
54	22.141	18.0.1	Presence service; Stage 1	TS-22.141 V1.0.0
55	22.142	18.0.1	Value Added Services (VAS) for Short Message Service (SMS) requirements	TS-22.142 V1.0.0
56	22.146	18.0.1	Multimedia Broadcast/Multicast Service (MBMS); Stage 1	TS-22.146 V1.0.0
57	22.153	18.2.0	Multimedia priority service	TS-22.153 V1.0.0
58	22.173	18.0.1	IP Multimedia Core Network Subsystem (IMS) Multimedia Telephony Service and supplementary services; Stage 1	TS-22.173 V1.0.0
59	22.174	18.0.1	Push Service; Service aspects; Stage 1	TS-22.174 V1.0.0
60	22.179	18.0.0	Mission Critical Push to Talk (MCPTT); Stage 1	TS-22.179 V1.0.0
61	22.182	18.0.1	Customized Alerting Tones (CAT) requirements; Stage 1	TS-22.182 V1.0.0
62	22.183	18.0.1	Customized Ringing Signal (CRS) requirements; Stage 1	TS-22.183 V1.0.0
63	22.185	18.0.1	Service requirements for V2X services	TS-22.185 V1.0.0
64	22.186	18.0.1	Service requirements for enhanced V2X scenarios	TS-22.186 V1.0.0
65	22.22	18.0.1	Service requirements for Home Node B (HNB) and Home eNode B (HeNB)	TS-22.220 V1.0.0
66	22.226	18.0.1	Global Text Telephony (GTT); Stage 1	TS-22.226 V1.0.0
67	22.228	18.0.1	Service requirements for the Internet Protocol (IP) multimedia core network subsystem (IMS); Stage 1	TS-22.228 V1.0.0

68	22.233	18.0.1	Transparent end-to-end packet-switched streaming service; Stage 1	TS-22.233 V1.0.0
69	22.24	18.0.1	Service requirements for 3GPP Generic User Profile (GUP); Stage 1	TS-22.240 V1.0.0
70	22.242	18.0.1	Digital Rights Management (DRM); Stage 1	TS-22.242 V1.0.0
71	22.243	18.0.1	Speech recognition framework for automated voice services; Stage 1	TS-22.243 V1.0.0
72	22.246	18.0.1	Multimedia Broadcast/Multicast Service (MBMS) user services; Stage 1	TS-22.246 V1.0.0
73	22.25	18.0.1	IP Multimedia Subsystem (IMS) Group Management; Stage 1	TS-22.250 V1.0.0
74	22.259	18.0.1	Service requirements for Personal Network Management (PNM); Stage 1	TS-22.259 V1.0.0
75	22.261	18.14.0	Service requirements for the 5G system	TS-22.261 V1.0.0
76	22.262	18.0.1	Message service within the 5G System (5GS); Stage 1	TS-22.262 V1.0.0
77	22.263	18.0.1	Service requirements for Video, Imaging and Audio for Professional Applications (VIAPA)	TS-22.263 V1.0.0
78	22.268	18.3.0	Public Warning System (PWS) requirements	TS-22.268 V1.0.0
79	22.278	18.0.1	Service requirements for the Evolved Packet System (EPS)	TS-22.278 V1.0.0
80	22.279	18.0.1	Combined Circuit Switched (CS) and IP Multimedia Subsystem (IMS) sessions; Stage 1	TS-22.279 V1.0.0
81	22.28	18.5.0	Mission Critical Services Common Requirements (MCCoRe); Stage 1	TS-22.280 V1.0.0
82	22.281	18.0.1	Mission Critical (MC) video	TS-22.281 V1.0.0
83	22.282	18.0.1	Mission Critical (MC) data	TS-22.282 V1.0.0
84	22.289	18.0.1	Mobile communication system for railways	TS-22.289 V1.0.0
85	22.34	18.0.1	IP Multimedia Subsystem (IMS) messaging; Stage 1	TS-22.340 V1.0.0
86	22.346	18.0.1	Isolated Evolved Universal Terrestrial Radio Access Network (E-UTRAN) operation for public safety; Stage 1	TS-22.346 V1.0.0
87	22.368	18.0.1	Service requirements for Machine-Type Communications (MTC); Stage 1	TS-22.368 V1.0.0
88	22.468	18.0.1	Group Communication System Enablers (GCSE)	TS-22.468 V1.0.0
89	22.519	18.0.1	Business communication requirements	TS-22.519 V1.0.0

90	23.002	18.0.0	Network architecture	TS-23.002 V1.0.0
91	23.003	18.6.0	Numbering, addressing and identification	TS-23.003 V1.0.0
92	23.007	18.5.0	Restoration procedures	TS-23.007 V1.0.0
93	23.008	18.1.0	Organization of subscriber data	TS-23.008 V1.0.0
94	23.009	18.0.0	Handover procedures	TS-23.009 V1.0.0
95	23.011	18.0.0	Technical realization of Supplementary Services	TS-23.011 V1.0.0
96	23.012	18.0.0	Location management procedures	TS-23.012 V1.0.0
97	23.014	18.0.0	Support of Dual Tone Multi-Frequency (DTMF) signalling	TS-23.014 V1.0.0
98	23.015	18.1.0	Technical realization of Operator Determined Barring (ODB)	TS-23.015 V1.0.0
99	23.016	18.0.0	Subscriber data management; Stage 2	TS-23.016 V1.0.0
100	23.018	18.0.0	Basic call handling; Technical realization	TS-23.018 V1.0.0
101	23.031	18.0.0	3G Security; Fraud Information Gathering System (FIGS); Technical realization; Stage 2	TS-23.031 V1.0.0
102	23.032	18.1.0	Universal Geographical Area Description (GAD)	TS-23.032 V1.0.0
103	23.034	18.0.0	High Speed Circuit Switched Data (HSCSD); Stage 2	TS-23.034 V1.0.0
104	23.035	18.0.0	Immediate Service Termination (IST); Stage 2	TS-23.035 V1.0.0
105	23.038	18.0.0	Alphabets and language-specific information	TS-23.038 V1.0.0
106	23.04	18.0.0	Technical realization of the Short Message Service (SMS)	TS-23.040 V1.0.0
107	23.041	18.5.0	Technical realization of Cell Broadcast Service (CBS)	TS-23.041 V1.0.0
108	23.042	18.0.0	Compression algorithm for text messaging services	TS-23.042 V1.0.0
109	23.053	18.0.0	Tandem Free Operation (TFO); Service description; Stage 2	TS-23.053 V1.0.0
110	23.057	18.0.0	Mobile Execution Environment (MExE); Functional description; Stage 2	TS-23.057 V1.0.0
111	23.06	18.0.0	General Packet Radio Service (GPRS); Service description; Stage 2	TS-23.060 V1.0.0
112	23.066	18.0.0	Support of Mobile Number Portability (MNP); Technical realization; Stage 2	TS-23.066 V1.0.0
113	23.067	18.0.0	enhanced Multi-Level Precedence and Pre-emption Service (eMLPP); Stage 2	TS-23.067 V1.0.0
114	23.072	18.0.0	Call Deflection (CD) supplementary service; Stage 2	TS-23.072 V1.0.0
115	23.078	18.0.0	Customised Applications for Mobile network Enhanced Logic (CAMEL) Phase 4; Stage 2	TS-23.078 V1.0.0

116	23.079	18.0.0	Support of Optimal Routeing (SOR); Technical realization	TS-23.079 V1.0.0
117	23.081	18.0.0	Line Identification supplementary services; Stage 2	TS-23.081 V1.0.0
118	23.082	18.0.0	Call Forwarding (CF) supplementary services; Stage 2	TS-23.082 V1.0.0
119	23.083	18.0.0	Call Waiting (CW) and Call Hold (HOLD) supplementary services; Stage 2	TS-23.083 V1.0.0
120	23.084	18.0.0	Multi Party (MPTY) supplementary service; Stage 2	TS-23.084 V1.0.0
121	23.085	18.0.0	Closed User Group (CUG) supplementary service; Stage 2	TS-23.085 V1.0.0
122	23.086	18.0.0	Advice of Charge (AoC) supplementary services; Stage 2	TS-23.086 V1.0.0
123	23.087	18.0.0	User-to-User Signalling (UUS) supplementary service; Stage 2	TS-23.087 V1.0.0
124	23.088	18.0.0	Call Barring (CB) Supplementary Services; Stage 2	TS-23.088 V1.0.0
125	23.09	18.0.0	Unstructured Supplementary Service Data (USSD); Stage 2	TS-23.090 V1.0.0
126	23.091	18.0.0	Explicit Call Transfer (ECT) supplementary service; Stage 2	TS-23.091 V1.0.0
127	23.093	18.0.0	Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2	TS-23.093 V1.0.0
128	23.094	18.0.0	Follow-Me (FM); Stage 2	TS-23.094 V1.0.0
129	23.096	18.0.0	Name identification supplementary services; Stage 2	TS-23.096 V1.0.0
130	23.097	18.0.0	Multiple Subscriber Profile (MSP) (Phase 2); Stage 2	TS-23.097 V1.0.0
131	23.101	18.0.0	General Universal Mobile Telecommunications System (UMTS) architecture	TS-23.101 V1.0.0
132	23.107	18.0.0	Quality of Service (QoS) concept and architecture	TS-23.107 V1.0.0
133	23.108	18.0.0	Mobile radio interface layer 3 specification, core network protocols; Stage 2	TS-23.108 V1.0.0
134	23.11	18.0.0	Universal Mobile Telecommunications System (UMTS) access stratum; Services and functions	TS-23.110 V1.0.0
135	23.116	18.0.0	Super-Charger technical realization; Stage 2	TS-23.116 V1.0.0
136	23.119	18.0.0	Gateway Location Register (GLR); Stage 2	TS-23.119 V1.0.0
137	23.122	18.7.0	Non-Access-Stratum (NAS) functions related to Mobile Station (MS) in idle mode	TS-23.122 V1.0.0
138	23.135	18.0.0	Multicall supplementary service; Stage 2	TS-23.135 V1.0.0
139	23.139	18.0.0	3GPP system - fixed broadband access network interworking; Stage 2	TS-23.139 V1.0.0
140	23.141	18.0.0	Presence service; Architecture and functional description	TS-23.141 V1.0.0

141	23.142	18.0.0	Value-added Services for SMS (VAS4SMS); Interface and signalling flow	TS-23.142 V1.0.0
142	23.146	18.0.0	Technical realization of facsimile Group 3 non-transparent	TS-23.146 V1.0.0
143	23.153	18.0.0	Out of band transcoder control; Stage 2	TS-23.153 V1.0.0
144	23.161	18.0.0	Network-Based IP Flow Mobility (NBIFOM); Stage 2	TS-23.161 V1.0.0
145	23.167	18.2.0	IP Multimedia Subsystem (IMS) emergency sessions	TS-23.167 V1.0.0
146	23.172	18.0.0	Technical realization of Circuit Switched (CS) multimedia service UDI/RDI fallback and service modification; Stage 2	TS-23.172 V1.0.0
147	23.18	18.0.0	Mission critical services support in the Isolated Operation for Public Safety (IOPS) mode of operation	TS-23.180 V1.0.0
148	23.202	18.0.0	Circuit switched data bearer services	TS-23.202 V1.0.0
149	23.203	18.0.0	Policy and charging control architecture	TS-23.203 V1.0.0
150	23.204	18.0.0	Support of Short Message Service (SMS) over generic 3GPP Internet Protocol (IP) access; Stage 2	TS-23.204 V1.0.0
151	23.205	18.0.0	Bearer-independent circuit-switched core network; Stage 2	TS-23.205 V1.0.0
152	23.207	18.0.0	End-to-end Quality of Service (QoS) concept and architecture	TS-23.207 V1.0.0
153	23.214	18.0.0	Architecture enhancements for control and user plane separation of EPC nodes	TS-23.214 V1.0.0
154	23.216	18.0.0	Single Radio Voice Call Continuity (SRVCC); Stage 2	TS-23.216 V1.0.0
155	23.218	18.0.0	IP Multimedia (IM) session handling; IM call model; Stage 2	TS-23.218 V1.0.0
156	23.221	18.0.0	Architectural requirements	TS-23.221 V1.0.0
157	23.222	18.5.0	Common API Framework for 3GPP Northbound APIs	TS-23.222 V1.0.0
158	23.226	18.0.0	Global text telephony (GTT); Stage 2	TS-23.226 V1.0.0
159	23.228	18.6.0	IP Multimedia Subsystem (IMS); Stage 2	TS-23.228 V1.0.0
160	23.231	18.0.0	SIP-I based circuit-switched core network; Stage 2	TS-23.231 V1.0.0
161	23.236	18.0.0	Intra-domain connection of Radio Access Network (RAN) nodes to multiple Core Network (CN) nodes	TS-23.236 V1.0.0
162	23.237	18.0.0	IP Multimedia Subsystem (IMS) Service Continuity; Stage 2	TS-23.237 V1.0.0
163	23.24	18.0.0	3GPP Generic User Profile (GUP); Architecture (Stage 2)	TS-23.240 V1.0.0
164	23.246	18.0.0	Multimedia Broadcast/Multicast Service (MBMS); Architecture and functional description	TS-23.246 V1.0.0

165	23.247	18.6.0	Architectural enhancements for 5G multicast-broadcast services	TS-23.247 V1.0.0
166	23.251	18.0.0	Network sharing; Architecture and functional description	TS-23.251 V1.0.0
167	23.255	18.2.0	Application layer support for Uncrewed Aerial System (UAS); Functional architecture and information flows;	TS-23.255 V1.0.0
168	23.256	18.3.0	Support of Uncrewed Aerial Systems (UAS) connectivity, identification and tracking; Stage 2	TS-23.256 V1.0.0
169	23.259	18.0.0	Personal Network Management (PNM); Procedures and information flows; Stage 2	TS-23.259 V1.0.0
170	23.261	18.0.0	IP flow mobility and seamless Wireless Local Area Network (WLAN) offload; Stage 2	TS-23.261 V1.0.0
171	23.271	18.0.0	Functional stage 2 description of Location Services (LCS)	TS-23.271 V1.0.0
172	23.272	18.0.0	Circuit Switched (CS) fallback in Evolved Packet System (EPS); Stage 2	TS-23.272 V1.0.0
173	23.273	18.6.0	5G System (5GS) Location Services (LCS); Stage 2	TS-23.273 V1.0.0
174	23.278	18.0.0	Customised Applications for Mobile network Enhanced Logic (CAMEL) Phase 4; Stage 2; IM CN Interworking	TS-23.278 V1.0.0
175	23.279	18.0.0	Combining Circuit Switched (CS) and IP Multimedia Subsystem (IMS) services; Stage 2	TS-23.279 V1.0.0
176	23.28	18.10.0	Common functional architecture to support mission critical services; Stage 2	TS-23.280 V1.0.0
177	23.281	18.8.0	Functional architecture and information flows to support Mission Critical Video (MCVideo); Stage 2	TS-23.281 V1.0.0
178	23.282	18.7.0	Functional architecture and information flows to support Mission Critical Data (MCData); Stage 2	TS-23.282 V1.0.0
179	23.283	18.1.0	Mission Critical Communication Interworking with Land Mobile Radio Systems	TS-23.283 V1.0.0
180	23.284	18.0.0	Local Call Local Switch (LCLS); Stage 2	TS-23.284 V1.0.0
181	23.285	18.0.0	Architecture enhancements for V2X services	TS-23.285 V1.0.0
182	23.286	18.5.0	Application layer support for Vehicle-to-Everything (V2X) services; Functional architecture and information flows	TS-23.286 V1.0.0
183	23.287	18.3.0	Architecture enhancements for 5G System (5GS) to support Vehicle-to-Everything (V2X) services	TS-23.287 V1.0.0

184	23.288	18.6.0	Architecture enhancements for 5G System (5GS) to support network data analytics services	TS-23.288 V1.0.0
185	23.289	18.9.0	Mission Critical services over 5G System; Stage 2	TS-23.289 V1.0.0
186	23.292	18.0.0	IP Multimedia Subsystem (IMS) centralized services; Stage 2	TS-23.292 V1.0.0
187	23.303	18.0.0	Proximity-based services (ProSe); Stage 2	TS-23.303 V1.0.0
188	23.304	18.6.0	Proximity based Services (ProSe) in the 5G System (5GS)	TS-23.304 V1.0.0
189	23.316	18.5.0	Wireless and wireline convergence access support for the 5G System (5GS)	TS-23.316 V1.0.0
190	23.333	18.1.0	Multimedia Resource Function Controller (MRFC) - Multimedia Resource Function Processor (MRFP) Mp interface: Procedures descriptions	TS-23.333 V1.0.0
191	23.334	18.1.0	IP Multimedia Subsystem (IMS) Application Level Gateway (IMS-ALG) - IMS Access Gateway (IMS-AGW) interface: Procedures descriptions	TS-23.334 V1.0.0
192	23.335	18.0.0	User Data Convergence (UDC); Technical realization and information flows; Stage 2	TS-23.335 V1.0.0
193	23.379	18.10.0	Functional architecture and information flows to support Mission Critical Push To Talk (MCPTT); Stage 2	TS-23.379 V1.0.0
194	23.38	18.0.0	IMS Restoration Procedures	TS-23.380 V1.0.0
195	23.401	18.6.0	General Packet Radio Service (GPRS) enhancements for Evolved Universal Terrestrial Radio Access Network (E-UTRAN) access	TS-23.401 V1.0.0
196	23.402	18.3.0	Architecture enhancements for non-3GPP accesses	TS-23.402 V1.0.0
197	23.433	18.4.0	Service Enabler Architecture Layer for Verticals (SEAL); Data Delivery enabler for vertical applications	TS-23.433 V1.0.0
198	23.434	18.9.0	Service Enabler Architecture Layer for Verticals (SEAL); Functional architecture and information flows	TS-23.434 V1.0.0
199	23.435	18.3.0	Procedures for Network Slice Capability Exposure for Application Layer Enablement Service	TS-23.435 V1.0.0
200	23.436	18.4.0	Functional architecture and information flows for Application Data Analytics Enablement Service	TS-23.436 V1.0.0

201	23.468	18.0.0	Group Communication System Enablers for LTE (GCSE LTE); Stage 2	TS-23.468 V1.0.0
202	23.479	18.0.0	Technical Specification Group Services and System Aspects; UE MBMS APIs for Mission Critical Services;	TS-23.479 V1.0.0
203	23.501	18.6.0	System architecture for the 5G System (5GS)	TS-23.501 V1.0.0
204	23.502	18.6.0	Procedures for the 5G System (5GS)	TS-23.502 V1.0.0
205	23.503	18.6.0	Policy and charging control framework for the 5G System (5GS); Stage 2	TS-23.503 V1.0.0
206	23.527	18.4.0	5G System; Restoration procedures	TS-23.527 V1.0.0
207	23.54	18.4.0	5G System: Technical realization of Service Based Short Message Service; Stage 2	TS-23.540 V1.0.0
208	23.542	18.4.0	Application layer support for Personal IoT Network	TS-23.542 V1.0.0
209	23.548	18.6.0	5G System Enhancements for Edge Computing; Stage 2	TS-23.548 V1.0.0
210	23.554	18.8.0	Application architecture for MSGin5G Service; Stage 2	TS-23.554 V1.0.0
211	23.558	18.7.0	Architecture for enabling Edge Applications	TS-23.558 V1.0.0
212	23.586	18.4.0	Architectural Enhancements to support Ranging based services and Sidelink Positioning	TS-23.586 V1.0.0
213	23.632	18.5.0	User data interworking, coexistence and migration; Stage 2	TS-23.632 V1.0.0
214	23.682	18.0.0	Architecture enhancements to facilitate communications with packet data networks and applications	TS-23.682 V1.0.0
215	24.002	18.0.0	GSM - UMTS Public Land Mobile Network (PLMN) Access Reference Configuration	TS-24.002 V1.0.0
216	24.007	18.2.0	Mobile radio interface signalling layer 3; General Aspects	TS-24.007 V1.0.0
217	24.008	18.6.0	Mobile radio interface Layer 3 specification; Core network protocols; Stage 3	TS-24.008 V1.0.0
218	24.01	18.0.0	Mobile radio interface layer 3; Supplementary services specification; General aspects	TS-24.010 V1.0.0
219	24.011	18.0.0	Point-to-Point (PP) Short Message Service (SMS) support on mobile radio interface	TS-24.011 V1.0.0
220	24.022	18.0.0	Radio Link Protocol (RLP) for circuit switched bearer and teleservices	TS-24.022 V1.0.0
221	24.03	18.0.0	Location Services (LCS); Supplementary service operations; Stage 3	TS-24.030 V1.0.0

222	24.067	18.0.0	Enhanced Multi-Level Precedence and Pre-emption service (eMLPP); Stage 3	TS-24.067 V1.0.0
223	24.072	18.0.0	Call Deflection (CD) supplementary service; Stage 3	TS-24.072 V1.0.0
224	24.08	18.4.0	Mobile radio interface layer 3 supplementary services specification; Formats and coding	TS-24.080 V1.0.0
225	24.081	18.0.0	Line Identification supplementary services; Stage 3	TS-24.081 V1.0.0
226	24.082	18.0.0	Call Forwarding (CF) supplementary services; Stage 3	TS-24.082 V1.0.0
227	24.083	18.0.0	Call Waiting (CW) and Call Hold (HOLD) supplementary services; Stage 3	TS-24.083 V1.0.0
228	24.084	18.0.0	Multi Party (MPTY) supplementary service; Stage 3	TS-24.084 V1.0.0
229	24.085	18.0.0	Closed User Group (CUG) supplementary service; Stage 3	TS-24.085 V1.0.0
230	24.086	18.0.0	Advice of Charge (AoC) supplementary services; Stage 3	TS-24.086 V1.0.0
231	24.087	18.0.0	User-to-User Signalling (UUS) Supplementary Service; Stage 3	TS-24.087 V1.0.0
232	24.088	18.0.0	Call Barring (CB) supplementary service; Stage 3	TS-24.088 V1.0.0
233	24.09	18.0.0	Unstructured Supplementary Service Data (USSD); Stage 3	TS-24.090 V1.0.0
234	24.091	18.0.0	Explicit Call Transfer (ECT) supplementary service; Stage 3	TS-24.091 V1.0.0
235	24.093	18.0.0	Completion of Calls to Busy Subscriber (CCBS); Stage 3	TS-24.093 V1.0.0
236	24.096	18.0.0	Name Identification supplementary services; Stage 3	TS-24.096 V1.0.0
237	24.103	18.0.0	Telepresence using the IP Multimedia (IM) Core Network (CN) Subsystem (IMS); Stage 3	TS-24.103 V1.0.0
238	24.105	18.0.0	Application specific Congestion control for Data Communication (ACDC) Management Object (MO)	TS-24.105 V1.0.0
239	24.109	18.0.0	Bootstrapping interface (Ub) and network application function interface (Ua); Protocol details	TS-24.109 V1.0.0
240	24.116	18.0.0	Stage 3 aspects of system architecture enhancements for TV services	TS-24.116 V1.0.0
241	24.117	18.0.0	TV service configuration Management Object (MO)	TS-24.117 V1.0.0
242	24.135	18.0.0	Multicall supplementary service; Stage 3	TS-24.135 V1.0.0
243	24.139	18.0.0	3GPP system - fixed broadband access network interworking; Stage 3	TS-24.139 V1.0.0
244	24.141	18.0.0	Presence service using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3	TS-24.141 V1.0.0

245	24.147	18.0.0	Conferencing using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3	TS-24.147 V1.0.0
246	24.161	18.0.0	Network-Based IP Flow Mobility (NBIFOM); Stage 3	TS-24.161 V1.0.0
247	24.166	18.0.0	3GPP IP Multimedia Subsystem (IMS) conferencing Management Object (MO)	TS-24.166 V1.0.0
248	24.167	18.1.0	3GPP IMS Management Object (MO); Stage 3	TS-24.167 V1.0.0
249	24.171	18.0.0	Control Plane Location Services (LCS) procedures in the Evolved Packet System (EPS)	TS-24.171 V1.0.0
250	24.173	18.0.0	IMS Multimedia telephony communication service and supplementary services; Stage 3	TS-24.173 V1.0.0
251	24.174	18.0.0	Support of multi-device and multi-identity in the IP Multimedia Subsystem (IMS); Stage 3	TS-24.174 V1.0.0
252	24.175	18.0.0	Management Object (MO) for multi-device and multi-identity in the IP Multimedia Subsystem (IMS)	TS-24.175 V1.0.0
253	24.182	18.0.0	IP Multimedia Subsystem (IMS) Customized Alerting Tones (CAT); Protocol specification	TS-24.182 V1.0.0
254	24.183	18.0.0	IP Multimedia Subsystem (IMS) Customized Ringing Signal (CRS); Protocol specification	TS-24.183 V1.0.0
255	24.186	18.1.0	IMS Data Channel applications; Protocol specification	TS-24.186 V1.0.0
256	24.193	18.6.0	5G System; Access Traffic Steering, Switching and Splitting (ATSSS); Stage 3	TS-24.193 V1.0.0
257	24.196	18.0.0	Enhanced Calling Name (eCNAM)	TS-24.196 V1.0.0
258	24.216	18.0.0	Communication Continuity Management Object (MO)	TS-24.216 V1.0.0
259	24.229	18.5.0	IP multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3	TS-24.229 V1.0.0
260	24.237	18.0.0	IP Multimedia (IM) Core Network (CN) subsystem IP Multimedia Subsystem (IMS) service continuity; Stage 3	TS-24.237 V1.0.0
261	24.238	18.0.0	Session Initiation Protocol (SIP) based user configuration; Stage 3	TS-24.238 V1.0.0
262	24.239	18.0.0	Flexible Alerting (FA) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	TS-24.239 V1.0.0

263	24.244	18.0.0	Wireless LAN control plane protocol for trusted WLAN access to EPC; Stage 3	TS-24.244 V1.0.0
264	24.247	18.0.0	Messaging service using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3	TS-24.247 V1.0.0
265	24.25	18.0.0	Protocol for Reliable Data Service; Stage 3	TS-24.250 V1.0.0
266	24.257	18.3.0	Uncrewed Aerial System (UAS) Application Enabler (UAE) layer; Protocol aspects; Stage 3	TS-24.257 V1.0.0
267	24.259	18.0.0	Personal Network Management (PNM); Stage 3	TS-24.259 V1.0.0
268	24.275	18.2.0	Management Object (MO) for Basic Communication Part (BCP) of IMS Multimedia Telephony (MMTEL) communication service	TS-24.275 V1.0.0
269	24.279	18.0.0	Combining Circuit Switched (CS) and IP Multimedia Subsystem (IMS) services; Stage 3	TS-24.279 V1.0.0
270	24.281	18.6.0	Mission Critical Video (MCVideo) signalling control; Protocol specification	TS-24.281 V1.0.0
271	24.282	18.7.0	Mission Critical Data (MCData) signalling control; Protocol specification	TS-24.282 V1.0.0
272	24.285	18.0.0	Allowed Closed Subscriber Group (CSG) list; Management Object (MO)	TS-24.285 V1.0.0
273	24.286	18.0.0	IP Multimedia (IM) Core Network (CN) subsystem Centralized Services (ICS); Management Object (MO)	TS-24.286 V1.0.0
274	24.292	18.0.0	IP Multimedia (IM) Core Network (CN) subsystem Centralized Services (ICS); Stage 3	TS-24.292 V1.0.0
275	24.294	18.0.0	IP Multimedia Subsystem (IMS) Centralized Services (ICS) protocol via I1 interface	TS-24.294 V1.0.0
276	24.301	18.7.0	Non-Access-Stratum (NAS) protocol for Evolved Packet System (EPS); Stage 3	TS-24.301 V1.0.0
277	24.302	18.6.0	Access to the 3GPP Evolved Packet Core (EPC) via non-3GPP access networks; Stage 3	TS-24.302 V1.0.0
278	24.303	18.0.0	Mobility management based on Dual-Stack Mobile IPv6; Stage 3	TS-24.303 V1.0.0
279	24.304	18.0.0	Mobility management based on Mobile IPv4; User Equipment (UE) - foreign agent interface; Stage 3	TS-24.304 V1.0.0

280	24.305	18.0.0	Selective Disabling of 3GPP User Equipment Capabilities (SDoUE) Management Object (MO)	TS-24.305 V1.0.0
281	24.312	18.0.0	Access Network Discovery and Selection Function (ANDSF) Management Object (MO)	TS-24.312 V1.0.0
282	24.315	18.0.0	IP Multimedia Subsystem (IMS) Operator Determined Barring (ODB); Stage 3: protocol specification	TS-24.315 V1.0.0
283	24.322	18.0.0	Tunnelling of IP Multimedia Subsystem (IMS) services over restrictive access networks; Stage 3	TS-24.322 V1.0.0
284	24.323	18.0.0	3GPP IP Multimedia Subsystem (IMS) service level tracing Management Object (MO)	TS-24.323 V1.0.0
285	24.333	18.0.0	Proximity-services (ProSe) Management Objects (MO)	TS-24.333 V1.0.0
286	24.334	18.0.0	Proximity-services (ProSe) User Equipment (UE) to ProSe function protocol aspects; Stage 3	TS-24.334 V1.0.0
287	24.337	18.0.0	IP Multimedia (IM) Core Network (CN) subsystem IP Multimedia Subsystem (IMS) inter-UE transfer; Stage 3	TS-24.337 V1.0.0
288	24.341	18.0.0	Support of SMS over IP networks; Stage 3	TS-24.341 V1.0.0
289	24.368	18.3.0	Non-Access Stratum (NAS) configuration Management Object (MO)	TS-24.368 V1.0.0
290	24.371	18.0.0	Web Real-Time Communications (WebRTC) access to the IP Multimedia (IM) Core Network (CN) subsystem (IMS); Stage 3; Protocol specification	TS-24.371 V1.0.0
291	24.379	18.7.0	Mission Critical Push To Talk (MCPTT) call control; Protocol specification	TS-24.379 V1.0.0
292	24.38	18.6.0	Mission Critical Push To Talk (MCPTT) media plane control; Protocol specification	TS-24.380 V1.0.0
293	24.385	18.1.0	V2X services Management Object (MO)	TS-24.385 V1.0.0
294	24.386	18.1.0	User Equipment (UE) to V2X control function; protocol aspects; Stage 3	TS-24.386 V1.0.0
295	24.39	18.0.0	Unstructured Supplementary Service Data (USSD) using IP Multimedia (IM) Core Network (CN) subsystem IMS; Stage 3	TS-24.390 V1.0.0

296	24.391	18.0.0	Unstructured Supplementary Service Data (USSD) using IP Multimedia (IM) Core Network (CN) subsystem (IMS) Management Object (MO)	TS-24.391 V1.0.0
297	24.417	18.0.0	Management Object (MO) for Originating Identification Presentation (OIP) and Originating Identification Restriction (OIR) using IP Multimedia (IM) Core Network (CN) subsystem	TS-24.417 V1.0.0
298	24.424	18.0.0	Management Object (MO) for Extensible Markup Language (XML) Configuration Access Protocol (XCAP) over the Ut interface for Manipulating Supplementary Services (SS)	TS-24.424 V1.0.0
299	24.481	18.1.0	Mission Critical Services (MCS) group management; Protocol specification	TS-24.481 V1.0.0
300	24.482	18.0.1	Mission Critical Services (MCS) identity management; Protocol specification	TS-24.482 V1.0.0
301	24.483	18.3.0	Mission Critical Services (MCS) Management Object (MO)	TS-24.483 V1.0.0
302	24.484	18.6.0	Mission Critical Services (MCS) configuration management; Protocol specification	TS-24.484 V1.0.0
303	24.486	18.3.0	Vehicle-to-Everything (V2X) Application Enabler (VAE) layer; Protocol aspects; Stage 3	TS-24.486 V1.0.0
304	24.501	18.7.0	Non-Access-Stratum (NAS) protocol for 5G System (5GS); Stage 3	TS-24.501 V1.0.0
305	24.502	18.6.0	Access to the 3GPP 5G Core Network (5GCN) via non-3GPP access networks	TS-24.502 V1.0.0
306	24.514	18.1.0	Ranging based services and sidelink positioning in 5G system(5GS); Stage 3	TS-24.514 V1.0.0
307	24.523	18.0.0	Core and enterprise Next Generation Network (NGN) interaction scenarios; Architecture and functional description	TS-24.523 V1.0.0
308	24.524	18.0.0	Hosted enterprise services; Architecture, functional description and signalling	TS-24.524 V1.0.0
309	24.525	18.0.0	Business trunking; Architecture and functional description	TS-24.525 V1.0.0
310	24.526	18.7.0	User Equipment (UE) policies for 5G System (5GS); Stage 3	TS-24.526 V1.0.0

311	24.535	18.0.0	5G System (5GS); Device-Side Time Sensitive Networking (TSN) Translator (DS-TT) to Network-Side TSN Translator (NW-TT) protocol aspects; Stage 3	TS-24.535 V1.0.0
312	24.538	18.5.0	Enabling MSGin5G Service; Protocol specification	TS-24.538 V1.0.0
313	24.539	18.5.0	5G System (5GS); Network to TSN translator (TT) protocol aspects; Stage 3	TS-24.539 V1.0.0
314	24.542	18.1.0	Notification management - Service Enabler Architecture Layer for Verticals (SEAL); Protocol specification;	TS-24.542 V1.0.0
315	24.543	18.0.0	Data delivery management - Service Enabler Architecture Layer for Verticals (SEAL); Protocol Specification;	TS-24.543 V1.0.0
316	24.544	18.2.0	Group Management - Service Enabler Architecture Layer for Verticals (SEAL); Protocol specification	TS-24.544 V1.0.0
317	24.545	18.5.0	Location Management - Service Enabler Architecture Layer for Verticals (SEAL); Protocol specification	TS-24.545 V1.0.0
318	24.546	18.0.0	Configuration management - Service Enabler Architecture Layer for Verticals (SEAL); Protocol specification	TS-24.546 V1.0.0
319	24.547	18.0.0	Identity management - Service Enabler Architecture Layer for Verticals (SEAL); Protocol specification	TS-24.547 V1.0.0
320	24.548	18.4.0	Network Resource Management - Service Enabler Architecture Layer for Verticals (SEAL); Protocol specification	TS-24.548 V1.0.0
321	24.549	18.2.1	Network slice capability enablement- Service Enabler Architecture Layer for Verticals (SEAL); Protocol specification; Stage 3	TS-24.549 V1.0.0
322	24.554	18.5.1	Proximity-services (ProSe) in 5G System (5GS) protocol aspects; Stage 3	TS-24.554 V1.0.0
323	24.555	18.4.0	Proximity-services (ProSe) in 5G System (5GS); User Equipment (UE) policies; Stage 3	TS-24.555 V1.0.0
324	24.558	18.5.1	Enabling Edge Applications; Protocol specification	TS-24.558 V1.0.0
325	24.559	18.1.0	Application Data Analytics Enablement Service (ADAES); Stage 3	TS-24.559 V1.0.0
326	24.571	18.5.0	5G System (5GS); Control plane Location Services (LCS) procedures; Stage 3	TS-24.571 V1.0.0

327	24.572	18.1.0	5G System (5GS); User plane Location Services (LCS) protocols and procedures; Stage 3	TS-24.572 V1.0.0
328	24.575	18.3.0	5G System; Multicast/Broadcast UE pre-configuration Management Object (MO)	TS-24.575 V1.0.0
329	24.577	18.1.0	Aircraft-to-Everything (A2X) services in 5G System (5GS) protocol aspects; Stage 3	TS-24.577 V1.0.0
330	24.578	18.1.0	Aircraft-to-Everything (A2X) services in 5G System (5GS); UE policies	TS-24.578 V1.0.0
331	24.581	18.4.0	Mission Critical Video (MCVideo) media plane control; Protocol specification	TS-24.581 V1.0.0
332	24.582	18.2.0	Mission Critical Data (MCData) media plane control; Protocol specification	TS-24.582 V1.0.0
333	24.583	18.1.0	Application layer support for Personal IoT Network (PINAPP); Stage 3	TS-24.583 V1.0.0
334	24.587	18.6.0	Vehicle-to-Everything (V2X) services in 5G System (5GS); Stage 3	TS-24.587 V1.0.0
335	24.588	18.2.0	Vehicle-to-Everything (V2X) services in 5G System (5GS); User Equipment (UE) policies; Stage 3	TS-24.588 V1.0.0
336	24.604	18.0.0	Communication Diversion (CDIV) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	TS-24.604 V1.0.0
337	24.605	18.0.0	Conference (CONF) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	TS-24.605 V1.0.0
338	24.606	18.0.0	Message Waiting Indication (MWI) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	TS-24.606 V1.0.0
339	24.607	18.0.0	Originating Identification Presentation (OIP) and Originating Identification Restriction (OIR) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	TS-24.607 V1.0.0
340	24.608	18.0.0	Terminating Identification Presentation (TIP) and Terminating Identification Restriction (TIR) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	TS-24.608 V1.0.0
341	24.61	18.0.0	Communication HOLD (HOLD) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	TS-24.610 V1.0.0

342	24.611	18.0.0	Anonymous Communication Rejection (ACR) and Communication Barring (CB) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	TS-24.611 V1.0.0
343	24.615	18.0.0	Communication Waiting (CW) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol Specification	TS-24.615 V1.0.0
344	24.616	18.0.0	Malicious Communication Identification (MCID) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	TS-24.616 V1.0.0
345	24.623	18.0.0	Extensible Markup Language (XML) Configuration Access Protocol (XCAP) over the Ut interface for Manipulating Supplementary Services	TS-24.623 V1.0.0
346	24.628	18.0.0	Common Basic Communication procedures using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	TS-24.628 V1.0.0
347	24.629	18.0.0	Explicit Communication Transfer (ECT) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	TS-24.629 V1.0.0
348	24.642	18.0.0	Completion of Communications to Busy Subscriber (CCBS) and Completion of Communications by No Reply (CCNR) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	TS-24.642 V1.0.0
349	24.647	18.0.0	Advice Of Charge (AOC) using IP Multimedia (IM) Core Network (CN) subsystem	TS-24.647 V1.0.0
350	24.654	18.0.0	Closed User Group (CUG) using IP Multimedia (IM) Core Network (CN) subsystem, Protocol Specification	TS-24.654 V1.0.0
351	25.101	18.0.0	User Equipment (UE) radio transmission and reception (FDD)	TS-25.101 V1.0.0
352	25.102	18.0.0	User Equipment (UE) radio transmission and reception (TDD)	TS-25.102 V1.0.0
353	25.104	18.0.0	Base Station (BS) radio transmission and reception (FDD)	TS-25.104 V1.0.0
354	25.105	18.0.0	Base Station (BS) radio transmission and reception (TDD)	TS-25.105 V1.0.0
355	25.106	18.0.0	UTRA repeater radio transmission and reception	TS-25.106 V1.0.0
356	25.111	18.0.0	Location Measurement Unit (LMU) performance specification; User Equipment (UE) positioning in UTRAN	TS-25.111 V1.0.0

357	25.113	18.0.0	Base station (BS) and repeater electromagnetic compatibility (EMC)	TS-25.113 V1.0.0
358	25.116	18.0.0	UTRA repeater radio transmission and reception (LCR TDD)	TS-25.116 V1.0.0
359	25.123	18.0.0	Requirements for support of radio resource management (TDD)	TS-25.123 V1.0.0
360	25.133	18.0.0	Requirements for support of radio resource management (FDD)	TS-25.133 V1.0.0
361	25.141	18.0.0	Base Station (BS) conformance testing (FDD)	TS-25.141 V1.0.0
362	25.142	18.0.0	Base Station (BS) conformance testing (TDD)	TS-25.142 V1.0.0
363	25.143	18.0.0	UTRA repeater conformance testing	TS-25.143 V1.0.0
364	25.153	18.0.0	UTRA repeater conformance testing (LCR TDD)	TS-25.153 V1.0.0
365	25.171	18.0.0	Requirements for support of Assisted Global Positioning System (A-GPS); Frequency Division Duplex (FDD)	TS-25.171 V1.0.0
366	25.172	18.0.0	Requirements for support of Assisted Galileo and Additional Navigation Satellite Systems (A-GANSS) Frequency Division Duplex (FDD)	TS-25.172 V1.0.0
367	25.173	18.0.0	Requirements for support of Assisted Galileo and Additional Navigation Satellite Systems (A-GANSS) Time Division Duplex (TDD)	TS-25.173 V1.0.0
368	25.201	18.0.0	Physical layer - general description	TS-25.201 V1.0.0
369	25.202	18.0.0	7.68 Mcps Time Division Duplex (TDD) option; Overall description: Stage 2	TS-25.202 V1.0.0
370	25.211	18.0.0	Physical channels and mapping of transport channels onto physical channels (FDD)	TS-25.211 V1.0.0
371	25.212	18.0.0	Multiplexing and channel coding (FDD)	TS-25.212 V1.0.0
372	25.213	18.0.0	Spreading and modulation (FDD)	TS-25.213 V1.0.0
373	25.214	18.0.0	Physical layer procedures (FDD)	TS-25.214 V1.0.0
374	25.215	18.0.0	Physical layer; Measurements (FDD)	TS-25.215 V1.0.0
375	25.221	18.0.0	Physical channels and mapping of transport channels onto physical channels (TDD)	TS-25.221 V1.0.0
376	25.222	18.0.0	Multiplexing and channel coding (TDD)	TS-25.222 V1.0.0
377	25.223	18.0.0	Spreading and modulation (TDD)	TS-25.223 V1.0.0

378	25.224	18.0.0	Physical layer procedures (TDD)	TS-25.224 V1.0.0
379	25.225	18.0.0	Physical layer; Measurements (TDD)	TS-25.225 V1.0.0
380	25.3	18.0.0	Universal Terrestrial Radio Access Network (UTRAN); General description; Stage 2	TS-25.300 V1.0.0
381	25.301	18.0.0	Radio interface protocol architecture	TS-25.301 V1.0.0
382	25.302	18.0.0	Services provided by the physical layer	TS-25.302 V1.0.0
383	25.303	18.0.0	Interlayer procedures in Connected Mode	TS-25.303 V1.0.0
384	25.304	18.0.0	User Equipment (UE) procedures in idle mode and procedures for cell reselection in connected mode	TS-25.304 V1.0.0
385	25.305	18.0.0	Stage 2 functional specification of User Equipment (UE) positioning in UTRAN	TS-25.305 V1.0.0
386	25.306	18.0.0	UE Radio Access capabilities	TS-25.306 V1.0.0
387	25.307	18.0.0	Requirements on User Equipments (UEs) supporting a release- independent frequency band	TS-25.307 V1.0.0
388	25.308	18.0.0	High Speed Downlink Packet Access (HSDPA); Overall description; Stage 2	TS-25.308 V1.0.0
389	25.319	18.0.0	Enhanced uplink; Overall description; Stage 2	TS-25.319 V1.0.0
390	25.321	18.0.0	Medium Access Control (MAC) protocol specification	TS-25.321 V1.0.0
391	25.322	18.0.0	Radio Link Control (RLC) protocol specification	TS-25.322 V1.0.0
392	25.323	18.0.0	Packet Data Convergence Protocol (PDCP) specification	TS-25.323 V1.0.0
393	25.324	18.0.0	Broadcast/Multicast Control (BMC)	TS-25.324 V1.0.0
394	25.327	18.0.0	High Speed Packet Access (HSPA); Requirements on User Equipments (UEs) supporting a release-independent frequency band and multi-carrier configuration	TS-25.327 V1.0.0
395	25.331	18.0.0	Radio Resource Control (RRC); Protocol specification	TS-25.331 V1.0.0
396	25.346	18.0.0	Introduction of the Multimedia Broadcast/Multicast Service (MBMS) in the Radio Access Network (RAN); Stage 2	TS-25.346 V1.0.0
397	25.367	18.0.0	Mobility procedures for Home Node B (HNB); Overall description; Stage 2	TS-25.367 V1.0.0
398	25.401	18.0.0	UTRAN overall description	TS-25.401 V1.0.0
399	25.402	18.0.0	Synchronisation in UTRAN Stage 2	TS-25.402 V1.0.0
400	25.41	18.0.0	UTRAN Iu interface: General aspects and principles	TS-25.410 V1.0.0
401	25.411	18.0.0	UTRAN Iu interface layer 1	TS-25.411 V1.0.0

402	25.412	18.0.0	UTRAN Iu interface signalling transport	TS-25.412 V1.0.0
403	25.413	18.0.0	UTRAN Iu interface Radio Access Network Application Part (RANAP) signalling	TS-25.413 V1.0.0
404	25.414	18.0.0	UTRAN Iu interface data transport and transport signalling	TS-25.414 V1.0.0
405	25.415	18.0.0	UTRAN Iu interface user plane protocols	TS-25.415 V1.0.0
406	25.419	18.0.0	UTRAN Iu-BC interface: Service Area Broadcast Protocol (SABP)	TS-25.419 V1.0.0
407	25.42	18.0.0	UTRAN Iur interface general aspects and principles	TS-25.420 V1.0.0
408	25.421	18.0.0	UTRAN Iur interface layer 1	TS-25.421 V1.0.0
409	25.422	18.0.0	UTRAN Iur interface signalling transport	TS-25.422 V1.0.0
410	25.423	18.0.0	UTRAN Iur interface Radio Network Subsystem Application Part (RNSAP) signalling	TS-25.423 V1.0.0
411	25.424	18.0.0	UTRAN Iur interface data transport & transport signalling for Common Transport Channel data streams	TS-25.424 V1.0.0
412	25.425	18.0.0	UTRAN Iur interface user plane protocols for Common Transport Channel data streams	TS-25.425 V1.0.0
413	25.426	18.0.0	UTRAN Iur and Iub interface data transport & transport signalling for DCH data streams	TS-25.426 V1.0.0
414	25.427	18.0.0	UTRAN Iub/Iur interface user plane protocol for DCH data streams	TS-25.427 V1.0.0
415	25.43	18.0.0	UTRAN Iub Interface: general aspects and principles	TS-25.430 V1.0.0
416	25.431	18.0.0	UTRAN Iub interface Layer 1	TS-25.431 V1.0.0
417	25.432	18.0.0	UTRAN Iub interface: signalling transport	TS-25.432 V1.0.0
418	25.433	18.0.0	UTRAN Iub interface Node B Application Part (NBAP) signalling	TS-25.433 V1.0.0
419	25.434	18.0.0	UTRAN Iub interface data transport and transport signalling for Common Transport Channel data streams	TS-25.434 V1.0.0
420	25.435	18.0.0	UTRAN Iub interface user plane protocols for Common Transport Channel data streams	TS-25.435 V1.0.0
421	25.442	18.0.0	UTRAN implementation-specific O&M transport	TS-25.442 V1.0.0
422	25.444	18.0.0	Iuh data transport	TS-25.444 V1.0.0
423	25.446	18.0.0	MBMS synchronisation protocol (SYNC)	TS-25.446 V1.0.0
424	25.45	18.0.0	UTRAN Iupc interface general aspects and principles	TS-25.450 V1.0.0

425	25.451	18.0.0	UTRAN Iupc interface layer 1	TS-25.451 V1.0.0
426	25.452	18.0.0	UTRAN Iupc interface: signalling transport	TS-25.452 V1.0.0
427	25.453	18.0.0	UTRAN Iupc interface Positioning Calculation Application Part (PCAP) signalling	TS-25.453 V1.0.0
428	25.46	18.0.0	UTRAN Iuant interface: General aspects and principles	TS-25.460 V1.0.0
429	25.461	18.0.0	UTRAN Iuant interface: Layer 1	TS-25.461 V1.0.0
430	25.462	18.0.0	UTRAN Iuant interface: Signalling transport	TS-25.462 V1.0.0
431	25.466	18.0.0	UTRAN Iuant interface: Application part	TS-25.466 V1.0.0
432	25.467	18.0.0	UTRAN architecture for 3G Home Node B (HNB); Stage 2	TS-25.467 V1.0.0
433	25.468	18.0.0	UTRAN Iuh Interface RANAP User Adaption (RUA) signalling	TS-25.468 V1.0.0
434	25.469	18.0.0	UTRAN Iuh interface Home Node B (HNB) Application Part (HNBAP) signalling	TS-25.469 V1.0.0
435	25.47	18.0.0	UTRAN Iuh Interface PCAP User Adaption (PUA) signalling	TS-25.470 V1.0.0
436	25.471	18.0.0	UTRAN Iurh interface Radio Network Subsystem Application Part (RNSAP) User Adaption (RNA) signalling	TS-25.471 V1.0.0
437	25.484	18.0.0	Automatic Neighbour Relation (ANR) for UTRAN; Stage 2	TS-25.484 V1.0.0
438	26.071	18.0.0	Mandatory speech CODEC speech processing functions; AMR speech Codec; General description	TS-26.071 V1.0.0
439	26.073	18.0.0	ANSI-C code for the Adaptive Multi Rate (AMR) speech codec	TS-26.073 V1.0.0
440	26.074	18.0.0	Mandatory speech codec speech processing functions; Adaptive Multi-Rate (AMR) speech codec test sequences	TS-26.074 V1.0.0
441	26.077	18.0.0	Minimum performance requirements for Noise Suppressor; Application to the Adaptive Multi-Rate (AMR) speech encoder	TS-26.077 V1.0.0
442	26.09	18.0.0	Mandatory Speech Codec speech processing functions; Adaptive Multi-Rate (AMR) speech codec; Transcoding functions	TS-26.090 V1.0.0
443	26.091	18.0.0	Mandatory Speech Codec speech processing functions; Adaptive Multi-Rate (AMR) speech codec; Error concealment of lost frames	TS-26.091 V1.0.0

444	26.092	18.0.0	Mandatory speech codec speech processing functions; Adaptive Multi-Rate (AMR) speech codec; Comfort noise aspects	TS-26.092 V1.0.0
445	26.093	18.0.0	Mandatory speech codec speech processing functions Adaptive Multi-Rate (AMR) speech codec; Source controlled rate operation	TS-26.093 V1.0.0
446	26.094	18.0.0	Mandatory speech codec speech processing functions; Adaptive Multi-Rate (AMR) speech codec; Voice Activity Detector (VAD)	TS-26.094 V1.0.0
447	26.101	18.0.0	Mandatory speech codec speech processing functions; Adaptive Multi-Rate (AMR) speech codec frame structure	TS-26.101 V1.0.0
448	26.102	18.0.0	Mandatory speech codec; Adaptive Multi-Rate (AMR) speech codec; Interface to Iu, Uu and Nb	TS-26.102 V1.0.0
449	26.103	18.0.0	Speech codec list for GSM and UMTS	TS-26.103 V1.0.0
450	26.104	18.0.0	ANSI-C code for the floating-point Adaptive Multi-Rate (AMR) speech codec	TS-26.104 V1.0.0
451	26.11	18.0.0	Codec for circuit switched multimedia telephony service; General description	TS-26.110 V1.0.0
452	26.111	18.0.0	Codec for circuit switched multimedia telephony service; Modifications to H.324	TS-26.111 V1.0.0
453	26.113	18.0.0	Real-Time Media Communication; Protocols and APIs	TS-26.113 V1.0.0
454	26.114	18.7.0	IP Multimedia Subsystem (IMS); Multimedia telephony; Media handling and interaction	TS-26.114 V1.0.0
455	26.115	18.0.0	Echo control for speech and multimedia services	TS-26.115 V1.0.0
456	26.116	18.0.0	Television (TV) over 3GPP services; Video profiles	TS-26.116 V1.0.0
457	26.117	18.3.0	5G Media Streaming (5GMS); Speech and audio profiles	TS-26.117 V1.0.0
458	26.118	18.0.0	Virtual Reality (VR) profiles for streaming applications	TS-26.118 V1.0.0
459	26.119	18.0.0	Media Capabilities for Augmented Reality	TS-26.119 V1.0.0
460	26.13	18.1.0	Speech/Audio Codec RTP Payload Format Conformance for UE Testing	TS-26.130 V1.0.0
461	26.131	18.1.0	Terminal acoustic characteristics for telephony; Requirements	TS-26.131 V1.0.0

462	26.132	18.2.0	Speech and video telephony terminal acoustic test specification	TS-26.132 V1.0.0
463	26.139	18.0.0	Real-time Transport Protocol (RTP) / RTP Control Protocol (RTCP) verification procedures	TS-26.139 V1.0.0
464	26.14	18.0.0	Multimedia Messaging Service (MMS); Media formats and codecs	TS-26.140 V1.0.0
465	26.141	18.0.0	IP Multimedia System (IMS) Messaging and Presence; Media formats and codecs	TS-26.141 V1.0.0
466	26.142	18.0.0	Dynamic and Interactive Multimedia Scenes (DIMS)	TS-26.142 V1.0.0
467	26.143	18.1.0	Messaging Media profiles	TS-26.143 V1.0.0
468	26.15	18.0.0	Syndicated Feed Reception (SFR) within 3GPP environments; Protocols and codecs	TS-26.150 V1.0.0
469	26.171	18.0.0	Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; General description	TS-26.171 V1.0.0
470	26.173	18.0.0	ANSI-C code for the Adaptive Multi-Rate - Wideband (AMR-WB) speech codec	TS-26.173 V1.0.0
471	26.174	18.0.0	Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec test sequences	TS-26.174 V1.0.0
472	26.177	18.0.0	Speech Enabled Services (SES); Distributed Speech Recognition (DSR) extended advanced front-end test sequences	TS-26.177 V1.0.0
473	26.179	18.0.0	Mission Critical Push To Talk (MCPTT); Codecs and media handling	TS-26.179 V1.0.0
474	26.19	18.0.0	Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Transcoding functions	TS-26.190 V1.0.0
475	26.191	18.0.0	Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Error concealment of erroneous or lost frames	TS-26.191 V1.0.0
476	26.192	18.0.0	Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Comfort noise aspects	TS-26.192 V1.0.0

477	26.193	18.0.0	Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Source controlled rate operation	TS-26.193 V1.0.0
478	26.194	18.0.0	Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Voice Activity Detector (VAD)	TS-26.194 V1.0.0
479	26.201	18.0.0	Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Frame structure	TS-26.201 V1.0.0
480	26.202	18.0.0	Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Interface to Iu, Uu and Nb	TS-26.202 V1.0.0
481	26.204	18.0.0	Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; ANSI-C code	TS-26.204 V1.0.0
482	26.223	18.0.0	Telepresence using the IP Multimedia Subsystem (IMS); Media handling and interaction	TS-26.223 V1.0.0
483	26.226	18.0.0	Cellular text telephone modem; General description	TS-26.226 V1.0.0
484	26.23	18.0.0	Cellular text telephone modem; Transmitter bit exact C-code	TS-26.230 V1.0.0
485	26.231	18.0.0	Cellular text telephone modem; Minimum performance requirements	TS-26.231 V1.0.0
486	26.234	18.0.0	Transparent end-to-end Packet-switched Streaming Service (PSS); Protocols and codecs	TS-26.234 V1.0.0
487	26.237	18.0.0	IP Multimedia Subsystem (IMS) based Packet Switch Streaming (PSS) and Multimedia Broadcast/Multicast Service (MBMS) User Service; Protocols	TS-26.237 V1.0.0
488	26.238	18.0.0	Uplink streaming	TS-26.238 V1.0.0
489	26.243	18.0.0	ANSI-C code for the fixed-point distributed speech recognition extended advanced front-end	TS-26.243 V1.0.0
490	26.244	18.0.0	Transparent end-to-end packet switched streaming service (PSS); 3GPP file format (3GP)	TS-26.244 V1.0.0
491	26.245	18.0.0	Transparent end-to-end Packet switched Streaming Service (PSS); Timed text format	TS-26.245 V1.0.0

492	26.246	18.0.0	Transparent end-to-end Packet-switched Streaming Service (PSS); 3GPP SMIL language profile	TS-26.246 V1.0.0
493	26.247	18.1.0	Transparent end-to-end Packet-switched Streaming Service (PSS); Progressive Download and Dynamic Adaptive Streaming over HTTP (3GP-DASH)	TS-26.247 V1.0.0
494	26.249	18.0.0	Immersive Audio for Split Rendering Scenarios; Detailed Algorithmic Description of Split Rendering Functions	TS-26.249 V1.0.0
495	26.25	18.0.0	Codec for Immersive Voice and Audio Services (IVAS); General overview	TS-26.250 V1.0.0
496	26.252	18.1.0	Codec for Immersive Voice and Audio Services (IVAS); Test sequences	TS-26.252 V1.0.0
497	26.253	18.1.0	Codec for Immersive Voice and Audio Services (IVAS); Detailed Algorithmic Description including RTP payload format and SDP parameter definitions	TS-26.253 V1.0.0
498	26.254	18.1.0	Codec for Immersive Voice and Audio Services (IVAS); Rendering	TS-26.254 V1.0.0
499	26.255	18.1.0	Codec for Immersive Voice and Audio Services (IVAS); Error concealment of lost packets	TS-26.255 V1.0.0
500	26.256	18.0.1	Codec for Immersive Voice and Audio Services (IVAS); Jitter Buffer Management	TS-26.256 V1.0.0
501	26.258	18.1.0	Codec for Immersive Voice and Audio Services (IVAS); C code (floating-point)	TS-26.258 V1.0.0
502	26.259	18.0.0	Subjective test methodologies for the evaluation of immersive audio systems	TS-26.259 V1.0.0
503	26.26	18.1.0	Objective test methodologies for the evaluation of immersive audio systems	TS-26.260 V1.0.0
504	26.261	18.0.0	Terminal audio quality performance requirements for immersive audio services	TS-26.261 V1.0.0
505	26.264	18.0.0	IMS-based AR Real-Time Communication	TS-26.264 V1.0.0
506	26.267	18.0.0	eCall data transfer; In-band modem solution; General description	TS-26.267 V1.0.0
507	26.268	18.0.0	eCall data transfer; In-band modem solution; ANSI-C reference code	TS-26.268 V1.0.0

508	26.269	18.0.0	eCall data transfer; In-band modem solution; Conformance testing	TS-26.269 V1.0.0
509	26.273	18.0.0	ANSI-C code for the fixed-point Extended Adaptive Multi-Rate - Wideband (AMR-WB+) speech codec	TS-26.273 V1.0.0
510	26.274	18.0.0	Audio codec processing functions; Extended Adaptive Multi-Rate - Wideband (AMR-WB+) speech codec; Conformance testing	TS-26.274 V1.0.0
511	26.281	18.0.0	Mission Critical Video (MCVideo); Codecs and media handling	TS-26.281 V1.0.0
512	26.29	18.0.0	Audio codec processing functions; Extended Adaptive Multi-Rate - Wideband (AMR-WB+) codec; Transcoding functions	TS-26.290 V1.0.0
513	26.304	18.0.0	Extended Adaptive Multi-Rate - Wideband (AMR-WB+) codec; Floating-point ANSI-C code	TS-26.304 V1.0.0
514	26.307	18.0.0	Presentation layer for 3GPP services	TS-26.307 V1.0.0
515	26.346	18.0.0	Multimedia Broadcast/Multicast Service (MBMS); Protocols and codecs	TS-26.346 V1.0.0
516	26.347	18.1.0	Multimedia Broadcast/Multicast Service (MBMS); Application Programming Interface and URL	TS-26.347 V1.0.0
517	26.348	18.0.0	Northbound Application Programming Interface (API) for Multimedia Broadcast/Multicast Service (MBMS) at the xMB reference point	TS-26.348 V1.0.0
518	26.401	18.0.0	General audio codec audio processing functions; Enhanced aacPlus general audio codec; General description	TS-26.401 V1.0.0
519	26.402	18.0.0	General audio codec audio processing functions; Enhanced aacPlus general audio codec; Additional decoder tools	TS-26.402 V1.0.0
520	26.403	18.0.0	General audio codec audio processing functions; Enhanced aacPlus general audio codec; Encoder specification; Advanced Audio Coding (AAC) part	TS-26.403 V1.0.0
521	26.404	18.0.0	General audio codec audio processing functions; Enhanced aacPlus general audio codec; Enhanced aacPlus encoder Spectral Band Replication (SBR) part	TS-26.404 V1.0.0

522	26.405	18.0.0	General audio codec audio processing functions; Enhanced aacPlus general audio codec; Encoder specification parametric stereo part	TS-26.405 V1.0.0
523	26.406	18.0.0	General audio codec audio processing functions; Enhanced aacPlus general audio codec; Conformance testing	TS-26.406 V1.0.0
524	26.41	18.0.0	General audio codec audio processing functions; Enhanced aacPlus general audio codec; Floating-point ANSI-C code	TS-26.410 V1.0.0
525	26.411	18.0.0	General audio codec audio processing functions; Enhanced aacPlus general audio codec; Fixed-point ANSI-C code	TS-26.411 V1.0.0
526	26.412	18.0.0	Source code for 3GP file format	TS-26.412 V1.0.0
527	26.43	18.0.0	Timed graphics	TS-26.430 V1.0.0
528	26.441	18.0.0	Codec for Enhanced Voice Services (EVS); General overview	TS-26.441 V1.0.0
529	26.442	18.0.0	Codec for Enhanced Voice Services (EVS); ANSI C code (fixed-point)	TS-26.442 V1.0.0
530	26.443	18.0.0	Codec for Enhanced Voice Services (EVS); ANSI C code (floating-point)	TS-26.443 V1.0.0
531	26.444	18.0.0	Codec for Enhanced Voice Services (EVS); Test sequences	TS-26.444 V1.0.0
532	26.445	18.0.0	Codec for Enhanced Voice Services (EVS); Detailed algorithmic description	TS-26.445 V1.0.0
533	26.446	18.0.0	Codec for Enhanced Voice Services (EVS); Adaptive Multi-Rate - Wideband (AMR-WB) backward compatible functions	TS-26.446 V1.0.0
534	26.447	18.0.0	Codec for Enhanced Voice Services (EVS); Error concealment of lost packets	TS-26.447 V1.0.0
535	26.448	18.0.0	Codec for Enhanced Voice Services (EVS); Jitter Buffer Management	TS-26.448 V1.0.0
536	26.449	18.0.0	Codec for Enhanced Voice Services (EVS); Comfort Noise Generation (CNG) aspects	TS-26.449 V1.0.0
537	26.45	18.0.0	Codec for Enhanced Voice Services (EVS); Discontinuous Transmission (DTX)	TS-26.450 V1.0.0
538	26.451	18.0.0	Codec for Enhanced Voice Services (EVS); Voice Activity Detection (VAD)	TS-26.451 V1.0.0

539	26.452	18.0.0	Codec for Enhanced Voice Services (EVS); ANSI C code; Alternative fixed-point using updated basic operators	TS-26.452 V1.0.0
540	26.453	18.0.0	Codec for Enhanced Voice Services (EVS); Speech codec frame structure	TS-26.453 V1.0.0
541	26.454	18.0.0	Codec for Enhanced Voice Services (EVS); Interface to Iu, Uu, Nb and Mb	TS-26.454 V1.0.0
542	26.501	18.6.0	5G Media Streaming (5GMS); General description and architecture	TS-26.501 V1.0.0
543	26.502	18.1.0	5G multicast-broadcast services; User service architecture	TS-26.502 V1.0.0
544	26.506	18.3.0	5G Real-time Media Communication Architecture (Stage 2)	TS-26.506 V1.0.0
545	26.51	18.0.2	Media delivery; interactions and APIs for provisioning and media session handling	TS-26.510 V1.0.0
546	26.511	18.2.0	5G Media Streaming (5GMS); Profiles, codecs and formats	TS-26.511 V1.0.0
547	26.512	18.2.1	5G Media Streaming (5GMS); Protocols	TS-26.512 V1.0.0
548	26.517	18.1.0	5G Multicast-Broadcast User Services; Protocols and Formats	TS-26.517 V1.0.0
549	26.522	18.1.0	5G Real-time Media Transport Protocol Configurations	TS-26.522 V1.0.0
550	26.531	18.2.0	Data Collection and Reporting; General Description and Architecture	TS-26.531 V1.0.0
551	26.532	18.2.1	Data Collection and Reporting; Protocols and Formats	TS-26.532 V1.0.0
552	26.565	18.0.0	Split Rendering Media Service Enabler	TS-26.565 V1.0.0
553	27.001	18.0.0	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)	TS-27.001 V1.0.0
554	27.002	18.0.0	Terminal Adaptation Functions (TAF) for services using asynchronous bearer capabilities	TS-27.002 V1.0.0
555	27.003	18.0.0	Terminal Adaptation Functions (TAF) for services using synchronous bearer capabilities	TS-27.003 V1.0.0
556	27.005	18.0.0	Use of Data Terminal Equipment - Data Circuit terminating Equipment (DTE - DCE) interface for Short Message Service (SMS) and Cell Broadcast Service (CBS)	TS-27.005 V1.0.0
557	27.007	18.7.0	AT command set for User Equipment (UE)	TS-27.007 V1.0.0
558	27.01	18.0.0	Terminal Equipment to User Equipment (TE-UE) multiplexer protocol	TS-27.010 V1.0.0

559	27.06	18.0.0	Packet domain; Mobile Station (MS) supporting Packet Switched services	TS-27.060 V1.0.0
560	28.062	18.0.0	Inband Tandem Free Operation (TFO) of speech codecs; Service description; Stage 3	TS-28.062 V1.0.0
561	28.1	18.0.0	Management and orchestration; Levels of autonomous network	TS-28.100 V1.0.0
562	28.104	18.4.0	Management and orchestration; Management Data Analytics (MDA)	TS-28.104 V1.0.0
563	28.105	18.4.0	Management and orchestration; Artificial Intelligence/ Machine Learning (AI/ML) management	TS-28.105 V1.0.0
564	28.111	18.1.0	Fault management	TS-28.111 V1.0.0
565	28.201	18.1.0	Charging management; Network slice performance and analytics charging in the 5G System (5GS); Stage 2	TS-28.201 V1.0.0
566	28.202	18.1.0	Charging management; Network slice management charging in the 5G System (5GS); Stage 2	TS-28.202 V1.0.0
567	28.203	18.1.0	Charging management; Network slice admission control charging in the 5G System (5GS)	TS-28.203 V1.0.0
568	28.204	18.1.1	Charging management; Network slice-specific authentication and authorization charging in the 5G System (5GS)	TS-28.204 V1.0.0
569	28.301	18.0.0	Telecommunication management; Licensed Shared Access (LSA) Controller (LC) Integration Reference Point (IRP); Requirements	TS-28.301 V1.0.0
570	28.302	18.0.0	Telecommunication management; Licensed Shared Access (LSA) Controller (LC) Integration Reference Point (IRP); Information Service (IS)	TS-28.302 V1.0.0
571	28.303	18.0.0	Telecommunication management; Licensed Shared Access (LSA) Controller (LC) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.303 V1.0.0
572	28.304	18.0.0	Control and monitoring of Power, Energy and Environmental (PEE) parameters Integration Reference Point (IRP); Requirements	TS-28.304 V1.0.0

573	28.305	18.0.0	Control and monitoring of Power, Energy and Environmental (PEE) parameters Integration Reference Point (IRP); Information Service (IS)	TS-28.305 V1.0.0
574	28.306	18.0.0	Control and monitoring of Power, Energy and Environmental (PEE) parameters Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.306 V1.0.0
575	28.307	18.0.0	Telecommunication management; Quality of Experience (QoE) measurement collection Integration Reference Point (IRP); Requirements	TS-28.307 V1.0.0
576	28.308	18.0.0	Telecommunication management; Quality of Experience (QoE) measurement collection Integration Reference Point (IRP); Information Service (IS)	TS-28.308 V1.0.0
577	28.309	18.0.0	Management of Quality of Experience (QoE) measurement collection Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.309 V1.0.0
578	28.31	18.5.0	Management and orchestration; Energy efficiency of 5G	TS-28.310 V1.0.0
579	28.311	18.0.0	Management and orchestration; Network policy management for mobile networks based on Network Function Virtualization (NFV) scenarios	TS-28.311 V1.0.0
580	28.312	18.4.0	Management and orchestration; Intent driven management services for mobile networks	TS-28.312 V1.0.0
581	28.313	18.1.0	Management and orchestration; Self-Organizing Networks (SON) for 5G networks	TS-28.313 V1.0.0
582	28.314	18.0.0	Management and orchestration; Plug and Connect; Concepts and requirements	TS-28.314 V1.0.0
583	28.315	18.0.0	Management and orchestration; Plug and Connect; Procedure flows	TS-28.315 V1.0.0
584	28.316	18.0.0	Management and orchestration; Plug and Connect; Data formats	TS-28.316 V1.0.0
585	28.317	18.1.0	Management and orchestration; Self-configuration of Radio Access Network Entities (RAN NEs)	TS-28.317 V1.0.0
586	28.318	18.1.0	Management and Orchestration; Network and services operations for energy utilities	TS-28.318 V1.0.0

587	28.319	18.1.0	Management and orchestration; Access Control for Management services	TS-28.319 V1.0.0
588	28.39	18.0.0	Telecommunication management; Fixed Mobile Convergence (FMC); Interface Integration Reference Point (IRP) Solution Profiles (SPs)	TS-28.390 V1.0.0
589	28.402	18.0.0	Telecommunication management; Performance Management (PM); Performance measurements for Evolved Packet Core (EPC) and non-3GPP access interworking system	TS-28.402 V1.0.0
590	28.403	18.0.0	Telecommunication management; Performance Management (PM); Performance measurements for Wireless Local Area Network (WLAN)	TS-28.403 V1.0.0
591	28.404	18.0.0	Telecommunication management; Quality of Experience (QoE) measurement collection; Concepts, use cases and requirements	TS-28.404 V1.0.0
592	28.405	18.7.0	Telecommunication management; Quality of Experience (QoE) measurement collection; Control and configuration	TS-28.405 V1.0.0
593	28.406	18.0.0	Telecommunication management; Quality of Experience (QoE) measurement collection; Information definition and transport	TS-28.406 V1.0.0
594	28.5	18.0.0	Telecommunication management; Management concept, architecture and requirements for mobile networks that include virtualized network functions	TS-28.500 V1.0.0
595	28.51	18.0.0	Telecommunication management; Configuration Management (CM) for mobile networks that include virtualized network functions; Requirements	TS-28.510 V1.0.0
596	28.511	18.0.0	Telecommunication management; Configuration Management (CM) for mobile networks that include virtualized network functions; Procedures	TS-28.511 V1.0.0
597	28.512	18.0.0	Telecommunication management; Configuration Management (CM) for mobile networks that include virtualized network functions; Stage 2	TS-28.512 V1.0.0

598	28.513	18.0.0	Telecommunication management; Configuration Management (CM) for mobile networks that include virtualized network functions; Stage 3	TS-28.513 V1.0.0
599	28.515	18.0.0	Telecommunication management; Fault Management (FM) for mobile networks that include virtualized network functions; Requirements	TS-28.515 V1.0.0
600	28.516	18.0.0	Telecommunication management; Fault Management (FM) for mobile networks that include virtualized network functions; Procedures	TS-28.516 V1.0.0
601	28.517	18.0.0	Telecommunication management; Fault Management (FM) for mobile networks that include virtualized network functions; Stage 2	TS-28.517 V1.0.0
602	28.518	18.0.0	Telecommunication management; Fault Management (FM) for mobile networks that include virtualized network functions; Stage 3	TS-28.518 V1.0.0
603	28.52	18.0.0	Telecommunication management; Performance Management (PM) for mobile networks that include virtualized network functions; Requirements	TS-28.520 V1.0.0
604	28.521	18.0.0	Telecommunication management; Performance Management (PM) for mobile networks that include virtualized network functions; Procedures	TS-28.521 V1.0.0
605	28.522	18.0.0	Telecommunication management; Performance Management (PM) for mobile networks that include virtualized network functions; Stage 2	TS-28.522 V1.0.0
606	28.523	18.0.0	Telecommunication management; Performance Management (PM) for mobile networks that include virtualized network functions; Stage 3	TS-28.523 V1.0.0
607	28.525	18.1.0	Telecommunication management; Life Cycle Management (LCM) for mobile networks that include virtualized network functions; Requirements	TS-28.525 V1.0.0
608	28.526	18.1.0	Telecommunication management; Life Cycle Management (LCM) for mobile networks that include virtualized network functions; Procedures	TS-28.526 V1.0.0

609	28.527	18.1.0	Telecommunication management; Life Cycle Management (LCM) for mobile networks that include virtualized network functions; Stage 2	TS-28.527 V1.0.0
610	28.528	18.1.0	Telecommunication management; Life Cycle Management (LCM) for mobile networks that include virtualized network functions; Stage 3	TS-28.528 V1.0.0
611	28.53	18.0.0	Management and orchestration; Concepts, use cases and requirements	TS-28.530 V1.0.0
612	28.531	18.6.1	Management and orchestration; Provisioning	TS-28.531 V1.0.0
613	28.532	18.3.0	Management and orchestration; Generic management services	TS-28.532 V1.0.0
614	28.533	18.2.0	Management and orchestration; Architecture framework	TS-28.533 V1.0.0
615	28.535	18.1.0	Management and orchestration; Management services for communication service assurance; Requirements	TS-28.535 V1.0.0
616	28.536	18.1.0	Management and orchestration; Management services for communication service assurance; Stage 2 and stage 3	TS-28.536 V1.0.0
617	28.537	18.1.0	Management and orchestration; Management capabilities	TS-28.537 V1.0.0
618	28.538	18.7.0	Management and orchestration; Edge Computing Management	TS-28.538 V1.0.0
619	28.54	18.0.0	Management and orchestration; 5G Network Resource Model (NRM); Stage 1	TS-28.540 V1.0.0
620	28.541	18.8.0	Management and orchestration; 5G Network Resource Model (NRM); Stage 2 and stage 3	TS-28.541 V1.0.0
621	28.55	18.5.0	Management and orchestration; Performance assurance	TS-28.550 V1.0.0
622	28.552	18.7.0	Management and orchestration; 5G performance measurements	TS-28.552 V1.0.0
623	28.554	18.6.0	Management and orchestration; 5G end to end Key Performance Indicators (KPI)	TS-28.554 V1.0.0
624	28.555	18.0.0	Management and orchestration; Network policy management for 5G mobile networks; Stage 1	TS-28.555 V1.0.0
625	28.556	18.0.0	Management and orchestration; Network policy management for 5G mobile networks; Stage 2 and stage 3	TS-28.556 V1.0.0

626	28.557	18.3.0	Management and orchestration; Management of Non-Public Networks (NPN); Stage 1 and stage 2	TS-28.557 V1.0.0
627	28.558	18.1.0	Management and orchestration; UE level measurements for 5G system	TS-28.558 V1.0.0
628	28.611	18.0.0	Telecommunication management; Evolved Packet Core (EPC) and non-3GPP access interworking system Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.611 V1.0.0
629	28.612	18.0.0	Telecommunication management; Evolved Packet Core (EPC) and non-3GPP access interworking system Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.612 V1.0.0
630	28.616	18.0.0	Telecommunication management; Evolved Packet Core (EPC) and non-3GPP access interworking system Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.616 V1.0.0
631	28.62	18.0.0	Telecommunication management; Fixed Mobile Convergence (FMC) Federated Network Information Model (FNIM) Umbrella Information Model (UIM)	TS-28.620 V1.0.0
632	28.621	18.0.0	Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.621 V1.0.0
633	28.622	18.7.0	Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.622 V1.0.0
634	28.623	18.7.0	Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.623 V1.0.0
635	28.624	18.0.0	Telecommunication management; State management data definition Integration Reference Point (IRP); Requirements	TS-28.624 V1.0.0

636	28.625	18.0.0	Telecommunication management; State management data definition Integration Reference Point (IRP); Information Service (IS)	TS-28.625 V1.0.0
637	28.626	18.0.0	Telecommunication management; State management data definition Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.626 V1.0.0
638	28.627	18.0.0	Telecommunication management; Self-Organizing Networks (SON) Policy Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.627 V1.0.0
639	28.628	18.0.0	Telecommunication management; Self-Organizing Networks (SON) Policy Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.628 V1.0.0
640	28.629	18.0.0	Telecommunication management; Self-Organizing Networks (SON) Policy Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.629 V1.0.0
641	28.631	18.0.0	Telecommunication management; Inventory Management (IM) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.631 V1.0.0
642	28.632	18.0.0	Telecommunication management; Inventory Management (IM) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.632 V1.0.0
643	28.633	18.0.0	Telecommunication management; Inventory Management (IM) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.633 V1.0.0
644	28.651	18.0.0	Telecommunication management; Universal Terrestrial Radio Access Network (UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.651 V1.0.0
645	28.652	18.0.0	Telecommunication management; Universal Terrestrial Radio Access Network (UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.652 V1.0.0

646	28.653	18.1.0	Telecommunication management; Universal Terrestrial Radio Access Network (UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.653 V1.0.0
647	28.654	18.0.0	Telecommunication management; GSM/EDGE Radio Access Network (GERAN) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.654 V1.0.0
648	28.655	18.0.0	Telecommunication management; GSM/EDGE Radio Access Network (GERAN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.655 V1.0.0
649	28.656	18.1.0	Telecommunication management; GSM/EDGE Radio Access Network (GERAN) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.656 V1.0.0
650	28.657	18.0.0	Telecommunication management; Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.657 V1.0.0
651	28.658	18.0.0	Telecommunication management; Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.658 V1.0.0
652	28.659	18.0.0	Telecommunication management; Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.659 V1.0.0
653	28.661	18.0.0	Telecommunication management; Generic Radio Access Network (RAN) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.661 V1.0.0

654	28.662	18.0.0	Telecommunication management; Generic Radio Access Network (RAN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.662 V1.0.0
655	28.663	18.0.0	Telecommunication management; Generic Radio Access Network (RAN) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.663 V1.0.0
656	28.667	18.0.0	Telecommunication management; Radio Planning Tool Access (RPTA) Integration Reference Point (IRP); Requirements	TS-28.667 V1.0.0
657	28.668	18.0.0	Telecommunication management; Radio Planning Tool Access (RPTA) Integration Reference Point (IRP); Information Service (IS)	TS-28.668 V1.0.0
658	28.669	18.0.0	Telecommunication management; Radio Planning Tool Access (RPTA) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.669 V1.0.0
659	28.671	18.0.0	Telecommunication management; Home Node B (HNB) Subsystem (HNS) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.671 V1.0.0
660	28.672	18.0.0	Telecommunication management; Home Node B (HNB) Subsystem (HNS) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.672 V1.0.0
661	28.673	18.0.0	Telecommunication management; Home Node B (HNB) Subsystem (HNS) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.673 V1.0.0
662	28.674	18.0.0	Telecommunication management; Home enhanced Node B (HeNB) Subsystem (HeNS) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.674 V1.0.0

663	28.675	18.0.0	Telecommunication management; Home enhanced Node B (HeNB) Subsystem (HeNS) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.675 V1.0.0
664	28.676	18.0.0	Telecommunication management; Home enhanced Node B (HeNB) Subsystem (HeNS) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.676 V1.0.0
665	28.68	18.0.0	Telecommunication management; Wireless Local Area Network (WLAN) management; Concepts and requirements	TS-28.680 V1.0.0
666	28.681	18.0.0	Telecommunication management; Wireless Local Area Network (WLAN) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.681 V1.0.0
667	28.682	18.0.0	Telecommunication management; Wireless Local Area Network (WLAN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.682 V1.0.0
668	28.683	18.0.0	Telecommunication management; Wireless Local Area Network (WLAN) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.683 V1.0.0
669	28.701	18.0.0	Telecommunication management; Core Network (CN) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.701 V1.0.0
670	28.702	18.1.0	Telecommunication management; Core Network (CN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.702 V1.0.0
671	28.703	18.0.0	Telecommunication management; Core Network (CN) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.703 V1.0.0

672	28.704	18.0.0	Telecommunication management; IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.704 V1.0.0
673	28.705	18.0.0	Telecommunication management; IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.705 V1.0.0
674	28.706	18.0.0	Telecommunication management; IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.706 V1.0.0
675	28.707	18.0.0	Telecommunication management; Evolved Packet Core (EPC) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.707 V1.0.0
676	28.708	18.0.0	Telecommunication management; Evolved Packet Core (EPC) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.708 V1.0.0
677	28.709	18.0.0	Telecommunication management; Evolved Packet Core (EPC) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.709 V1.0.0
678	28.731	18.0.0	Telecommunication management; Transport Network (TN) interface Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.731 V1.0.0
679	28.732	18.1.0	Telecommunication management; Transport Network (TN) interface Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.732 V1.0.0
680	28.733	18.1.0	Telecommunication management; Transport Network (TN) interface Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.733 V1.0.0
681	28.734	18.0.0	Telecommunication management; Signalling Transport Network (STN) interface Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.734 V1.0.0

682	28.735	18.0.0	Telecommunication management; Signalling Transport Network (STN) interface Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.735 V1.0.0
683	28.736	18.0.0	Telecommunication management; Signalling Transport Network (STN) interface Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.736 V1.0.0
684	28.751	18.0.0	Telecommunication management; Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements	TS-28.751 V1.0.0
685	28.752	18.0.0	Telecommunication management; Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.752 V1.0.0
686	28.753	18.1.0	Telecommunication management; Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.753 V1.0.0
687	29.002	18.0.0	Mobile Application Part (MAP) specification	TS-29.002 V1.0.0
688	29.007	18.0.0	General requirements on interworking between the Public Land Mobile Network (PLMN) and the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN)	TS-29.007 V1.0.0
689	29.01	18.0.0	Information element mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile services Switching Centre (BSS - MSC); Signalling Procedures and the Mobile Application Part (MAP)	TS-29.010 V1.0.0
690	29.011	18.0.0	Signalling Interworking for supplementary services	TS-29.011 V1.0.0
691	29.013	18.0.0	Signalling interworking between ISDN supplementary services; Application Service Element (ASE) and Mobile Application Part (MAP) protocols	TS-29.013 V1.0.0

692	29.016	18.0.0	General Packet Radio Service (GPRS); Serving GPRS Support Node (SGSN) - Visitors Location Register (VLR); Gs interface network service specification	TS-29.016 V1.0.0
693	29.018	18.0.0	General Packet Radio Service (GPRS); Serving GPRS Support Node (SGSN) - Visitors Location Register (VLR); Gs interface layer 3 specification	TS-29.018 V1.0.0
694	29.06	18.0.0	General Packet Radio Service (GPRS); GPRS Tunnelling Protocol (GTP) across the Gn and Gp interface	TS-29.060 V1.0.0
695	29.061	18.1.0	Interworking between the Public Land Mobile Network (PLMN) supporting packet based services and Packet Data Networks (PDN)	TS-29.061 V1.0.0
696	29.078	18.0.0	Customised Applications for Mobile network Enhanced Logic (CAMEL) Phase X; CAMEL Application Part (CAP) specification	TS-29.078 V1.0.0
697	29.079	18.0.0	Optimal media routing within the IP Multimedia Subsystem (IMS); Stage 3	TS-29.079 V1.0.0
698	29.108	18.0.0	Application of the Radio Access Network Application Part (RANAP) on the E-interface	TS-29.108 V1.0.0
699	29.109	18.0.0	Generic Authentication Architecture (GAA); Zh and Zn Interfaces based on the Diameter protocol; Stage 3	TS-29.109 V1.0.0
700	29.116	18.0.0	Representational state transfer over xMB reference point between content provider and BM-SC	TS-29.116 V1.0.0
701	29.118	18.0.0	Mobility Management Entity (MME) - Visitor Location Register (VLR) SGs interface specification	TS-29.118 V1.0.0
702	29.119	18.0.0	GPRS Tunnelling Protocol (GTP) specification for Gateway Location Register (GLR)	TS-29.119 V1.0.0
703	29.12	18.0.0	Mobile Application Part (MAP) specification for Gateway Location Register (GLR)	TS-29.120 V1.0.0
704	29.122	18.6.0	T8 reference point for Northbound APIs	TS-29.122 V1.0.0
705	29.128	18.0.0	Mobility Management Entity (MME) and Serving GPRS Support Node (SGSN) interfaces for interworking with packet data networks and applications	TS-29.128 V1.0.0

706	29.139	18.0.0	3GPP system - fixed broadband access network interworking; Home (e)Node B - security gateway interface	TS-29.139 V1.0.0
707	29.153	18.0.0	Service capability exposure functionality over Ns reference point	TS-29.153 V1.0.0
708	29.154	18.0.0	Service capability exposure functionality over Nt reference point	TS-29.154 V1.0.0
709	29.155	18.0.0	Traffic steering control; Representational State Transfer (REST) over St reference point	TS-29.155 V1.0.0
710	29.162	18.1.0	Interworking between the IM CN subsystem and IP networks	TS-29.162 V1.0.0
711	29.163	18.1.0	Interworking between the IP Multimedia (IM) Core Network (CN) subsystem and Circuit Switched (CS) networks	TS-29.163 V1.0.0
712	29.164	18.0.0	Interworking between the 3GPP CS domain with BICC or ISUP as signalling protocol and external SIP-I networks	TS-29.164 V1.0.0
713	29.165	18.3.0	Inter-IMS Network to Network Interface (NNI)	TS-29.165 V1.0.0
714	29.168	18.0.0	Cell Broadcast Centre interfaces with the Evolved Packet Core; Stage 3	TS-29.168 V1.0.0
715	29.171	18.0.0	Location Services (LCS); LCS Application Protocol (LCS-AP) between the Mobile Management Entity (MME) and Evolved Serving Mobile Location Centre (E-SMLC); SLs interface	TS-29.171 V1.0.0
716	29.172	18.1.0	Location Services (LCS); Evolved Packet Core (EPC) LCS Protocol (ELP) between the Gateway Mobile Location Centre (GMLC) and the Mobile Management Entity (MME); SLg interface	TS-29.172 V1.0.0
717	29.173	18.0.0	Location Services (LCS); Diameter-based SLh interface for Control Plane LCS	TS-29.173 V1.0.0
718	29.175	18.1.0	IP Multimedia Subsystem (IMS) Application Server (AS) Services Stage 3	TS-29.175 V1.0.0
719	29.176	18.2.0	IP Multimedia Subsystems (IMS); Media Function (MF) Services; Stage 3 (Release 18)	TS-29.176 V1.0.0

720	29.201	18.0.0	Representational State Transfer (REST) reference point between Application Function (AF) and Protocol Converter (PC)	TS-29.201 V1.0.0
721	29.202	18.0.0	Signalling System No. 7 (SS7) signalling transport in core network; Stage 3	TS-29.202 V1.0.0
722	29.204	18.0.0	Signalling System No. 7 (SS7) security gateway; Architecture, functional description and protocol details	TS-29.204 V1.0.0
723	29.205	18.0.0	Application of Q.1900 series to bearer independent Circuit Switched (CS) core network architecture; Stage 3	TS-29.205 V1.0.0
724	29.212	18.1.0	Policy and Charging Control (PCC); Reference points	TS-29.212 V1.0.0
725	29.213	18.0.0	Policy and charging control signalling flows and Quality of Service (QoS) parameter mapping	TS-29.213 V1.0.0
726	29.214	18.2.0	Policy and charging control over Rx reference point	TS-29.214 V1.0.0
727	29.215	18.0.0	Policy and Charging Control (PCC) over S9 reference point; Stage 3	TS-29.215 V1.0.0
728	29.217	18.0.0	Policy and Charging Control (PCC); Congestion reporting over Np reference point	TS-29.217 V1.0.0
729	29.219	18.0.0	Policy and charging control: Spending limit reporting over Sy reference point	TS-29.219 V1.0.0
730	29.222	18.6.0	Common API Framework for 3GPP Northbound APIs	TS-29.222 V1.0.0
731	29.228	18.0.0	IP Multimedia (IM) Subsystem Cx and Dx Interfaces; Signalling flows and message contents	TS-29.228 V1.0.0
732	29.229	18.0.0	Cx and Dx interfaces based on the Diameter protocol; Protocol details	TS-29.229 V1.0.0
733	29.23	18.3.0	Diameter applications; 3GPP specific codes and identifiers	TS-29.230 V1.0.0
734	29.231	18.0.0	Application of SIP-I Protocols to Circuit Switched (CS) core network architecture; Stage 3	TS-29.231 V1.0.0
735	29.232	18.1.0	Media Gateway Controller (MGC) - Media Gateway (MGW) interface; Stage 3	TS-29.232 V1.0.0
736	29.235	18.0.0	Interworking between SIP-I based circuit-switched core network and other networks	TS-29.235 V1.0.0
737	29.238	18.1.0	Interconnection Border Control Functions (IBCF) - Transition Gateway (TrGW) interface, Ix interface; Stage 3	TS-29.238 V1.0.0

738	29.24	18.0.0	3GPP Generic User Profile (GUP); Stage 3; Network	TS-29.240 V1.0.0
739	29.244	18.6.0	Interface between the Control Plane and the User Plane nodes	TS-29.244 V1.0.0
740	29.25	18.0.0	Nu reference point between SCEF and PFDF for sponsored data connectivity	TS-29.250 V1.0.0
741	29.251	18.0.0	Gw and Gwn reference point for sponsored data connectivity	TS-29.251 V1.0.0
742	29.255	18.3.1	Uncrewed Aerial System Service Supplier (USS) Services; Stage 3	TS-29.255 V1.0.0
743	29.256	18.4.0	Uncrewed Aerial Systems Network Function (UAS-NF); Aerial Management Services; Stage 3	TS-29.256 V1.0.0
744	29.257	18.4.0	Application layer support for Uncrewed Aerial System (UAS); UAS Application Enabler (UAE) Server Services; Stage 3	TS-29.257 V1.0.0
745	29.272	18.4.0	Evolved Packet System (EPS); Mobility Management Entity (MME) and Serving GPRS Support Node (SGSN) related interfaces based on Diameter protocol	TS-29.272 V1.0.0
746	29.273	18.4.0	Evolved Packet System (EPS); 3GPP EPS AAA interfaces	TS-29.273 V1.0.0
747	29.274	18.7.0	3GPP Evolved Packet System (EPS); Evolved General Packet Radio Service (GPRS) Tunnelling Protocol for Control plane (GTPv2-C); Stage 3	TS-29.274 V1.0.0
748	29.275	18.0.0	Proxy Mobile IPv6 (PMIPv6) based Mobility and Tunnelling protocols; Stage 3	TS-29.275 V1.0.0
749	29.276	18.0.0	3GPP Evolved Packet System (EPS); Optimized handover procedures and protocols between E-UTRAN access and cdma2000 HRPD Access; Stage 3	TS-29.276 V1.0.0
750	29.277	18.0.0	Optimised handover procedures and protocol between EUTRAN access and non-3GPP accesses (S102); Stage 3	TS-29.277 V1.0.0
751	29.278	18.0.0	Customized Applications for Mobile network Enhanced Logic (CAMEL) Phase 4; CAMEL Application Part (CAP) specification for IP Multimedia Subsystems (IMS)	TS-29.278 V1.0.0
752	29.279	18.0.0	Mobile IPv4 (MIPv4) based mobility protocols; Stage 3	TS-29.279 V1.0.0

753	29.28	18.0.0	Evolved Packet System (EPS); 3GPP Sv interface (MME to MSC, and SGSN to MSC) for SRVCC	TS-29.280 V1.0.0
754	29.281	18.1.0	General Packet Radio System (GPRS) Tunnelling Protocol User Plane (GTPv1-U)	TS-29.281 V1.0.0
755	29.282	18.0.0	Mobile IPv6 vendor specific option format and usage within 3GPP	TS-29.282 V1.0.0
756	29.283	18.0.0	Diameter data management applications	TS-29.283 V1.0.0
757	29.292	18.1.0	Interworking between the IP Multimedia (IM) Core Network (CN) subsystem (IMS) and MSC Server for IMS Centralized Services (ICS)	TS-29.292 V1.0.0
758	29.303	18.0.0	Domain Name System Procedures; Stage 3	TS-29.303 V1.0.0
759	29.305	18.0.0	InterWorking Function (IWF) between MAP based and Diameter based interfaces	TS-29.305 V1.0.0
760	29.309	18.2.0	Bootstrapping Server Function (GBA BSF) Services	TS-29.309 V1.0.0
761	29.311	18.0.0	Service Level Interworking (SLI) for messaging services	TS-29.311 V1.0.0
762	29.328	18.1.0	IP Multimedia (IM) Subsystem Sh interface; Signalling flows and message contents	TS-29.328 V1.0.0
763	29.329	18.0.0	Sh interface based on the Diameter protocol; Protocol details	TS-29.329 V1.0.0
764	29.33	18.1.0	IP Multimedia Subsystem (IMS); Sc Interface based on the Diameter protocol;	TS-29.330 V1.0.0
765	29.332	18.1.0	Media Gateway Control Function (MGCF) - IM Media Gateway; Mn interface	TS-29.332 V1.0.0
766	29.333	18.1.0	Multimedia Resource Function Controller (MRFC) - Multimedia Resource Function Processor (MRFP) Mp interface; Stage 3	TS-29.333 V1.0.0
767	29.334	18.1.0	IMS Application Level Gateway (IMS-ALG) – IMS Access Gateway (IMS-AGW); Iq Interface; Stage 3	TS-29.334 V1.0.0
768	29.335	18.0.0	User Data Convergence (UDC); User data repository access protocol over the Ud interface; Stage 3	TS-29.335 V1.0.0
769	29.336	18.2.0	Home Subscriber Server (HSS) diameter interfaces for interworking with packet data networks and applications	TS-29.336 V1.0.0

770	29.337	18.0.0	Diameter-based T4 Interface for communications with packet data networks and applications	TS-29.337 V1.0.0
771	29.338	18.2.0	Diameter based protocols to support Short Message Service (SMS) capable Mobile Management Entities (MMEs)	TS-29.338 V1.0.0
772	29.343	18.0.0	Proximity-services (ProSe) function to ProSe application server aspects (PC2); Stage 3	TS-29.343 V1.0.0
773	29.344	18.0.0	Proximity-services (ProSe) function to Home Subscriber Server (HSS) aspects; Stage 3	TS-29.344 V1.0.0
774	29.345	18.0.0	Inter-Proximity-services (ProSe) function signalling aspects; Stage 3	TS-29.345 V1.0.0
775	29.364	18.1.0	IP Multimedia Subsystem (IMS) Application Server (AS) service data descriptions for AS interoperability	TS-29.364 V1.0.0
776	29.368	18.0.0	Tsp interface protocol between the MTC Interworking Function (MTC-IWF) and Service Capability Server (SCS)	TS-29.368 V1.0.0
777	29.379	18.0.0	Mission Critical Push To Talk (MCPTT) call control interworking with Land Mobile Radio (LMR) systems; Stage-3	TS-29.379 V1.0.0
778	29.38	18.0.0	Mission Critical Push To Talk (MCPTT) media plane control interworking with Land Mobile Radio (LMR) systems; Stage 3	TS-29.380 V1.0.0
779	29.388	18.0.0	V2X Control Function to Home Subscriber Server (HSS) aspects (V4); Stage 3	TS-29.388 V1.0.0
780	29.389	18.0.0	Inter-V2X Control Function Signalling aspects (V6); Stage 3	TS-29.389 V1.0.0
781	29.405	18.0.0	Nq and Nq' Application Protocol (Nq-AP); Stage 3	TS-29.405 V1.0.0
782	29.413	18.2.0	Application of the NG Application Protocol (NGAP) to non-3GPP access	TS-29.413 V1.0.0
783	29.414	18.0.0	Core network Nb data transport and transport signalling	TS-29.414 V1.0.0
784	29.415	18.0.0	Core network Nb interface user plane protocols	TS-29.415 V1.0.0
785	29.435	18.1.1	Service Enabler Architecture Layer for Verticals (SEAL); Network Slice Capability Enablement (NSCE) Server Services	TS-29.435 V1.0.0
786	29.468	18.0.0	Group Communication System Enablers for LTE (GCSE_LTE); MB2 reference point; Stage 3	TS-29.468 V1.0.0

787	29.486	18.3.0	V2X Application Enabler (VAE) Services; Stage 3	TS-29.486 V1.0.0
788	29.5	18.6.0	5G System; Technical Realization of Service Based Architecture; Stage 3	TS-29.500 V1.0.0
789	29.501	18.5.0	5G System; Principles and Guidelines for Services Definition; Stage 3	TS-29.501 V1.0.0
790	29.502	18.7.0	5G System; Session Management Services; Stage 3	TS-29.502 V1.0.0
791	29.503	18.6.0	5G System; Unified Data Management Services; Stage 3	TS-29.503 V1.0.0
792	29.504	18.6.0	5G System; Unified Data Repository Services; Stage 3	TS-29.504 V1.0.0
793	29.505	18.6.0	5G System; Usage of the Unified Data Repository services for Subscription Data; Stage 3	TS-29.505 V1.0.0
794	29.507	18.6.0	5G System; Access and Mobility Policy Control Service; Stage 3	TS-29.507 V1.0.0
795	29.508	18.6.0	5G System; Session Management Event Exposure Service; Stage 3	TS-29.508 V1.0.0
796	29.509	18.5.0	5G System; Authentication Server Services; Stage 3	TS-29.509 V1.0.0
797	29.51	18.7.0	5G System; Network function repository services; Stage 3	TS-29.510 V1.0.0
798	29.511	18.3.0	5G System; Equipment Identity Register Services; Stage 3	TS-29.511 V1.0.0
799	29.512	18.6.1	5G System; Session Management Policy Control Service; Stage 3	TS-29.512 V1.0.0
800	29.513	18.6.0	5G System; Policy and Charging Control signalling flows and QoS parameter mapping; Stage 3	TS-29.513 V1.0.0
801	29.514	18.6.0	5G System; Policy Authorization Service; Stage 3	TS-29.514 V1.0.0
802	29.515	18.6.0	5G System; Gateway Mobile Location Services; Stage 3	TS-29.515 V1.0.0
803	29.517	18.6.0	5G System; Application Function Event Exposure Service; Stage 3	TS-29.517 V1.0.0
804	29.518	18.6.0	5G System; Access and Mobility Management Services; Stage 3	TS-29.518 V1.0.0
805	29.519	18.6.0	5G System; Usage of the Unified Data Repository Service for Policy Data, Application Data and Structured Data for Exposure; Stage 3	TS-29.519 V1.0.0
806	29.52	18.6.0	5G System; Network Data Analytics Services; Stage 3	TS-29.520 V1.0.0
807	29.521	18.5.0	5G System; Binding Support Management Service; Stage 3	TS-29.521 V1.0.0

808	29.522	18.6.1	5G System; Network Exposure Function Northbound APIs; Stage 3	TS-29.522 V1.0.0
809	29.523	18.5.0	5G System; Policy Control Event Exposure Service; Stage 3	TS-29.523 V1.0.0
810	29.524	18.1.0	5G System; Cause codes mapping between 5GC interfaces; Stage 3	TS-29.524 V1.0.0
811	29.525	18.6.0	5G System; UE Policy Control Service; Stage 3	TS-29.525 V1.0.0
812	29.526	18.6.0	5G System; Network Slice-Specific and SNPN Authentication and Authorization services; Stage 3	TS-29.526 V1.0.0
813	29.531	18.7.0	5G System; Network Slice Selection Services; Stage 3	TS-29.531 V1.0.0
814	29.532	18.5.0	5G System; 5G Multicast-Broadcast Session Management Services; Stage 3	TS-29.532 V1.0.0
815	29.534	18.4.0	5G System; Access and Mobility Policy Authorization Service; Stage 3	TS-29.534 V1.0.0
816	29.535	18.5.1	5G System; AKMA Anchor Services; Stage 3	TS-29.535 V1.0.0
817	29.536	18.6.0	5G System; Network Slice Admission Control Services; Stage 3	TS-29.536 V1.0.0
818	29.537	18.4.0	5G System; Multicast/Broadcast Policy Control services; Stage 3	TS-29.537 V1.0.0
819	29.538	18.6.1	Enabling MSGin5G Service; Application Programming Interfaces (API) specification; Stage 3	TS-29.538 V1.0.0
820	29.54	18.4.0	5G System; SMS Services; Stage 3	TS-29.540 V1.0.0
821	29.541	18.3.0	5G System; Network Exposure (NE) function services for Non-IP Data Delivery (NIDD) and Short Message Services (SMS); Stage 3	TS-29.541 V1.0.0
822	29.542	18.4.0	5G System; Session management services for Non-IP Data Delivery (NIDD); Stage 3	TS-29.542 V1.0.0
823	29.543	18.1.0	5G System; Data Transfer Policy Control Services; Stage 3	TS-29.543 V1.0.0
824	29.544	18.2.0	5G System; Secured Packet Application Function (SP-AF) services; Stage 3	TS-29.544 V1.0.0
825	29.548	18.1.0	Service Enabler Architecture Layer for Verticals (SEAL); SEAL Data Delivery (SEALDD) Server Services; Stage 3	TS-29.548 V1.0.0

826	29.549	18.6.0	Service Enabler Architecture Layer for Verticals (SEAL); Application Programming Interface (API) specification; Stage 3	TS-29.549 V1.0.0
827	29.55	18.3.0	5G System; Steering of roaming application function services; Stage 3	TS-29.550 V1.0.0
828	29.551	18.5.0	5G System; Packet Flow Description Management Service; Stage 3	TS-29.551 V1.0.0
829	29.552	18.5.0	5G System; Network Data Analytics signalling flows; Stage 3	TS-29.552 V1.0.0
830	29.553	18.4.0	5G System; 5G ProSe Anchor Services; Stage 3	TS-29.553 V1.0.0
831	29.554	18.3.0	5G System; Background Data Transfer Policy Control Service; Stage 3	TS-29.554 V1.0.0
832	29.555	18.5.0	5G System; 5G Direct Discovery Name Management Services; Stage 3	TS-29.555 V1.0.0
833	29.556	18.6.0	Edge Application Server Discovery Services; Stage 3	TS-29.556 V1.0.0
834	29.557	18.3.0	5G System; Application Function ProSe Service; Stage 3	TS-29.557 V1.0.0
835	29.558	18.6.0	Enabling Edge Applications; Application Programming Interface (API) specification; Stage 3	TS-29.558 V1.0.0
836	29.559	18.3.0	5G System; 5G ProSe Key Management Services; Stage 3	TS-29.559 V1.0.0
837	29.561	18.4.0	5G System; Interworking between 5G Network and external Data Networks; Stage 3	TS-29.561 V1.0.0
838	29.562	18.5.0	5G System; Home Subscriber Server (HSS) services; Stage 3	TS-29.562 V1.0.0
839	29.563	18.5.0	5G System; Home Subscriber Server (HSS) services for interworking with Unified Data Management (UDM); Stage 3	TS-29.563 V1.0.0
840	29.564	18.5.0	5G System; User Plane Function Services; Stage 3	TS-29.564 V1.0.0
841	29.565	18.6.0	5G System; Time Sensitive Communication and Time Synchronization Function Services; Stage 3	TS-29.565 V1.0.0
842	29.571	18.6.0	5G System; Common Data Types for Service Based Interfaces; Stage 3	TS-29.571 V1.0.0
843	29.572	18.6.0	5G System; Location Management Services; Stage 3	TS-29.572 V1.0.0

844	29.573	18.7.0	5G System; Public Land Mobile Network (PLMN) Interconnection; Stage 3	TS-29.573 V1.0.0
845	29.574	18.6.0	5G System; Data Collection Coordination Services; Stage 3	TS-29.574 V1.0.0
846	29.575	18.6.0	5G System; Analytics Data Repository Services; Stage 3	TS-29.575 V1.0.0
847	29.576	18.4.0	5G System; Messaging Framework Adaptor Services; Stage 3	TS-29.576 V1.0.0
848	29.577	18.4.0	5G System; IP Short Message Gateway and SMS Router For Short Message Services; Stage 3	TS-29.577 V1.0.0
849	29.578	18.2.0	5G System; Mobile Number Portability Services; Stage 3	TS-29.578 V1.0.0
850	29.579	18.4.0	5G System; Interworking MSC For Short Message Services; Stage 3	TS-29.579 V1.0.0
851	29.58	18.5.0	5G System; Multicast/Broadcast Service Function services; Stage 3	TS-29.580 V1.0.0
852	29.581	18.5.0	5G System; Multicast/Broadcast Service Transport Services; Stage 3	TS-29.581 V1.0.0
853	29.582	18.0.0	Mission Critical Data (MCDData) interworking with Land Mobile Radio (LMR) systems; Stage 3	TS-29.582 V1.0.0
854	29.583	18.1.1	Application layer support for Personal IoT Network (PINAPP); Personal IoT Network (PIN) server services	TS-29.583 V1.0.0
855	29.585	18.0.0	5G System (5GS); Session Management Function (SMF) / Centralized User Configuration (CUC) to Access Network Talker Listener (AN-TL) and Core Network Talker Listener (CN-TL) protocol aspects; Stage 3	TS-29.585 V1.0.0
856	29.586	18.1.0	5G System; SideLink Positioning Key Management Services; Stage 3	TS-29.586 V1.0.0
857	29.591	18.6.0	5G System; Network Exposure Function Southbound Services; Stage 3	TS-29.591 V1.0.0
858	29.594	18.4.0	5G System; Spending Limit Control Service; Stage 3	TS-29.594 V1.0.0
859	29.598	18.6.0	Unstructured data storage services	TS-29.598 V1.0.0
860	29.641	18.1.0	3GPP Registry for Service Names and Port Numbers	TS-29.641 V1.0.0
861	29.658	18.0.0	SIP Transfer of IP Multimedia Service Tariff Information; Protocol specification	TS-29.658 V1.0.0

862	29.673	18.4.0	5G System; UE radio capability management services; Stage 3	TS-29.673 V1.0.0
863	29.674	18.0.0	Interface between the UE radio Capability Management Function (UCMF) and the Mobility Management Entity (MME); Stage 3	TS-29.674 V1.0.0
864	29.675	18.4.0	User Equipment (UE) radio capability provisioning service; Stage 3	TS-29.675 V1.0.0
865	31.101	18.1.0	UICC-terminal interface; Physical and logical characteristics	TS-31.101 V1.0.0
866	31.102	18.5.0	Characteristics of the Universal Subscriber Identity Module (USIM) application	TS-31.102 V1.0.0
867	31.103	18.1.0	Characteristics of the IP Multimedia Services Identity Module (ISIM) application	TS-31.103 V1.0.0
868	31.104	18.0.0	Characteristics of the Hosting Party Subscription Identity Module (HPSIM) application	TS-31.104 V1.0.0
869	31.105	18.1.0	Characteristics of the Slice Subscriber Identity Module application	TS-31.105 V1.0.0
870	31.111	18.6.0	Universal Subscriber Identity Module (USIM) Application Toolkit (USAT)	TS-31.111 V1.0.0
871	31.115	18.0.0	Secured packet structure for (Universal) Subscriber Identity Module (U)SIM Toolkit applications	TS-31.115 V1.0.0
872	31.116	18.0.0	Remote APDU Structure for (U)SIM Toolkit applications	TS-31.116 V1.0.0
873	31.12	18.0.0	UICC-terminal interface; Physical, electrical and logical test specification	TS-31.120 V1.0.0
874	31.122	18.0.0	Universal Subscriber Identity Module (USIM) conformance test specification	TS-31.122 V1.0.0
875	31.13	18.1.0	(U)SIM Application Programming Interface (API); (U)SIM API for Java™ Card	TS-31.130 V1.0.0
876	31.131	18.0.0	C-language binding to (U)SIM API	TS-31.131 V1.0.0
877	31.133	18.0.0	IP Multimedia Services Identity Module (ISIM) Application Programming Interface (API); ISIM API for Java Card™	TS-31.133 V1.0.0
878	31.213	18.0.0	Test specification for (U)SIM; Application Programming Interface (API) for Java Card™	TS-31.213 V1.0.0

879	31.22	18.0.0	Characteristics of the Contact Manager for 3GPP UICC applications	TS-31.220 V1.0.0
880	31.221	18.0.0	Contact Manager Application Programming Interface (API); Contact Manager API for Java Card	TS-31.221 V1.0.0
881	32.101	18.0.0	Telecommunication management; Principles and high level requirements	TS-32.101 V1.0.0
882	32.102	18.0.0	Telecommunication management; Architecture	TS-32.102 V1.0.0
883	32.103	18.0.0	Telecommunication management; Integration Reference Point (IRP) overview and usage guide	TS-32.103 V1.0.0
884	32.107	18.0.0	Telecommunication management; Fixed Mobile Convergence (FMC) Federated Network Information Model (FNIM)	TS-32.107 V1.0.0
888	32.121	18.0.0	Telecommunication management; Advanced Alarm Management (AAM) Integration Reference Point (IRP): Requirements	TS-32.121 V1.0.0
889	32.122	18.0.0	Telecommunication management; Advanced Alarm Management (AAM) Integration Reference Point (IRP): Information Service (IS)	TS-32.122 V1.0.0
890	32.126	18.0.0	Telecommunication management; Advanced Alarm Management (AAM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.126 V1.0.0
891	32.13	18.3.0	Telecommunication management; Network sharing; Concepts and requirements	TS-32.130 V1.0.0
892	32.14	18.0.0	Telecommunication management; Subscription Management (SuM) requirements	TS-32.140 V1.0.0
893	32.141	18.0.0	Telecommunication management; Subscription Management (SuM) architecture	TS-32.141 V1.0.0
894	32.15	18.0.0	Telecommunication management; Integration Reference Point (IRP) Concept and definitions	TS-32.150 V1.0.0
895	32.153	18.0.0	Telecommunication management; Integration Reference Point (IRP) technology specific templates, rules and guidelines	TS-32.153 V1.0.0

896	32.154	18.0.0	Telecommunication management; Backward and Forward Compatibility (BFC); Concept and definitions	TS-32.154 V1.0.0
897	32.155	18.0.0	Telecommunication management; Requirements template	TS-32.155 V1.0.0
898	32.156	18.6.0	Telecommunication management; Fixed Mobile Convergence (FMC) model repertoire	TS-32.156 V1.0.0
899	32.157	18.0.0	Telecommunication management; Integration Reference Point (IRP) Information Service (IS) template	TS-32.157 V1.0.0
900	32.158	18.1.0	Management and orchestration; Design rules for REpresentational State Transfer (REST) Solution Sets (SS)	TS-32.158 V1.0.0
901	32.16	18.6.0	Management and orchestration; Management service template	TS-32.160 V1.0.0
902	32.161	18.0.0	Management and orchestration; JSON expressions (Jex)	TS-32.161 V1.0.0
903	32.181	18.0.0	Telecommunication management; User Data Convergence (UDC); Framework for Model Handling and Management	TS-32.181 V1.0.0
904	32.182	18.0.0	Telecommunication management; User Data Convergence (UDC); Common baseline information model (CBIM)	TS-32.182 V1.0.0
905	32.24	18.7.0	Telecommunication management; Charging management; Charging architecture and principles	TS-32.240 V1.0.0
906	32.25	18.0.0	Telecommunication management; Charging management; Circuit Switched (CS) domain charging	TS-32.250 V1.0.0
907	32.251	18.0.0	Telecommunication management; Charging management; Packet Switched (PS) domain charging	TS-32.251 V1.0.0
908	32.253	18.0.0	Telecommunication management; Charging management; Control Plane (CP) data transfer domain charging	TS-32.253 V1.0.0
909	32.254	18.3.0	Telecommunication management; Charging management; Exposure function Northbound Application Program Interfaces (APIs) charging	TS-32.254 V1.0.0
910	32.255	18.4.0	Telecommunication management; Charging management; 5G data connectivity domain charging; Stage 2	TS-32.255 V1.0.0
911	32.256	18.4.1	Charging management; 5G connection and mobility domain charging; Stage 2	TS-32.256 V1.0.0
912	32.257	18.1.0	Telecommunication management; Charging management; Edge computing domain charging	TS-32.257 V1.0.0

913	32.26	18.3.0	Telecommunication management;Charging management;IP Multimedia Subsystem (IMS) charging	TS-32.260 V1.0.0
914	32.27	18.3.0	Telecommunication management; Charging management; Multimedia Messaging Service (MMS) charging	TS-32.270 V1.0.0
915	32.271	18.0.0	Telecommunication management; Charging management; Location Services (LCS) charging	TS-32.271 V1.0.0
916	32.272	18.0.0	Telecommunication management; Charging management; Push-to-talk over Cellular (PoC) charging	TS-32.272 V1.0.0
917	32.273	18.0.0	Telecommunication management; Charging management; Multimedia Broadcast and Multicast Service (MBMS) charging	TS-32.273 V1.0.0
918	32.274	18.0.0	Telecommunication management; Charging management; Short Message Service (SMS) charging	TS-32.274 V1.0.0
919	32.275	18.0.0	Telecommunication management; Charging management; MultiMedia Telephony (MMTel) charging	TS-32.275 V1.0.0
920	32.276	18.0.0	Telecommunication management; Charging management; Voice Call Service (VCS) charging	TS-32.276 V1.0.0
921	32.277	18.1.0	Telecommunication management; Charging management; Proximity-based Services (ProSe) charging	TS-32.277 V1.0.0
922	32.278	18.0.0	Telecommunication management;Charging management;Monitoring event charging	TS-32.278 V1.0.0
923	32.279	18.1.0	Charging management; 5G Multicast-broadcast Services charging	TS-32.279 V1.0.0
924	32.28	18.0.0	Telecommunication management; Charging management; Advice of Charge (AoC) service	TS-32.280 V1.0.0
925	32.281	18.0.0	Telecommunication management; Charging management; Announcement service	TS-32.281 V1.0.0
926	32.282	18.2.0	Charging management; Time-Sensitive Networking (TSN) charging	TS-32.282 V1.0.0
927	32.29	18.6.0	Telecommunication management; Charging management; 5G system; Services, operations and procedures of charging using Service Based Interface (SBI)	TS-32.290 V1.0.0

928	32.291	18.6.1	Telecommunication management; Charging management; 5G system, charging service; Stage 3	TS-32.291 V1.0.0
929	32.293	18.0.0	Telecommunication management; Charging management; Proxy function	TS-32.293 V1.0.0
930	32.295	18.0.0	Telecommunication management; Charging management; Charging Data Record (CDR) transfer	TS-32.295 V1.0.0
931	32.296	18.0.0	Telecommunication management; Charging management; Online Charging System (OCS): Applications and interfaces	TS-32.296 V1.0.0
932	32.297	18.1.0	Telecommunication management; Charging management; Charging Data Record (CDR) file format and transfer	TS-32.297 V1.0.0
933	32.298	18.6.0	Telecommunication management; Charging management; Charging Data Record (CDR) parameter description	TS-32.298 V1.0.0
934	32.299	18.0.0	Telecommunication management; Charging management; Diameter charging applications	TS-32.299 V1.0.0
935	32.3	18.0.0	Telecommunication management; Configuration Management (CM); Name convention for Managed Objects	TS-32.300 V1.0.0
936	32.301	18.0.0	Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP); Requirements	TS-32.301 V1.0.0
937	32.302	18.0.0	Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP); Information Service (IS)	TS-32.302 V1.0.0
938	32.306	18.0.0	Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.306 V1.0.0
939	32.311	18.0.0	Telecommunication management; Generic Integration Reference Point (IRP) management; Requirements	TS-32.311 V1.0.0
940	32.312	18.0.0	Telecommunication management; Generic Integration Reference Point (IRP) management; Information Service (IS)	TS-32.312 V1.0.0
941	32.316	18.0.0	Telecommunication management; Generic Integration Reference Point (IRP) management; Solution Set (SS) definitions	TS-32.316 V1.0.0

942	32.321	18.0.0	Telecommunication management; Test management Integration Reference Point (IRP); Requirements	TS-32.321 V1.0.0
943	32.322	18.0.0	Telecommunication management; Test management Integration Reference Point (IRP); Information Service (IS)	TS-32.322 V1.0.0
944	32.326	18.0.0	Telecommunication management; Test management Integration Reference Point (IRP): Solution Set (SS) definitions	TS-32.326 V1.0.0
945	32.331	18.0.0	Telecommunication management; Notification Log (NL) Integration Reference Point (IRP); Requirements	TS-32.331 V1.0.0
946	32.332	18.0.0	Telecommunication management; Notification Log (NL) Integration Reference Point (IRP); Information Service (IS)	TS-32.332 V1.0.0
947	32.336	18.0.0	Telecommunication management; Notification Log (NL) Integration Reference Point (IRP): Solution Set (SS) definitions	TS-32.336 V1.0.0
948	32.341	18.0.0	Telecommunication management; File Transfer (FT) Integration Reference Point (IRP); Requirements	TS-32.341 V1.0.0
949	32.342	18.0.0	Telecommunication management; File Transfer (FT) Integration Reference Point (IRP); Information Service (IS)	TS-32.342 V1.0.0
950	32.346	18.0.0	Telecommunication management; File Transfer (FT) Integration Reference Point (IRP): Solution Set (SS) definitions	TS-32.346 V1.0.0
951	32.351	18.0.0	Telecommunication management; Communication Surveillance (CS) Integration Reference Point (IRP); Requirements	TS-32.351 V1.0.0
952	32.352	18.0.0	Telecommunication management; Communication Surveillance (CS) Integration Reference Point (IRP); Information Service (IS)	TS-32.352 V1.0.0
953	32.356	18.0.0	Telecommunication management; Communication Surveillance (CS) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.356 V1.0.0
954	32.361	18.0.0	Telecommunication management; Entry Point (EP) Integration Reference Point (IRP); Requirements	TS-32.361 V1.0.0

955	32.362	18.0.0	Telecommunication management; Entry Point (EP) Integration Reference Point (IRP); Information Service (IS)	TS-32.362 V1.0.0
956	32.366	18.0.0	Telecommunication management; Entry Point (EP) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.366 V1.0.0
957	32.371	18.0.0	Telecommunication management; Security Management concept and requirements	TS-32.371 V1.0.0
958	32.372	18.0.0	Telecommunication management; Security services for Integration Reference Point (IRP); Information Service (IS)	TS-32.372 V1.0.0
959	32.376	18.0.0	Telecommunication management; Security services for Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.376 V1.0.0
960	32.381	18.0.0	Telecommunication management; Partial Suspension of Itf-N Integration Reference Point (IRP); Requirements	TS-32.381 V1.0.0
961	32.382	18.0.0	Telecommunication management; Partial Suspension of Itf-N Integration Reference Point (IRP); Information Service (IS)	TS-32.382 V1.0.0
962	32.386	18.0.0	Telecommunication management; Partial Suspension of Itf-N Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.386 V1.0.0
963	32.391	18.0.0	Telecommunication management; Delta synchronization Integration Reference Point (IRP); Requirements	TS-32.391 V1.0.0
964	32.392	18.0.0	Telecommunication management; Delta synchronization Integration Reference Point (IRP); Information Service (IS)	TS-32.392 V1.0.0
965	32.396	18.0.0	Telecommunication management; Delta synchronization Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.396 V1.0.0
966	32.401	18.0.0	Telecommunication management; Performance Management (PM); Concept and requirements	TS-32.401 V1.0.0
967	32.404	18.1.0	Telecommunication management; Performance Management (PM); Performance measurements; Definitions and template	TS-32.404 V1.0.0
968	32.405	18.0.0	Telecommunication management; Performance Management (PM); Performance measurements; Universal Terrestrial Radio Access Network (UTRAN)	TS-32.405 V1.0.0

969	32.406	18.0.0	Telecommunication management; Performance Management (PM); Performance measurements; Core Network (CN) Packet Switched (PS) domain	TS-32.406 V1.0.0
970	32.407	18.0.0	Telecommunication management; Performance Management (PM); Performance measurements; Core Network (CN) Circuit Switched (CS) domain; UMTS and combined UMTS/GSM	TS-32.407 V1.0.0
971	32.408	18.0.0	Telecommunication management; Performance Management (PM); Performance measurements; Teleservice	TS-32.408 V1.0.0
972	32.409	18.0.0	Telecommunication management; Performance Management (PM); Performance measurements; IP Multimedia Subsystem (IMS)	TS-32.409 V1.0.0
973	32.41	18.0.0	Telecommunication management; Key Performance Indicators (KPI) for UMTS and GSM	TS-32.410 V1.0.0
974	32.411	18.0.0	Telecommunication management; Performance Management (PM) Integration Reference Point (IRP): Requirements	TS-32.411 V1.0.0
975	32.412	18.0.0	Telecommunication management; Performance Management (PM) Integration Reference Point (IRP): Information Service (IS)	TS-32.412 V1.0.0
976	32.416	18.0.0	Telecommunication management; Performance Management (PM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.416 V1.0.0
977	32.421	18.2.0	Telecommunication management; Subscriber and equipment trace; Trace concepts and requirements	TS-32.421 V1.0.0
978	32.422	18.3.0	Telecommunication management; Subscriber and equipment trace; Trace control and configuration management	TS-32.422 V1.0.0
979	32.423	18.3.0	Telecommunication management; Subscriber and equipment trace; Trace data definition and management	TS-32.423 V1.0.0
980	32.425	18.0.0	Telecommunication management; Performance Management (PM); Performance measurements Evolved Universal Terrestrial Radio Access Network (E-UTRAN)	TS-32.425 V1.0.0

981	32.426	18.0.0	Telecommunication management; Performance Management (PM); Performance measurements Evolved Packet Core (EPC) network	TS-32.426 V1.0.0
982	32.432	18.0.0	Telecommunication management; Performance measurement: File format definition	TS-32.432 V1.0.0
983	32.435	18.0.0	Telecommunication management; Performance measurement; eXtensible Markup Language (XML) file format definition	TS-32.435 V1.0.0
984	32.436	18.0.0	Telecommunication management; Performance measurement: Abstract Syntax Notation 1 (ASN.1) file format definition	TS-32.436 V1.0.0
985	32.441	18.0.0	Telecommunication management; Trace Management Integration Reference Point (IRP); Requirements	TS-32.441 V1.0.0
986	32.442	18.0.0	Telecommunication management; Trace Management Integration Reference Point (IRP); Information Service (IS)	TS-32.442 V1.0.0
987	32.446	18.0.0	Telecommunication management; Trace Management Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.446 V1.0.0
988	32.45	18.0.0	Telecommunication management; Key Performance Indicators (KPI) for Evolved Universal Terrestrial Radio Access Network (E-UTRAN): Definitions	TS-32.450 V1.0.0
989	32.451	18.0.0	Telecommunication management; Key Performance Indicators (KPI) for Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Requirements	TS-32.451 V1.0.0
990	32.452	18.0.0	Telecommunication management; Performance Management (PM); Performance measurements Home Node B (HNB) Subsystem (HNS)	TS-32.452 V1.0.0
991	32.453	18.0.0	Telecommunication management; Performance Management (PM); Performance measurements Home enhanced Node B (HeNB) Subsystem (HeNS)	TS-32.453 V1.0.0
992	32.454	18.0.0	Telecommunication management; Key Performance Indicators (KPI) for the IP Multimedia Subsystem (IMS); Definitions	TS-32.454 V1.0.0

993	32.455	18.0.0	Telecommunication management; Key Performance Indicators (KPI) for the Evolved Packet Core (EPC); Definitions	TS-32.455 V1.0.0
994	32.5	18.0.0	Telecommunication management; Self-Organizing Networks (SON); Concepts and requirements	TS-32.500 V1.0.0
995	32.501	18.0.0	Telecommunication management; Self-configuration of network elements; Concepts and requirements	TS-32.501 V1.0.0
996	32.502	18.0.0	Telecommunication management; Self-configuration of network elements Integration Reference Point (IRP); Information Service (IS)	TS-32.502 V1.0.0
997	32.506	18.0.0	Telecommunication management; Self-configuration of network elements Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.506 V1.0.0
998	32.511	18.0.0	Telecommunication management; Automatic Neighbour Relation (ANR) management; Concepts and requirements	TS-32.511 V1.0.0
999	32.531	18.0.0	Telecommunication management; Software management (SwM); Concepts and Integration Reference Point (IRP) Requirements	TS-32.531 V1.0.0
1000	32.532	18.0.0	Telecommunication management; Software management (SwM); Integration Reference Point (IRP); Information Service (IS)	TS-32.532 V1.0.0
1001	32.536	18.0.0	Telecommunication management; Software management Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.536 V1.0.0
1002	32.541	18.0.0	Telecommunication management; Self-Organizing Networks (SON); Self-healing concepts and requirements	TS-32.541 V1.0.0
1003	32.551	18.0.0	Telecommunication management; Energy Saving Management (ESM); Concepts and requirements	TS-32.551 V1.0.0
1004	32.571	18.0.0	Telecommunication management; Home Node B (HNB) and Home eNode B (HeNB) management; Type 2 interface concepts and requirements	TS-32.571 V1.0.0

1005	32.572	18.0.0	Telecommunication management; Home Node B (HNB) and Home eNode B (HeNB) management; Type 2 interface models and mapping functions	TS-32.572 V1.0.0
1006	32.581	18.0.0	Telecommunication management; Home Node B (HNB) Operations, Administration, Maintenance and Provisioning (OAM&P); Concepts and requirements for Type 1 interface HNB to HNB Management System (HMS)	TS-32.581 V1.0.0
1007	32.582	18.0.0	Telecommunication management; Home Node B (HNB) Operations, Administration, Maintenance and Provisioning (OAM&P); Information model for Type 1 interface HNB to HNB Management System (HMS)	TS-32.582 V1.0.0
1008	32.583	18.0.0	Telecommunication management; Home Node B (HNB) Operations, Administration, Maintenance and Provisioning (OAM&P); Procedure flows for Type 1 interface HNB to HNB Management System (HMS)	TS-32.583 V1.0.0
1009	32.584	18.0.0	Telecommunication management; Home Node B (HNB) Operations, Administration, Maintenance and Provisioning (OAM&P); XML definitions for Type 1 interface HNB to HNB Management System (HMS)	TS-32.584 V1.0.0
1010	32.591	18.0.0	Telecommunication management; Home enhanced Node B (HeNB) Operations, Administration, Maintenance and Provisioning (OAM&P); Concepts and requirements for Type 1 interface HeNB to HeNB Management System (HeMS)	TS-32.591 V1.0.0
1011	32.592	18.0.0	Telecommunication management; Home enhanced Node B (HeNB) Operations, Administration, Maintenance and Provisioning (OAM&P); Information model for Type 1 interface HeNB to HeNB Management System (HeMS)	TS-32.592 V1.0.0
1012	32.593	18.0.0	Telecommunication management; Home enhanced Node B (HeNB) Operations, Administration, Maintenance and Provisioning (OAM&P); Procedure flows for Type 1 interface HeNB to HeNB Management System (HeMS)	TS-32.593 V1.0.0

1013	32.594	18.0.0	Telecommunication management; Home enhanced Node B (HeNB) Operations, Administration, Maintenance and Provisioning (OAM&P); XML definitions for Type 1 interface HeNB to HeNB Management System (HeMS)	TS-32.594 V1.0.0
1014	32.6	18.0.0	Telecommunication management; Configuration Management (CM); Concept and high-level requirements	TS-32.600 V1.0.0
1015	32.601	18.0.0	Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP); Requirements	TS-32.601 V1.0.0
1016	32.602	18.0.0	Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP); Information Service (IS)	TS-32.602 V1.0.0
1017	32.606	18.0.0	Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.606 V1.0.0
1018	32.611	18.0.0	Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP): Requirements	TS-32.611 V1.0.0
1019	32.612	18.0.0	Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP): Information Service (IS)	TS-32.612 V1.0.0
1020	32.616	18.0.0	Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.616 V1.0.0
1021	32.661	18.0.0	Telecommunication management; Configuration Management (CM); Kernel CM Requirements	TS-32.661 V1.0.0
1022	32.662	18.0.0	Telecommunication management; Configuration Management (CM); Kernel CM Information Service (IS)	TS-32.662 V1.0.0
1023	32.666	18.0.0	Telecommunication management; Configuration Management (CM); Kernel CM Integration Reference Point (IRP); Solution Set (SS) definitions	TS-32.666 V1.0.0
1024	32.69	18.0.0	Telecommunication management; Inventory Management (IM); Requirements	TS-32.690 V1.0.0

1025	33.102	18.0.0	3G security; Security architecture	TS-33.102 V1.0.0
1026	33.105	18.0.0	3G Security; Cryptographic algorithm requirements	TS-33.105 V1.0.0
1027	33.106	18.0.0	3G security; Lawful interception requirements	TS-33.106 V1.0.0
1028	33.107	18.0.0	3G security; Lawful interception architecture and functions	TS-33.107 V1.0.0
1029	33.108	18.0.0	3G security; Handover interface for Lawful Interception (LI)	TS-33.108 V1.0.0
1030	33.11	18.0.0	Key establishment between a Universal Integrated Circuit Card (UICC) and a terminal	TS-33.110 V1.0.0
1031	33.116	18.0.0	Security Assurance Specification (SCAS) for the MME network product class	TS-33.116 V1.0.0
1032	33.117	18.3.0	Catalogue of general security assurance requirements	TS-33.117 V1.0.0
1033	33.122	18.4.0	Security aspects of Common API Framework (CAPIF) for 3GPP northbound APIs	TS-33.122 V1.0.0
1034	33.126	18.1.0	Lawful Interception requirements	TS-33.126 V1.0.0
1035	33.127	18.8.0	Lawful Interception (LI) architecture and functions	TS-33.127 V1.0.0
1036	33.128	18.8.0	Security; Protocol and procedures for Lawful Interception (LI); Stage 3	TS-33.128 V1.0.0
1037	33.141	18.0.0	Presence service; Security	TS-33.141 V1.0.0
1038	33.163	18.0.0	Battery Efficient Security for very low throughput Machine Type Communication (MTC) devices (BEST)	TS-33.163 V1.0.0
1039	33.18	18.1.0	Security of the Mission Critical (MC) service	TS-33.180 V1.0.0
1040	33.185	18.0.0	Security aspect for LTE support of Vehicle-to-Everything (V2X) services	TS-33.185 V1.0.0
1041	33.187	18.0.0	Security aspects of Machine-Type Communications (MTC) and other mobile data applications communications enhancements	TS-33.187 V1.0.0
1042	33.203	18.1.0	3G security; Access security for IP-based services	TS-33.203 V1.0.0
1043	33.204	18.0.0	3G Security; Network Domain Security (NDS); Transaction Capabilities Application Part (TCAP) user security	TS-33.204 V1.0.0
1044	33.21	18.1.0	Network Domain Security (NDS); IP network layer security	TS-33.210 V1.0.0
1045	33.216	18.1.0	Security Assurance Specification (SCAS) for the evolved Node B (eNB) network product class	TS-33.216 V1.0.0
1046	33.22	18.3.0	Generic Authentication Architecture (GAA); Generic Bootstrapping Architecture (GBA)	TS-33.220 V1.0.0

1047	33.221	18.0.0	Generic Authentication Architecture (GAA); Support for subscriber certificates	TS-33.221 V1.0.0
1048	33.222	18.0.0	Generic Authentication Architecture (GAA); Access to network application functions using Hypertext Transfer Protocol over Transport Layer Security (HTTPS)	TS-33.222 V1.0.0
1049	33.223	18.0.0	Generic Authentication Architecture (GAA); Generic Bootstrapping Architecture (GBA) Push function	TS-33.223 V1.0.0
1050	33.224	18.0.0	Generic Authentication Architecture (GAA); Generic Bootstrapping Architecture (GBA) push layer	TS-33.224 V1.0.0
1051	33.226	18.0.0	Security assurance for IP Multimedia Subsystem (IMS)	TS-33.226 V1.0.0
1052	33.234	18.0.0	3G security; Wireless Local Area Network (WLAN) interworking security	TS-33.234 V1.0.0
1053	33.246	18.0.0	3G Security; Security of Multimedia Broadcast/Multicast Service (MBMS)	TS-33.246 V1.0.0
1054	33.25	18.0.0	Security assurance specification for the PGW network product class	TS-33.250 V1.0.0
1055	33.256	18.2.0	Security aspects of Uncrewed Aerial Systems (UAS)	TS-33.256 V1.0.0
1056	33.259	18.0.0	Key establishment between a UICC hosting device and a remote device	TS-33.259 V1.0.0
1057	33.303	18.0.0	Proximity-based Services (ProSe); Security aspects	TS-33.303 V1.0.0
1058	33.31	18.4.0	Network Domain Security (NDS); Authentication Framework (AF)	TS-33.310 V1.0.0
1059	33.32	18.0.0	Security of Home Node B (HNB) / Home evolved Node B (HeNB)	TS-33.320 V1.0.0
1060	33.326	18.0.0	Security Assurance Specification (SCAS) for the Network Slice-Specific Authentication and Authorization Function (NSSAAF) network product class	TS-33.326 V1.0.0
1061	33.328	18.1.0	IP Multimedia Subsystem (IMS) media plane security	TS-33.328 V1.0.0
1062	33.401	18.1.0	3GPP System Architecture Evolution (SAE); Security architecture	TS-33.401 V1.0.0
1063	33.402	18.1.0	3GPP System Architecture Evolution (SAE); Security aspects of non-3GPP accesses	TS-33.402 V1.0.0

1064	33.434	18.2.0	Security aspects of Service Enabler Architecture Layer (SEAL) for verticals	TS-33.434 V1.0.0
1065	33.501	18.6.0	Security architecture and procedures for 5G System	TS-33.501 V1.0.0
1066	33.503	18.3.0	Security Aspects of Proximity based Services (ProSe) in the 5G System (5GS)	TS-33.503 V1.0.0
1067	33.511	18.3.0	Security Assurance Specification (SCAS) for the next generation Node B (gNodeB) network product class	TS-33.511 V1.0.0
1068	33.512	18.2.0	5G Security Assurance Specification (SCAS); Access and Mobility management Function (AMF)	TS-33.512 V1.0.0
1069	33.513	18.1.0	5G Security Assurance Specification (SCAS); User Plane Function (UPF)	TS-33.513 V1.0.0
1070	33.514	18.3.0	5G Security Assurance Specification (SCAS) for the Unified Data Management (UDM) network product class	TS-33.514 V1.0.0
1071	33.515	18.1.0	5G Security Assurance Specification (SCAS) for the Session Management Function (SMF) network product class	TS-33.515 V1.0.0
1072	33.516	18.0.0	5G Security Assurance Specification (SCAS) for the Authentication Server Function (AUSF) network product class	TS-33.516 V1.0.0
1073	33.517	18.0.0	5G Security Assurance Specification (SCAS) for the Security Edge Protection Proxy (SEPP) network product class	TS-33.517 V1.0.0
1074	33.518	18.0.0	5G Security Assurance Specification (SCAS) for the Network Repository Function (NRF) network product class	TS-33.518 V1.0.0
1075	33.519	18.0.0	5G Security Assurance Specification (SCAS) for the Network Exposure Function (NEF) network product class	TS-33.519 V1.0.0
1076	33.52	18.1.0	Security Assurance Specification (SCAS) for Non-3GPP InterWorking Function (N3IWF)	TS-33.520 V1.0.0
1077	33.521	18.0.0	5G Security Assurance Specification (SCAS); Network Data Analytics Function (NWDAF)	TS-33.521 V1.0.0
1078	33.522	18.0.0	5G Security Assurance Specification (SCAS); Service Communication Proxy (SCP)	TS-33.522 V1.0.0

1079	33.523	18.2.0	5G Security Assurance Specification (SCAS); Split gNB product classes	TS-33.523 V1.0.0
1080	33.526	18.1.0	Security assurance specification for the Management Function (MnF)	TS-33.526 V1.0.0
1081	33.527	18.3.0	Security Assurance Specification (SCAS) for 3GPP virtualized network products	TS-33.527 V1.0.0
1082	33.528	18.0.0	Security Assurance Specification (SCAS) for the Policy Control Function (PCF)	TS-33.528 V1.0.0
1083	33.533	18.3.0	Security aspects of ranging based services and sidelink positioning	TS-33.533 V1.0.0
1084	33.535	18.4.0	Authentication and Key Management for Applications (AKMA) based on 3GPP credentials in the 5G System (5GS)	TS-33.535 V1.0.0
1085	33.536	18.0.0	Security aspects of 3GPP support for advanced Vehicle-to-Everything (V2X) services	TS-33.536 V1.0.0
1086	33.537	18.2.0	Security Assurance Specification (SCAS) for the Authentication and Key Management for Applications (AKMA) Anchor Function (AAnF)	TS-33.537 V1.0.0
1087	33.558	18.2.0	Security aspects of enhancement of support for enabling edge applications	TS-33.558 V1.0.0
1088	34.109	18.0.0	Terminal logical test interface; Special conformance testing functions	TS-34.109 V1.0.0
1089	34.124	18.0.0	Electromagnetic compatibility (EMC) requirements for mobile terminals and ancillary equipment	TS-34.124 V1.0.0
1090	34.131	18.0.0	Test Specification for C-language binding to (Universal) Subscriber Interface Module ((U)SIM) Application Programming Interface (API)	TS-34.131 V1.0.0
1091	35.201	18.0.0	3G Security; Specification of the 3GPP confidentiality and integrity algorithms; Document 1: f8 and f9 specification	TS-35.201 V1.0.0
1092	35.202	18.0.0	3G Security; Specification of the 3GPP confidentiality and integrity algorithms; Document 2: Kasumi specification	TS-35.202 V1.0.0
1093	35.203	18.0.0	3G Security; Specification of the 3GPP confidentiality and integrity algorithms; Document 3: Implementors' test data	TS-35.203 V1.0.0

1094	35.204	18.0.0	3G Security; Specification of the 3GPP confidentiality and integrity algorithms; Document 4: Design conformance test data	TS-35.204 V1.0.0
1095	35.205	18.0.0	3G Security; Specification of the MILENAGE algorithm set: An example algorithm set for the 3GPP authentication and key generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 1: General	TS-35.205 V1.0.0
1096	35.206	18.0.0	3G Security; Specification of the MILENAGE algorithm set: An example algorithm set for the 3GPP authentication and key generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 2: Algorithm specification	TS-35.206 V1.0.0
1097	35.207	18.0.0	3G Security; Specification of the MILENAGE algorithm set: An example algorithm set for the 3GPP authentication and key generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 3: Implementors' test data	TS-35.207 V1.0.0
1098	35.208	18.0.0	3G Security; Specification of the MILENAGE algorithm set: An example algorithm set for the 3GPP authentication and key generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 4: Design conformance test data	TS-35.208 V1.0.0
1099	35.215	18.0.0	Specification of the 3GPP Confidentiality and Integrity Algorithms UEA2 & UIA2; Document 1: UEA2 and UIA2 specifications	TS-35.215 V1.0.0
1100	35.216	18.0.0	Specification of the 3GPP Confidentiality and Integrity Algorithms UEA2 & UIA2; Document 2: SNOW 3G specification	TS-35.216 V1.0.0
1101	35.217	18.0.0	Specification of the 3GPP Confidentiality and Integrity Algorithms UEA2 & UIA2; Document 3: Implementors' test data	TS-35.217 V1.0.0
1102	35.218	18.0.0	Specification of the 3GPP Confidentiality and Integrity Algorithms UEA2 & UIA2; Document 4: Design conformance test data	TS-35.218 V1.0.0

1103	35.221	18.0.0	Specification of the 3GPP Confidentiality and Integrity Algorithms EEA3 & EIA3; Document 1: EEA3 and EIA3 specifications	TS-35.221 V1.0.0
1104	35.222	18.0.0	Specification of the 3GPP Confidentiality and Integrity Algorithms EEA3 & EIA3; Document 2: ZUC specification	TS-35.222 V1.0.0
1105	35.223	18.0.0	Specification of the 3GPP Confidentiality and Integrity Algorithms EEA3 & EIA3; Document 3: Implementors' test data	TS-35.223 V1.0.0
1106	35.231	18.0.0	Specification of the TUAk algorithm set: A second example algorithm set for the 3GPP authentication and key generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 1: Algorithm specification	TS-35.231 V1.0.0
1107	35.232	18.0.0	Specification of the TUAk algorithm set: A second example algorithm set for the 3GPP authentication and key generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 2: Implementers' test data	TS-35.232 V1.0.0
1108	35.233	18.0.0	Specification of the TUAk algorithm set: A second example algorithm set for the 3GPP authentication and key generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 3: Design conformance test data	TS-35.233 V1.0.0
1109	35.24	18.0.0	Specification of the Snow 5G based 256-bits algorithm set: specification of the 256-NEA4 encryption, the 256-NIA4 integrity, and the 256-NCA4 authenticated encryption algorithm for 5G; Document 1: algorithm specification	TS-35.240 V1.0.0
1110	35.241	18.0.0	Specification of the Snow 5G based 256-bits algorithm set: Specification of the 256-NEA4 encryption, the 256-NIA4 integrity algorithm, and the 256-NCA4 authenticated encryption algorithm for 5G; Document 2: implementation test data	TS-35.241 V1.0.0

1111	35.242	18.0.0	Specification of the Snow 5G based 256-bits algorithm set: Specification of the 256-NEA4 encryption, the 256-NIA4 integrity, and the 256-NCA4 authenticated encryption algorithm for 5G; Document 3: design conformance test data	TS-35.242 V1.0.0
1112	35.243	18.0.0	Specification of the AES based 256-bits algorithm set: Specification of the 256-NEA5 encryption, the 256-NIA5 integrity, and the 256-NCA5 authenticated encryption algorithm for 5G; Document 1: algorithm specification	TS-35.243 V1.0.0
1113	35.244	18.0.0	Specification of the AES based 256-bits algorithm set: Specification of the 256-NEA5 encryption, the 256-NIA5 integrity, and the 256-NCA5 authenticated encryption algorithm for 5G; Document 2: implementation test data	TS-35.244 V1.0.0
1114	35.245	18.0.0	Specification of the AES based 256-bits algorithm set: Specification of the 256-NEA5 encryption, the 256-NIA5 integrity, and the 256-NCA5 authenticated encryption algorithm for 5G; Document 3: design conformance test data	TS-35.245 V1.0.0
1115	35.246	18.0.0	Specification of the ZUC based 256-bits algorithm set: Specification of the 256-NEA6 encryption, the 256-NIA6 integrity, and the 256-NCA6 authenticated encryption algorithm for 5G; Document 1: algorithm specification	TS-35.246 V1.0.0
1116	35.247	18.0.0	Specification of the ZUC based 256-bits algorithm set: Specification of the 256-NEA6 encryption, the 256-NIA6 integrity, and the 256-NCA6 authenticated encryption algorithm for 5G; Document 2: implementation test data	TS-35.247 V1.0.0
1117	35.248	18.0.0	Specification of the ZUC based 256-bits algorithm set: Specification of the 256-NEA6 encryption, the 256-NIA6 integrity, and the 256-NCA6 authenticated encryption algorithm for 5G; Document 3: design conformance test data	TS-35.248 V1.0.0
1118	36.101	18.6.0	Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio transmission and reception	TS-36.101 V1.0.0

1119	36.102	18.5.0	Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio transmission and reception for satellite access	TS-36.102 V1.0.0
1120	36.104	18.5.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) radio transmission and reception	TS-36.104 V1.0.0
1121	36.106	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); FDD repeater radio transmission and reception	TS-36.106 V1.0.0
1122	36.108	18.6.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Satellite Access Node radio transmission and reception	TS-36.108 V1.0.0
1123	36.111	18.0.0	Location Measurement Unit (LMU) performance specification; Network based positioning systems in Evolved Universal Terrestrial Radio Access Network (E-UTRAN)	TS-36.111 V1.0.0
1124	36.112	18.0.0	Location Measurement Unit (LMU) conformance specification; Network based positioning systems in Evolved Universal Terrestrial Radio Access Network (E-UTRAN)	TS-36.112 V1.0.0
1125	36.113	18.1.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) and repeater ElectroMagnetic Compatibility (EMC)	TS-36.113 V1.0.0
1126	36.116	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Relay radio transmission and reception	TS-36.116 V1.0.0
1127	36.117	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Relay conformance testing	TS-36.117 V1.0.0
1128	36.124	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Electromagnetic compatibility (EMC) requirements for mobile terminals and ancillary equipment	TS-36.124 V1.0.0
1129	36.133	18.6.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Requirements for support of radio resource management	TS-36.133 V1.0.0
1130	36.141	18.4.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) conformance testing	TS-36.141 V1.0.0
1131	36.143	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); FDD repeater conformance testing	TS-36.143 V1.0.0

1132	36.171	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Requirements for Support of Assisted Global Navigation Satellite System (A-GNSS)	TS-36.171 V1.0.0
1133	36.181	18.4.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Satellite Access Node conformance testing	TS-36.181 V1.0.0
1134	36.201	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); LTE physical layer; General description	TS-36.201 V1.0.0
1135	36.211	18.0.1	Evolved Universal Terrestrial Radio Access (E-UTRA); Physical channels and modulation	TS-36.211 V1.0.0
1136	36.212	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Multiplexing and channel coding	TS-36.212 V1.0.0
1137	36.213	18.2.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Physical layer procedures	TS-36.213 V1.0.0
1138	36.214	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Physical layer; Measurements	TS-36.214 V1.0.0
1139	36.216	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Physical layer for relaying operation	TS-36.216 V1.0.0
1140	36.3	18.2.0	Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Overall description; Stage 2	TS-36.300 V1.0.0
1141	36.302	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Services provided by the physical layer	TS-36.302 V1.0.0
1142	36.304	18.2.0	Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) procedures in idle mode	TS-36.304 V1.0.0
1143	36.305	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Stage 2 functional specification of User Equipment (UE) positioning in E-UTRAN	TS-36.305 V1.0.0
1144	36.306	18.2.0	Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio access capabilities	TS-36.306 V1.0.0
1145	36.307	18.5.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Requirements on User Equipments (UEs) supporting a release-independent frequency band	TS-36.307 V1.0.0

1146	36.314	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Layer 2 - Measurements	TS-36.314 V1.0.0
1147	36.321	18.2.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Medium Access Control (MAC) protocol specification	TS-36.321 V1.0.0
1148	36.322	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Link Control (RLC) protocol specification	TS-36.322 V1.0.0
1149	36.323	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Packet Data Convergence Protocol (PDCP) specification	TS-36.323 V1.0.0
1150	36.331	18.2.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification	TS-36.331 V1.0.0
1151	36.355	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); LTE Positioning Protocol (LPP)	TS-36.355 V1.0.0
1152	36.36	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); LTE- WLAN Aggregation Adaptation Protocol (LWAAP) specification	TS-36.360 V1.0.0
1153	36.361	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA); LTE- WLAN Radio Level Integration Using Ipsec Tunnel (LWIP) encapsulation; Protocol specification	TS-36.361 V1.0.0
1154	36.401	18.1.0	Evolved Universal Terrestrial Radio Access Network (E- UTRAN); Architecture description	TS-36.401 V1.0.0
1155	36.41	18.0.0	Evolved Universal Terrestrial Radio Access Network (E- UTRAN); S1 general aspects and principles	TS-36.410 V1.0.0
1156	36.411	18.0.0	Evolved Universal Terrestrial Radio Access Network (E- UTRAN); S1 layer 1	TS-36.411 V1.0.0
1157	36.412	18.1.0	Evolved Universal Terrestrial Radio Access Network (E- UTRAN); S1 signalling transport	TS-36.412 V1.0.0
1158	36.413	18.2.0	Evolved Universal Terrestrial Radio Access Network (E- UTRAN); S1 Application Protocol (S1AP)	TS-36.413 V1.0.0
1159	36.414	18.0.0	Evolved Universal Terrestrial Radio Access Network (E- UTRAN); S1 data transport	TS-36.414 V1.0.0
1160	36.42	18.0.0	Evolved Universal Terrestrial Radio Access Network (E- UTRAN); X2 general aspects and principles	TS-36.420 V1.0.0

1161	36.421	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); X2 layer 1	TS-36.421 V1.0.0
1162	36.422	18.1.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); X2 signalling transport	TS-36.422 V1.0.0
1163	36.423	18.2.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); X2 Application Protocol (X2AP)	TS-36.423 V1.0.0
1164	36.424	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); X2 data transport	TS-36.424 V1.0.0
1165	36.425	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); X2 interface user plane protocol	TS-36.425 V1.0.0
1166	36.44	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); General aspects and principles for interfaces supporting Multimedia Broadcast Multicast Service (MBMS) within E-UTRAN	TS-36.440 V1.0.0
1167	36.441	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Layer 1 for interfaces supporting Multimedia Broadcast Multicast Service (MBMS) within E-UTRAN	TS-36.441 V1.0.0
1168	36.442	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Signalling Transport for interfaces supporting Multimedia Broadcast Multicast Service (MBMS) within E-UTRAN	TS-36.442 V1.0.0
1169	36.443	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); M2 Application Protocol (M2AP)	TS-36.443 V1.0.0
1170	36.444	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); M3 Application Protocol (M3AP)	TS-36.444 V1.0.0
1171	36.445	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); M1 data transport	TS-36.445 V1.0.0
1172	36.455	18.1.0	Evolved Universal Terrestrial Radio Access (E-UTRA); LTE Positioning Protocol A (LPPa)	TS-36.455 V1.0.0
1173	36.456	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); SLm interface general aspects and principles	TS-36.456 V1.0.0

1174	36.457	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); SLM interface layer 1	TS-36.457 V1.0.0
1175	36.458	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); SLM interface signalling transport	TS-36.458 V1.0.0
1176	36.459	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN); SLM interface Application Protocol (SLM-AP)	TS-36.459 V1.0.0
1177	36.461	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN) and Wireless LAN (WLAN); Xw layer 1	TS-36.461 V1.0.0
1178	36.462	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN) and Wireless LAN (WLAN); Xw signalling transport	TS-36.462 V1.0.0
1179	36.463	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN) and Wireless Local Area Network (WLAN); Xw application protocol (Xw-AP)	TS-36.463 V1.0.0
1180	36.464	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN) and Wireless Local Area Network (WLAN); Xw data transport	TS-36.464 V1.0.0
1181	36.465	18.0.0	Evolved Universal Terrestrial Radio Access Network (E-UTRAN) and Wireless Local Area Network (WLAN); Xw interface user plane protocol	TS-36.465 V1.0.0
1182	36.508	18.5.0	Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Packet Core (EPC); Common test environments for User Equipment (UE) conformance testing	TS-36.508 V1.0.0
1190	37.104	18.6.0	NR, E-UTRA, UTRA and GSM/EDGE; Multi-Standard Radio (MSR) Base Station (BS) radio transmission and reception	TS-37.104 V1.0.0
1191	37.105	18.5.0	Active Antenna System (AAS) Base Station (BS) transmission and reception	TS-37.105 V1.0.0
1192	37.106	18.0.0	User Equipment (UE) requirements for shared spectrum channel access	TS-37.106 V1.0.0
1193	37.107	18.0.0	Base Station (BS) requirements and conformance tests for shared spectrum channel access	TS-37.107 V1.0.0

1194	37.113	18.1.0	NR, E-UTRA, UTRA and GSM/EDGE; Multi-Standard Radio (MSR) Base Station (BS) Electromagnetic Compatibility (EMC)	TS-37.113 V1.0.0
1195	37.114	18.1.0	Active Antenna System (AAS) Base Station (BS) Electromagnetic Compatibility (EMC)	TS-37.114 V1.0.0
1196	37.141	18.6.0	NR, E-UTRA, UTRA and GSM/EDGE; Multi-Standard Radio (MSR) Base Station (BS) conformance testing	TS-37.141 V1.0.0
1197	37.144	18.0.0	User Equipment (UE) and Mobile Station (MS) GSM, UTRA and E-UTRA over the air performance requirements	TS-37.144 V1.0.0
1200	37.171	18.0.0	Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA); User Equipment (UE) performance requirements for Radio Access Technology (RAT) Independent Positioning Enhancements	TS-37.171 V1.0.0
1201	37.213	18.3.0	Physical layer procedures for shared spectrum channel access	TS-37.213 V1.0.0
1202	37.32	18.2.0	Radio measurement collection for Minimization of Drive Tests (MDT); Overall description; Stage 2	TS-37.320 V1.0.0
1203	37.324	18.0.0	Evolved Universal Terrestrial Radio Access (E-UTRA) and NR; Service Data Adaptation Protocol (SDAP) specification	TS-37.324 V1.0.0
1204	37.34	18.2.0	Evolved Universal Terrestrial Radio Access (E-UTRA) and NR; Multi-connectivity; Overall Description; Stage-2	TS-37.340 V1.0.0
1205	37.355	18.2.0	LTE Positioning Protocol (LPP)	TS-37.355 V1.0.0
1206	37.46	18.0.0	Uu interface: General aspects and principles	TS-37.460 V1.0.0
1207	37.461	18.0.0	Uu interface: Layer 1	TS-37.461 V1.0.0
1208	37.462	18.0.0	Uu interface: Signalling transport	TS-37.462 V1.0.0
1209	37.466	18.0.0	Uu interface: Application part	TS-37.466 V1.0.0
1210	37.47	18.0.0	W1 interface; General aspects and principles	TS-37.470 V1.0.0
1211	37.471	18.0.0	W1 interface; Layer 1	TS-37.471 V1.0.0
1212	37.472	18.0.0	W1 interface; Signalling transport	TS-37.472 V1.0.0
1213	37.473	18.0.0	W1 interface; Application Protocol (W1AP)	TS-37.473 V1.0.0
1214	37.48	18.1.0	E1 general aspects and principles	TS-37.480 V1.0.0
1215	37.481	18.0.0	E1 layer 1	TS-37.481 V1.0.0

1216	37.482	18.1.0	E1 signalling transport	TS-37.482 V1.0.0
1217	37.483	18.2.0	E1 Application Protocol (E1AP)	TS-37.483 V1.0.0
1223	38.104	18.6.0	NR; Base Station (BS) radio transmission and reception	TS-38.104 V1.0.0
1224	38.106	18.5.0	NR repeater radio transmission and reception	TS-38.106 V1.0.0
1225	38.108	18.3.0	NR; Satellite Access Node radio transmission and reception	TS-38.108 V1.0.0
1226	38.113	18.3.0	NR; Base Station (BS) ElectroMagnetic Compatibility (EMC)	TS-38.113 V1.0.0
1227	38.114	18.2.0	NR; Repeaters ElectroMagnetic Compatibility (EMC)	TS-38.114 V1.0.0
1230	38.124	18.1.0	NR; Electromagnetic compatibility (EMC) requirements for mobile terminals and ancillary equipment	TS-38.124 V1.0.0
1231	38.133	18.6.0	NR; Requirements for support of radio resource management	TS-38.133 V1.0.0
1234	38.151	18.1.0	NR; User Equipment (UE) Multiple Input Multiple Output (MIMO) Over-the-Air (OTA) performance requirements	TS-38.151 V1.0.0
1235	38.161	18.1.0	NR; User Equipment (UE) TRP (Total Radiated Power) and TRS (Total Radiated Sensitivity) requirements; Range 1 Standalone and Range 1 Interworking operation with other radios	TS-38.161 V1.0.0
1236	38.171	18.0.1	NR; Requirements for support of Assisted Global Navigation Satellite System (A-GNSS)	TS-38.171 V1.0.0
1237	38.174	18.5.0	NR; Integrated Access and Backhaul (IAB) radio transmission and reception	TS-38.174 V1.0.0
1238	38.175	18.1.0	NR; Integrated Access and Backhaul (IAB) Electromagnetic Compatibility (EMC)	TS-38.175 V1.0.0
1241	38.181	18.2.0	NR; Satellite Access Node conformance testing	TS-38.181 V1.0.0
1242	38.201	18.0.0	NR; Physical layer; General description	TS-38.201 V1.0.0
1243	38.202	18.3.0	NR; Services provided by the physical layer	TS-38.202 V1.0.0
1244	38.211	18.3.0	NR; Physical channels and modulation	TS-38.211 V1.0.0
1245	38.212	18.3.0	NR; Multiplexing and channel coding	TS-38.212 V1.0.0
1246	38.213	18.3.0	NR; Physical layer procedures for control	TS-38.213 V1.0.0
1247	38.214	18.3.0	NR; Physical layer procedures for data	TS-38.214 V1.0.0
1248	38.215	18.3.0	NR; Physical layer measurements	TS-38.215 V1.0.0
1249	38.3	18.2.0	NR; NR and NG-RAN Overall description; Stage-2	TS-38.300 V1.0.0

1250	38.304	18.2.0	NR; User Equipment (UE) procedures in Idle mode and in RRC Inactive state	TS-38.304 V1.0.0
1251	38.305	18.2.0	NG Radio Access Network (NG-RAN); Stage 2 functional specification of User Equipment (UE) positioning in NG-RAN	TS-38.305 V1.0.0
1252	38.306	18.2.0	NR; User Equipment (UE) radio access capabilities	TS-38.306 V1.0.0
1253	38.307	18.2.0	NR; Requirements on User Equipments (UEs) supporting a release-independent frequency band	TS-38.307 V1.0.0
1254	38.314	18.0.0	NR; Layer 2 measurements	TS-38.314 V1.0.0
1255	38.321	18.2.0	NR; Medium Access Control (MAC) protocol specification	TS-38.321 V1.0.0
1256	38.322	18.1.0	NR; Radio Link Control (RLC) protocol specification	TS-38.322 V1.0.0
1257	38.323	18.2.0	NR; Packet Data Convergence Protocol (PDCP) specification	TS-38.323 V1.0.0
1258	38.331	18.2.0	NR; Radio Resource Control (RRC); Protocol specification	TS-38.331 V1.0.0
1259	38.34	18.0.0	NR; Backhaul Adaptation Protocol (BAP) specification	TS-38.340 V1.0.0
1260	38.351	18.2.0	NR; Sidelink Relay Adaptation Protocol (SRAP) Specification	TS-38.351 V1.0.0
1261	38.355	18.2.0	NR; Sidelink Positioning Protocol (SLPP); Protocol Specification	TS-38.355 V1.0.0
1262	38.401	18.2.0	NG-RAN; Architecture description	TS-38.401 V1.0.0
1263	38.41	18.2.0	NG-RAN; NG general aspects and principles	TS-38.410 V1.0.0
1264	38.411	18.0.0	NG-RAN; NG layer 1	TS-38.411 V1.0.0
1265	38.412	18.1.0	NG-RAN; NG signalling transport	TS-38.412 V1.0.0
1266	38.413	18.2.0	NG-RAN; NG Application Protocol (NGAP)	TS-38.413 V1.0.0
1267	38.414	18.0.0	NG-RAN; NG data transport	TS-38.414 V1.0.0
1268	38.415	18.1.0	NG-RAN; PDU session user plane protocol	TS-38.415 V1.0.0
1269	38.42	18.1.0	NG-RAN; Xn general aspects and principles	TS-38.420 V1.0.0
1270	38.421	18.0.0	NG-RAN; Xn layer 1	TS-38.421 V1.0.0
1271	38.422	18.1.0	NG-RAN; Xn signalling transport	TS-38.422 V1.0.0
1272	38.423	18.2.0	NG-RAN; Xn Application Protocol (XnAP)	TS-38.423 V1.0.0
1273	38.424	18.0.0	NG-RAN; Xn data transport	TS-38.424 V1.0.0
1274	38.425	18.1.0	NG-RAN; NR user plane protocol	TS-38.425 V1.0.0
1275	38.455	18.2.1	NG-RAN; NR Positioning Protocol A (NRPPa)	TS-38.455 V1.0.0

1276	38.46	18.0.0	NG-RAN; E1 general aspects and principles	TS-38.460 V1.0.0
1277	38.461	18.0.0	NG-RAN; E1 layer 1	TS-38.461 V1.0.0
1278	38.462	18.0.0	NG-RAN; E1 signalling transport	TS-38.462 V1.0.0
1279	38.463	18.0.0	NG-RAN; E1 Application Protocol (E1AP)	TS-38.463 V1.0.0
1280	38.47	18.2.0	NG-RAN; F1 general aspects and principles	TS-38.470 V1.0.0
1281	38.471	18.0.0	NG-RAN; F1 layer 1	TS-38.471 V1.0.0
1282	38.472	18.1.0	NG-RAN; F1 signalling transport	TS-38.472 V1.0.0
1283	38.473	18.2.0	NG-RAN; F1 Application Protocol (F1AP)	TS-38.473 V1.0.0
1284	38.474	18.0.0	NG-RAN; F1 data transport	TS-38.474 V1.0.0
1292	38.522	18.3.0	NR; User Equipment (UE) conformance specification; Applicability of radio transmission, radio reception and radio resource management test cases	TS-38.522 V1.0.0
1293	38.533	18.3.0	NR; User Equipment (UE) conformance specification; Radio Resource Management (RRM)	TS-38.533 V1.0.0
1294	41.101	18.0.0	Technical Specifications and Technical Reports for a GERAN-based 3GPP system	TS-41.101 V1.0.0
1295	42.043	18.0.0	Support of Localised Service Area (SoLSA); Service description; Stage 1	TS-42.043 V1.0.0
1296	42.056	18.0.0	GSM Cordless Telephony System (CTS), Phase 1; Service description; Stage 1	TS-42.056 V1.0.0
1297	42.068	18.0.0	Voice Group Call Service (VGCS); Stage 1	TS-42.068 V1.0.0
1298	42.069	18.0.0	Voice Broadcast Service (VBS); Stage 1	TS-42.069 V1.0.0
1299	43.005	18.0.0	Technical performance objectives	TS-43.005 V1.0.0
1300	43.01	18.0.0	GSM Public Land Mobile Network (PLMN) connection types	TS-43.010 V1.0.0
1301	43.013	18.0.0	Discontinuous Reception (DRX) in the GSM system	TS-43.013 V1.0.0
1302	43.02	18.0.0	Security related network functions	TS-43.020 V1.0.0
1303	43.022	18.0.0	Functions related to Mobile Station (MS) in idle mode and group receive mode	TS-43.022 V1.0.0
1304	43.045	18.0.0	Technical realization of facsimile group 3 transparent	TS-43.045 V1.0.0
1305	43.05	18.0.0	Transmission planning aspects of the speech service in the GSM Public Land Mobile Network (PLMN) system	TS-43.050 V1.0.0
1306	43.051	18.0.0	GSM/EDGE Overall description; Stage 2	TS-43.051 V1.0.0

1307	43.052	18.0.0	GSM Cordless Telephony System (CTS), Phase 1; Lower Layers of the CTS Radio Interface, Stage 2	TS-43.052 V1.0.0
1308	43.055	18.0.0	Dual Transfer Mode (DTM); Stage 2	TS-43.055 V1.0.0
1309	43.059	18.0.0	Functional stage 2 description of Location Services (LCS) in GERAN	TS-43.059 V1.0.0
1310	43.064	18.0.0	General Packet Radio Service (GPRS); Overall description of the GPRS radio interface; Stage 2	TS-43.064 V1.0.0
1311	43.068	18.0.0	Voice Group Call Service (VGCS); Stage 2	TS-43.068 V1.0.0
1312	43.069	18.0.0	Voice Broadcast Service (VBS); Stage 2	TS-43.069 V1.0.0
1313	43.073	18.0.0	Support of Localised Service Area (SoLSA); Stage 2	TS-43.073 V1.0.0
1314	43.129	18.0.0	Packet-switched handover for GERAN A/Gb mode; Stage 2	TS-43.129 V1.0.0
1315	43.13	18.0.0	GSM/EDGE Iur-g interface; Stage 2	TS-43.130 V1.0.0
1316	43.246	18.0.0	Multimedia Broadcast/Multicast Service (MBMS) in the GERAN; Stage 2	TS-43.246 V1.0.0
1317	43.318	18.0.0	Generic Access Network (GAN); Stage 2	TS-43.318 V1.0.0
1318	44.001	18.0.0	Mobile Station - Base Station System (MS - BSS) interface; General aspects and principles	TS-44.001 V1.0.0
1319	44.003	18.0.0	Mobile Station - Base Station System (MS - BSS) Interface Channel Structures and Access Capabilities	TS-44.003 V1.0.0
1320	44.004	18.0.0	GSM/EDGE Layer 1; General Requirements	TS-44.004 V1.0.0
1321	44.005	18.0.0	GSM/EDGE Data Link (DL) Layer; General aspects	TS-44.005 V1.0.0
1322	44.006	18.0.0	Mobile Station - Base Station System (MS - BSS) interface; Data Link (DL) layer specification	TS-44.006 V1.0.0
1323	44.012	18.0.0	Short Message Service Cell Broadcast (SMSCB) support on the mobile radio interface	TS-44.012 V1.0.0
1324	44.013	18.0.0	Performance requirements on the mobile radio interface	TS-44.013 V1.0.0
1325	44.014	18.0.0	Individual equipment type requirements and interworking; Special GSM/EDGE conformance testing functions	TS-44.014 V1.0.0
1326	44.018	18.0.0	Mobile radio interface layer 3 specification; GSM/EDGE Radio Resource Control (RRC) protocol	TS-44.018 V1.0.0
1327	44.021	18.0.0	Rate adaption on the Mobile Station - Base Station System (MS - BSS) interface	TS-44.021 V1.0.0

1328	44.031	18.0.0	Location Services (LCS); Mobile Station (MS) - Serving Mobile Location Centre (SMLC) Radio Resource LCS Protocol (RRLP)	TS-44.031 V1.0.0
1329	44.035	18.0.0	GSM/EDGE Location Services (LCS); Broadcast network assistance for Enhanced Observed Time Difference (E-OTD) and Global Positioning System (GPS) positioning methods	TS-44.035 V1.0.0
1330	44.056	18.0.0	GSM Cordless Telephony System (CTS), Phase 1; CTS radio interface layer 3 specification	TS-44.056 V1.0.0
1331	44.057	18.0.0	GSM Cordless Telephony System (CTS), Phase 1; CTS supervising system layer 3 specification	TS-44.057 V1.0.0
1332	44.06	18.0.0	General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS) interface; Radio Link Control / Medium Access Control (RLC/MAC) protocol	TS-44.060 V1.0.0
1333	44.064	18.0.0	Mobile Station - Serving GPRS Support Node (MS-SGSN); Logical Link Control (LLC) Layer Specification	TS-44.064 V1.0.0
1334	44.065	18.0.0	Mobile Station (MS) - Serving GPRS Support Node (SGSN); Subnetwork Dependent Convergence Protocol (SNDCP)	TS-44.065 V1.0.0
1335	44.068	18.0.0	Group Call Control (GCC) protocol	TS-44.068 V1.0.0
1336	44.069	18.0.0	Broadcast Call Control (BCC) protocol	TS-44.069 V1.0.0
1337	44.071	18.0.0	GSM/EDGE Location Services (LCS); Mobile radio interface layer 3 LCS specification	TS-44.071 V1.0.0
1338	44.318	18.0.0	Generic Access Network (GAN); Mobile GAN interface layer 3 specification	TS-44.318 V1.0.0
1339	45.001	18.0.0	GSM/EDGE Physical layer on the radio path; General description	TS-45.001 V1.0.0
1340	45.002	18.0.0	GSM/EDGE Multiplexing and multiple access on the radio path	TS-45.002 V1.0.0
1341	45.003	18.0.0	GSM/EDGE Channel coding	TS-45.003 V1.0.0
1342	45.004	18.0.0	GSM/EDGE Modulation	TS-45.004 V1.0.0
1343	45.005	18.0.0	GSM/EDGE Radio transmission and reception	TS-45.005 V1.0.0
1344	45.008	18.0.0	GSM/EDGE Radio subsystem link control	TS-45.008 V1.0.0

1345	45.009	18.0.0	GSM/EDGE Link adaptation	TS-45.009 V1.0.0
1346	45.01	18.0.0	GSM/EDGE Radio subsystem synchronization	TS-45.010 V1.0.0
1347	45.015	18.0.0	GSM/EDGE Release independent Downlink Advanced Receiver Performance (DARP); Implementation guidelines	TS-45.015 V1.0.0
1348	45.022	18.0.0	GSM/EDGE Radio link management in hierarchical networks	TS-45.022 V1.0.0
1349	45.056	18.0.0	GSM Cordless Telephony System (CTS), Phase 1; CTS-FP Radio subsystem	TS-45.056 V1.0.0
1350	46.001	18.0.0	Full rate speech; Processing functions	TS-46.001 V1.0.0
1351	46.002	18.0.0	Half rate speech; Half rate speech processing functions	TS-46.002 V1.0.0
1352	46.006	18.0.0	Half rate speech; ANSI-C code for the GSM half rate speech codec	TS-46.006 V1.0.0
1353	46.007	18.0.0	Half rate speech; Test sequences for the GSM half rate speech codec	TS-46.007 V1.0.0
1354	46.008	18.0.0	Half Rate Speech; Performance Characterization of the GSM Half Rate speech codec	TS-46.008 V1.0.0
1355	46.01	18.0.0	Full rate speech; Transcoding	TS-46.010 V1.0.0
1356	46.011	18.0.0	Full rate speech; Substitution and muting of lost frames for full rate speech channels	TS-46.011 V1.0.0
1357	46.012	18.0.0	Full rate speech; Comfort noise aspect for full rate speech traffic channels	TS-46.012 V1.0.0
1358	46.02	18.0.0	Half rate speech; Half rate speech transcoding	TS-46.020 V1.0.0
1359	46.021	18.0.0	Half rate speech; Substitution and muting of lost frames for half rate speech traffic channels	TS-46.021 V1.0.0
1360	46.022	18.0.0	Half rate speech; Comfort noise aspects for the half rate speech traffic channels	TS-46.022 V1.0.0
1361	46.031	18.0.0	Full rate speech; Discontinuous Transmission (DTX) for full rate speech traffic channels	TS-46.031 V1.0.0
1362	46.032	18.0.0	Full rate speech; Voice Activity Detector (VAD) for full rate speech traffic channels	TS-46.032 V1.0.0
1363	46.041	18.0.0	Half rate speech; Discontinuous Transmission (DTX) for half rate speech traffic channels	TS-46.041 V1.0.0

1364	46.042	18.0.0	Half rate speech; Voice Activity Detector (VAD) for half rate speech traffic channels	TS-46.042 V1.0.0
1365	46.051	18.0.0	Enhanced Full Rate (EFR) speech processing functions; General description	TS-46.051 V1.0.0
1366	46.053	18.0.0	ANSI-C code for the GSM Enhanced Full Rate (EFR) speech codec	TS-46.053 V1.0.0
1367	46.054	18.0.0	Test sequences for the GSM Enhanced Full Rate (EFR) speech codec	TS-46.054 V1.0.0
1368	46.06	18.0.0	Enhanced Full Rate (EFR) speech transcoding	TS-46.060 V1.0.0
1369	46.061	18.0.0	Substitution and muting of lost frames for Enhanced Full Rate (EFR) speech traffic channels	TS-46.061 V1.0.0
1370	46.062	18.0.0	Comfort noise aspects for Enhanced Full Rate (EFR) speech traffic channels	TS-46.062 V1.0.0
1371	46.081	18.0.0	Discontinuous Transmission (DTX) for Enhanced Full Rate (EFR) speech traffic channels	TS-46.081 V1.0.0
1372	46.082	18.0.0	Voice Activity Detector (VAD) for Enhanced Full Rate (EFR) speech traffic channels	TS-46.082 V1.0.0
1373	48.001	18.0.0	Base Station System - Mobile-services Switching Centre (BSS - MSC) interface; General aspects	TS-48.001 V1.0.0
1374	48.002	18.0.0	Base Station System - Mobile-services Switching Centre (BSS - MSC) interface; Interface principles	TS-48.002 V1.0.0
1375	48.004	18.0.0	Base Station System - Mobile-services Switching Centre (BSS - MSC) interface; Layer 1 specification	TS-48.004 V1.0.0
1376	48.006	18.0.0	Signalling transport mechanism Specification for the Base Station System - Mobile Services Switching Centre (BSS - MSC) interface	TS-48.006 V1.0.0
1377	48.008	18.0.0	Mobile Switching Centre - Base Station system (MSC-BSS) interface; Layer 3 specification	TS-48.008 V1.0.0
1378	48.014	18.0.0	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) interface; Gb interface Layer 1	TS-48.014 V1.0.0

1379	48.016	18.0.0	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) interface; Network service	TS-48.016 V1.0.0
1380	48.018	18.0.0	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN); BSS GPRS protocol (BSSGP)	TS-48.018 V1.0.0
1381	48.02	18.0.0	Rate adaption on the Base Station System - Mobile-services Switching Centre (BSS - MSC) interface	TS-48.020 V1.0.0
1382	48.031	18.0.0	Location Services (LCS); Serving Mobile Location Centre - Serving Mobile Location Centre (SMLC - SMLC); SMLCPP specification	TS-48.031 V1.0.0
1383	48.049	18.0.0	Base Station Controller - Cell Broadcast Centre (BSC-CBC) interface specification; Cell Broadcast Service Protocol (CBSP)	TS-48.049 V1.0.0
1384	48.051	18.0.0	Base Station Controller - Base Transceiver Station (BSC - BTS) interface; General aspects	TS-48.051 V1.0.0
1385	48.052	18.0.0	Base Station Controller - Base Transceiver Station (BSC - BTS) interface; Interface principles	TS-48.052 V1.0.0
1386	48.054	18.0.0	Base Station Controller - Base Transceiver Station (BSC - BTS) interface; Layer 1 structure of physical circuits	TS-48.054 V1.0.0
1387	48.056	18.0.0	Base Station Controller - Base Transceiver Station (BSC - BTS) interface; Layer 2 specification	TS-48.056 V1.0.0
1388	48.058	18.0.0	Base Station Controller - Base Transceiver Station (BSC - BTS) Interface; Layer 3 specification	TS-48.058 V1.0.0
1389	48.06	18.0.0	In-band control of remote transcoders and rate adaptors for full rate traffic channels	TS-48.060 V1.0.0
1390	48.061	18.0.0	In-band control of remote transcoders and rate adaptors for half rate traffic channels	TS-48.061 V1.0.0
1391	48.071	18.0.0	Location Services (LCS); Serving Mobile Location Centre - Base Station System (SMLC-BSS) interface; Layer 3 specification	TS-48.071 V1.0.0
1392	48.103	18.0.0	Base Station System - Media GateWay (BSS-MGW) interface; User plane transport mechanism	TS-48.103 V1.0.0

1393	49.008	18.0.0	Application of the Base Station System Application Part (BSSAP) on the E interface	TS-49.008 V1.0.0
1394	49.031	18.0.0	Location Services (LCS); Base Station System Application Part LCS Extension (BSSAP-LE)	TS-49.031 V1.0.0
1396	51.013	18.0.0	Test specification for Subscriber Identity Module (SIM) Application Programming Interface (API) for Java Card	TS-51.013 V1.0.0
1397	51.021	18.0.0	Base Station System (BSS) equipment specification; Radio aspects	TS-51.021 V1.0.0
1398	51.026	18.0.0	Base Station System (BSS) equipment specification; Part 4: Repeaters	TS-51.026 V1.0.0
1399	52.008	18.0.0	Telecommunication management; GSM subscriber and equipment trace	TS-52.008 V1.0.0
1400	52.021	18.0.0	Network Management (NM) procedures and messages on the A-bis interface	TS-52.021 V1.0.0
1401	52.402	18.0.0	Telecommunication management; Performance Management (PM); Performance measurements - GSM	TS-52.402 V1.0.0
1402	55.205	18.0.0	Specification of the GSM-MILENAGE algorithms: An example algorithm set for the GSM Authentication and Key Generation Functions A3 and A8	TS-55.205 V1.0.0
1403	55.216	18.0.0	3G Security; Specification of the A5/3 encryption algorithms for GSM and ECSD, and the GEA3 encryption algorithm for GPRS; Document 1: A5/3 and GEA3 specifications	TS-55.216 V1.0.0
1404	55.217	18.0.0	3G Security; Specification of the A5/3 encryption algorithms for GSM and ECSD, and the GEA3 encryption algorithm for GPRS; Document 2: Implementors' test data	TS-55.217 V1.0.0
1405	55.218	18.0.0	3G Security; Specification of the A5/3 encryption algorithms for GSM and ECSD, and the GEA3 encryption algorithm for GPRS; Document 3: Design conformance test data	TS-55.218 V1.0.0
1406	55.226	18.0.0	3G Security; Specification of the A5/4 Encryption Algorithms for GSM and ECSD, and the GEA4 Encryption Algorithm for GPRS	TS-55.226 V1.0.0
1407	55.236	18.0.0	Specification of A8_V MILENAGE Algorithm: An example algorithm for the key generation function A8_V	TS-55.236 V1.0.0

1408	55.241	18.0.0	Specification of the GIA4 integrity algorithm for General Packet Radio Service (GPRS); GIA4 specification	TS-55.241 V1.0.0
1409	55.242	18.0.0	Specification of the GIA4 integrity algorithm for General Packet Radio Service (GPRS); Implementers' test data	TS-55.242 V1.0.0
1410	55.243	18.0.0	Specification of the GIA4 integrity algorithm for General Packet Radio Service (GPRS); Design conformance test data	TS-55.243 V1.0.0
1411	55.251	18.0.0	Specification of the GEA5 and GIA5 encryption algorithms for General Packet Radio Service (GPRS); GEA5 and GIA5 algorithm specification	TS-55.251 V1.0.0
1412	55.252	18.0.0	Specification of the GEA5 encryption and GIA5 integrity algorithms for General Packet Radio Service (GPRS); Implementers' test data	TS-55.252 V1.0.0
1413	55.253	18.0.0	Specification of the GEA5 encryption and GIA5 integrity algorithms for General Packet Radio Service (GPRS); Design conformance test data	TS-55.253 V1.0.0
885	32.111-1	18.0.0	Telecommunication management; Fault Management; Part 1: 3G fault management requirements	TS-32.111-1 V1.0.0
886	32.111-2	18.0.0	Telecommunication management; Fault Management; Part 2: Alarm Integration Reference Point (IRP): Information Service (IS)	TS-32.111-2 V1.0.0
887	32.111-6	18.0.0	Telecommunication management; Fault Management; Part 6: Alarm Integration Reference Point (IRP): Solution Set (SS) definitions	TS-32.111-6 V1.0.0
1183	36.521-1	18.5.0	Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) conformance specification; Radio transmission and reception; Part 1: Conformance testing	TS-36.521-1 V1.0.0
1184	36.521-2	18.5.0	Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) conformance specification; Radio transmission and reception; Part 2: Implementation Conformance Statement (ICS)	TS-36.521-2 V1.0.0

1185	36.521-3	18.5.0	Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) conformance specification; Radio transmission and reception; Part 3: Radio Resource Management (RRM) conformance testing	TS-36.521-3 V1.0.0
1186	36.521-4	18.2.0	Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) conformance specification; Radio transmission and reception; Part 4: Satellite access Radio Frequency (RF) and performance Conformance Testing	TS-36.521-4 V1.0.0
1187	36.523-1	18.5.0	Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification; Part 1: Protocol conformance specification	TS-36.523-1 V1.0.0
1188	36.523-2	18.5.0	Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification	TS-36.523-2 V1.0.0
1189	36.523-3	18.4.0	Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification; Part 3: Test suites	TS-36.523-3 V1.0.0
1198	37.145-1	18.5.0	Active Antenna System (AAS) Base Station (BS) conformance testing; Part 1: conducted conformance testing	TS-37.145-1 V1.0.0
1199	37.145-2	18.6.0	Active Antenna System (AAS) Base Station (BS) conformance testing; Part 2: radiated conformance testing	TS-37.145-2 V1.0.0
1218	38.101-1	18.6.0	NR; User Equipment (UE) radio transmission and reception; Part 1: Range 1 Standalone	TS-38.101-1 V1.0.0
1219	38.101-2	18.6.0	NR; User Equipment (UE) radio transmission and reception; Part 2: Range 2 Standalone	TS-38.101-2 V1.0.0
1220	38.101-3	18.6.0	NR; User Equipment (UE) radio transmission and reception; Part 3: Range 1 and Range 2 Interworking operation with other radios	TS-38.101-3 V1.0.0
1221	38.101-4	18.4.0	NR; User Equipment (UE) radio transmission and reception; Part 4: Performance requirements	TS-38.101-4 V1.0.0

1222	38.101-5	18.6.0	NR; User Equipment (UE) radio transmission and reception; Part 5: Satellite access Radio Frequency (RF) and performance requirements	TS-38.101-5 V1.0.0
1228	38.115-1	18.5.0	NR; Repeater conformance testing - Part 1: Conducted conformance testing	TS-38.115-1 V1.0.0
1229	38.115-2	18.1.0	NR; Repeater conformance testing - Part 2: Radiated conformance testing	TS-38.115-2 V1.0.0
1232	38.141-1	18.6.0	NR; Base Station (BS) conformance testing Part 1: Conducted conformance testing	TS-38.141-1 V1.0.0
1233	38.141-2	18.6.0	NR; Base Station (BS) conformance testing Part 2: Radiated conformance testing	TS-38.141-2 V1.0.0
1239	38.176-1	18.5.0	NR; Integrated Access and Backhaul (IAB) conformance testing; Part 1: Conducted conformance testing	TS-38.176-1 V1.0.0
1240	38.176-2	18.5.0	NR; Integrated Access and Backhaul (IAB) conformance testing; Part 2: Radiated conformance testing	TS-38.176-2 V1.0.0
1285	38.508-1	18.3.0	5GS; User Equipment (UE) conformance specification; Part 1: Common test environment	TS-38.508-1 V1.0.0
1286	38.508-2	18.3.0	5GS; User Equipment (UE) conformance specification; Part 2: Common Implementation Conformance Statement (ICS) proforma	TS-38.508-2 V1.0.0
1287	38.521-1	18.3.0	NR; User Equipment (UE) conformance specification; Radio transmission and reception; Part 1: Range 1 standalone	TS-38.521-1 V1.0.0
1288	38.521-2	18.3.0	NR; User Equipment (UE) conformance specification; Radio transmission and reception; Part 2: Range 2 standalone	TS-38.521-2 V1.0.0
1289	38.521-3	18.3.0	NR; User Equipment (UE) conformance specification; Radio transmission and reception; Part 3: Range 1 and Range 2 Interworking operation with other radios	TS-38.521-3 V1.0.0
1290	38.521-4	18.3.0	NR; User Equipment (UE) conformance specification; Radio transmission and reception; Part 4: Performance	TS-38.521-4 V1.0.0
1291	38.521-5	18.2.0	NR; User Equipment (UE) conformance specification; Radio transmission and reception; Part 5: Satellite access Radio Frequency (RF) and performance	TS-38.521-5 V1.0.0

1395	51.010-4	18.0.0	Mobile Station (MS) conformance specification; Part 4: Subscriber Identity Module (SIM) application toolkit conformance test specification	TS-51.010-4 V1.0.0
------	--------------------------	--------	--	------------------------------------