

SL NO.	Specification	Rev	Title	TEC Standard
1	28.662	17.1.1	Telecommunication management; Generic Radio Access Network (RAN) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.662 V1.1.0
2	29.109	17.1.0	Generic Authentication Architecture (GAA); Zh and Zn Interfaces based on the Diameter protocol; Stage 3	TS-29.109 V1.1.0
3	31.117	17.1.0	Universal Subscriber Identity Module Application Toolkit (USAT) application behavioural test specification	TS-31.117 V1.1.0
4	37.579-5	17.1.0	Mission Critical (MC) services; Part 5: Abstract test suite (ATS)	TS-37.579-5 V1.1.0
5	28.54	17.3.1	Management and orchestration; 5G Network Resource Model (NRM); Stage 1	TS-28.540 V1.2.0
6	28.663	17.2.0	Telecommunication management; Generic Radio Access Network (RAN) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.663 V1.2.0
7	37.579-1	17.2.0	Mission Critical (MC) services; Part 1: Common test environment	TS-37.579-1 V1.2.0
8	37.579-2	17.2.0	Mission Critical (MC) services; Part 2: Mission Critical Push To Talk (MCPTT) User Equipment (UE) Protocol conformance specification	TS-37.579-2 V1.2.0
9	37.579-4	17.2.0	Mission Critical (MC) services; Part 4: Test Applicability and Implementation Conformance Statement (ICS) proforma specification	TS-37.579-4 V1.2.0
10	37.579-6	17.2.0	Mission Critical (MC) services; Part 6: Mission Critical Video (MCVideo) User Equipment (UE) Protocol conformance specification	TS-37.579-6 V1.2.0
11	37.579-7	17.2.0	Mission Critical (MC) services; Part 7: Mission Critical Data (MCData) User Equipment (UE) Protocol conformance specification	TS-37.579-7 V1.2.0
12	29.23	17.5.0	Diameter applications; 3GPP specific codes and identifiers	TS-29.230 V1.3.0

13	29.523	17.9.0	5G System; Policy Control Event Exposure Service; Stage 3	TS-29.523 V1.3.0
14	22.261	17.15.0	Service requirements for the 5G system	TS-22.261 V1.4.0
15	23.122	17.10.0	Non-Access-Stratum (NAS) functions related to Mobile Station (MS) in idle mode	TS-23.122 V1.4.0
16	31.122	17.4.0	Universal Subscriber Identity Module (USIM) conformance test specification	TS-31.122 V1.4.0
17	29.549	17.9.0	Service Enabler Architecture Layer for Verticals (SEAL); Application Programming Interface (API) specification; Stage 3	TS-29.549 V1.5.0
18	29.575	17.5.0	5G System; Analytics Data Repository Services; Stage 3	TS-29.575 V1.5.0
19	24.546	17.8.0	Configuration management - Service Enabler Architecture Layer for Verticals (SEAL); Protocol specification	TS-24.546 V1.6.0
20	24.558	17.6.0	Enabling Edge Applications; Protocol specification	TS-24.558 V1.6.0
21	26.247	17.4.2	Transparent end-to-end Packet-switched Streaming Service (PSS); Progressive Download and Dynamic Adaptive Streaming over HTTP (3GP-DASH)	TS-26.247 V1.6.0
22	29.272	17.8.0	Evolved Packet System (EPS); Mobility Management Entity (MME) and Serving GPRS Support Node (SGSN) related interfaces based on Diameter protocol	TS-29.272 V1.6.0
23	36.304	17.6.0	Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) procedures in idle mode	TS-36.304 V1.6.0
24	37.32	17.6.0	Radio measurement collection for Minimization of Drive Tests (MDT); Overall description; Stage 2	TS-37.320 V1.6.0
25	24.193	17.11.0	5G System; Access Traffic Steering, Switching and Splitting (ATSSS); Stage 3	TS-24.193 V1.7.0
26	24.544	17.9.0	Group Management - Service Enabler Architecture Layer for Verticals (SEAL); Protocol specification	TS-24.544 V1.7.0
27	24.548	17.7.1	Network Resource Management - Service Enabler Architecture Layer for Verticals (SEAL); Protocol specification	TS-24.548 V1.7.0
28	26.346	17.6.0	Multimedia Broadcast/Multicast Service (MBMS); Protocols and codecs	TS-26.346 V1.7.0

29	29.574	17.7.0	5G System; Data Collection Coordination Services; Stage 3	TS-29.574 V1.7.0
30	33.535	17.12.0	Authentication and Key Management for Applications (AKMA) based on 3GPP credentials in the 5G System (5GS)	TS-33.535 V1.7.0
31	38.115-2	17.7.0	NR; Repeater conformance testing - Part 2: Radiated conformance testing	TS-38.115-2 V1.7.0
32	26.517	17.8.0	5G Multicast-Broadcast User Services; Protocols and Formats	TS-26.517 V1.8.0
33	29.572	17.12.0	5G System; Location Management Services; Stage 3	TS-29.572 V1.8.0
34	36.579-5	17.8.0	Mission Critical (MC) services over LTE; Part 5: Abstract test suite (ATS)	TS-36.579-5 V1.8.0
35	38.351	17.8.0	NR; Sidelink Relay Adaptation Protocol (SRAP) Specification	TS-38.351 V1.8.0
36	24.545	17.12.0	Location Management - Service Enabler Architecture Layer for Verticals (SEAL); Protocol specification	TS-24.545 V1.9.0
37	26.502	17.9.0	5G multicast-broadcast services; User service architecture	TS-26.502 V1.9.0
38	29.508	17.16.0	5G System; Session Management Event Exposure Service; Stage 3	TS-29.508 V1.9.0
39	29.512	17.15.0	5G System; Session Management Policy Control Service; Stage 3	TS-29.512 V1.9.0
40	29.519	17.15.0	5G System; Usage of the Unified Data Repository Service for Policy Data, Application Data and Structured Data for Exposure; Stage 3	TS-29.519 V1.9.0
41	29.591	17.14.0	5G System; Network Exposure Function Southbound Services; Stage 3	TS-29.591 V1.9.0
42	36.306	17.9.0	Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio access capabilities	TS-36.306 V1.9.0
43	23.558	17.14.0	Architecture for enabling Edge Applications	TS-23.558 V1.10.0
44	28.554	17.16.0	Management and orchestration; 5G end to end Key Performance Indicators (KPI)	TS-28.554 V1.10.0
45	29.52	17.16.0	5G System; Network Data Analytics Services; Stage 3	TS-29.520 V1.10.0

46	32.422	17.16.0	Telecommunication management; Subscriber and equipment trace; Trace control and configuration management	TS-32.422 V1.10.0
47	32.423	17.13.0	Telecommunication management; Subscriber and equipment trace; Trace data definition and management	TS-32.423 V1.10.0
48	36.3	17.10.0	Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Overall description; Stage 2	TS-36.300 V1.10.0
49	37.145-2	17.15.0	Active Antenna System (AAS) Base Station (BS) conformance testing; Part 2: radiated conformance testing	TS-37.145-2 V1.10.0
50	37.483	17.10.0	E1 Application Protocol (E1AP)	TS-37.483 V1.10.0
51	38.174	17.10.0	NR; Integrated Access and Backhaul (IAB) radio transmission and reception	TS-38.174 V1.10.0
52	24.229	17.17.0	IP multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3	TS-24.229 V1.11.0
53	29.518	17.16.0	5G System; Access and Mobility Management Services; Stage 3	TS-29.518 V1.11.0
54	31.111	17.14.0	Universal Subscriber Identity Module (USIM) Application Toolkit (USAT)	TS-31.111 V1.11.0
55	32.291	17.13.0	Telecommunication management; Charging management; 5G system, charging service; Stage 3	TS-32.291 V1.11.0
56	38.151	17.11.0	NR; User Equipment (UE) Multiple Input Multiple Output (MIMO) Over-the-Air (OTA) performance requirements	TS-38.151 V1.11.0
57	38.176-2	17.12.0	NR; Integrated Access and Backhaul (IAB) conformance testing; Part 2: Radiated conformance testing	TS-38.176-2 V1.11.0
58	38.212	17.12.0	NR; Multiplexing and channel coding	TS-38.212 V1.11.0
59	24.501	17.18.1	Non-Access-Stratum (NAS) protocol for 5G System (5GS); Stage 3	TS-24.501 V1.12.0
60	29.504	17.18.0	5G System; Unified Data Repository Services; Stage 3	TS-29.504 V1.12.0
61	29.522	17.17.0	5G System; Network Exposure Function Northbound APIs; Stage 3	TS-29.522 V1.12.0
62	32.298	17.14.0	Telecommunication management; Charging management; Charging Data Record (CDR) parameter description	TS-32.298 V1.12.0

63	33.127	17.16.0	Lawful Interception (LI) architecture and functions	TS-33.127 V1.12.0
64	36.101	17.17.0	Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio transmission and reception	TS-36.101 V1.12.0
65	38.101-5	17.12.0	NR; User Equipment (UE) radio transmission and reception; Part 5: Satellite access Radio Frequency (RF) and performance requirements	TS-38.101-5 V1.12.0
66	38.176-1	17.12.0	NR; Integrated Access and Backhaul (IAB) conformance testing; Part 1: Conducted conformance testing	TS-38.176-1 V1.12.0
67	38.213	17.13.0	NR; Physical layer procedures for control	TS-38.213 V1.12.0
68	38.214	17.14.0	NR; Physical layer procedures for data	TS-38.214 V1.12.0
69	38.413	17.12.0	NG-RAN; NG Application Protocol (NGAP)	TS-38.413 V1.12.0
70	28.541	17.19.0	Management and orchestration; 5G Network Resource Model (NRM); Stage 2 and stage 3	TS-28.541 V1.13.0
71	28.622	17.14.0	Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)	TS-28.622 V1.13.0
72	28.623	17.14.0	Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions	TS-28.623 V1.13.0
73	29.503	17.19.0	5G System; Unified Data Management Services; Stage 3	TS-29.503 V1.13.0
74	33.128	17.17.0	Security; Protocol and procedures for Lawful Interception (LI); Stage 3	TS-33.128 V1.13.0
75	36.331	17.13.0	Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification	TS-36.331 V1.13.0
76	38.101-1	17.18.0	NR; User Equipment (UE) radio transmission and reception; Part 1: Range 1 Standalone	TS-38.101-1 V1.13.0
77	38.101-2	17.18.0	NR; User Equipment (UE) radio transmission and reception; Part 2: Range 2 Standalone	TS-38.101-2 V1.13.0
78	38.101-3	17.18.0	NR; User Equipment (UE) radio transmission and reception; Part 3: Range 1 and Range 2 Interworking operation with other radios	TS-38.101-3 V1.13.0
79	38.101-4	17.17.0	NR; User Equipment (UE) radio transmission and reception; Part 4: Performance requirements	TS-38.101-4 V1.13.0
80	38.104	17.18.0	NR; Base Station (BS) radio transmission and reception	TS-38.104 V1.13.0

81	38.133	17.18.1	NR; Requirements for support of radio resource management	TS-38.133 V1.13.0
82	38.141-1	17.18.0	NR; Base Station (BS) conformance testing Part 1: Conducted conformance testing	TS-38.141-1 V1.13.0
83	38.141-2	17.18.0	NR; Base Station (BS) conformance testing Part 2: Radiated conformance testing	TS-38.141-2 V1.13.0
84	38.3	17.13.0	NR; NR and NG-RAN Overall description; Stage-2	TS-38.300 V1.13.0
85	38.306	17.13.0	NR; User Equipment (UE) radio access capabilities	TS-38.306 V1.13.0
86	38.321	17.13.0	NR; Medium Access Control (MAC) protocol specification	TS-38.321 V1.13.0
87	38.331	17.13.0	NR; Radio Resource Control (RRC); Protocol specification	TS-38.331 V1.13.0
88	38.423	17.13.0	NG-RAN; Xn Application Protocol (XnAP)	TS-38.423 V1.13.0
89	38.473	17.13.0	NG-RAN; F1 Application Protocol (F1AP)	TS-38.473 V1.13.0