



GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE

Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

CERTIFICATE OF DESIGNATION

SIM TESTING FACILITY LABORATORY, IDEMIA SYSCOM INDIA

has been assessed and designated as Conformity Assessment Body (CAB) for its facilities at

1-A, IDEMIA Tower, Sector 73 Noida, Gautam Budh Nagar Uttar Pradesh

In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/90

Issue Date: 07/03/2024 Validity: 07/03/2024 to 06/03/2027

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

Vijay Dixit Director (CA) For Designating Authority TEC

Certificate No: TEC/MRA/CAB/IND-D/90 dated 07/03/2024 issued to SIM TESTING FACILITY LABORATORY, IDEMIA SYSCOM INDIA, 1-A, IDEMIA Tower, Sector 73 Noida,

Gautam Budh Nagar Uttar Pradesh- 201 307



Validity: - 07/03/2024 to 06/03/2027

Terms & Conditions

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 3 NO. TEC 04019:2023.

Some of the conditions are reiterated as under:

A. Obligations of the Designated CAB.

- 1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
- 2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)* partner for testing and evaluation.
- 3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
- 4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
- 5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
- 6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
- 7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
- 8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

^{*}Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

- 9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence
 - a) Cessation of its business of conformity assessment for which it is Designated or accredited
 - b) Changes in its legal, commercial, or Organisational status
 - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
 - d) Change of premises

B. REFERENCE TO DESIGNATION STATUS

- 1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
- 2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
- 3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other non-routine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

- 1. DA shall suspend or withdraw the designation of a CAB if
 - a. Its accreditation is withdrawn.
 - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
 - c. It is guilty of any offence involving fraud or dishonesty.
 - d. DA concludes that there is a just cause for withdrawing the designation.
- 2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
- 3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: SIM TESTING FACILITY LABORATORY,

IDEMIA SYSCOM INDIA,

1-A, IDEMIA Tower, Sector 73 Noida,

Gautam Budh Nagar Uttar Pradesh- 201 307

Certificate Number: TEC/MRA/CAB/IND-D/90 Page 1 of 10

| Sl. No. | Telecom Equipment/ Product | Test Paramete | Standard/ Specification | |
|------------|----------------------------------|---|--|--|
| 1. | SIM Variant-1- CSIM | Parameters linked with Product Variant | Administrative commands for telecommunications applications in Integrated Circuit Cards (ICC) CSIM Clause 6 of ETSI TS 102 222 Release 7 and above Physical and Logical Characteristics CSIM Clause 4 of ETSI TS 102 221 Rel. 12 Security mechanisms for the (U)SIM application toolkit Stage 2 CSIM Clause 5 6 7 8 9 of 3GPP TS 23.048 (Release v5.9.0 and above) SIM shall support special SSD (Supplementary Secure Domain) for SIM based apps Clause 7.2 of Global Platform Specifications of SIM Alliance Forum Version 2.1.1 or higher Subscriber Identity Module Application Programming Interface (SIM API) for Java Card TM Stage 2 CSIM Clause 6 7 of 3GPP TS 43.019 (Release V5.6.0 and above) Transmission Speed CSIM Clause 5.1 of 3GPP TS 31.101 | TEC ER No. TEC40162401 TEC ER No. TEC40162401 TEC ER No. TEC40162401 TEC ER No. TEC40162401 TEC ER No. TEC40162401 |
| | | | (Rel.12 and above) | |

^{*}The validity of Certificate is up to 06/03/2027 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: SIM TESTING FACILITY LABORATORY,

IDEMIA SYSCOM INDIA,

1-A, IDEMIA Tower, Sector 73 Noida,

Gautam Budh Nagar Uttar Pradesh- 201 307

Certificate Number: TEC/MRA/CAB/IND-D/90 Page 2 of 10

| Sl. No. | Telecom Equipment/ Product | Test Paramete | Standard/ Specification | |
|------------|----------------------------------|--|---|--|
| | SIM Variant-1- CSIM | Parameters linked with Product Variant | Voltage classes (Class A Class B Class C at least two consecutive classes e.g. AB or BC) CSIM Clause 5A of 3GPP TS 31.101 (Rel.12 and above) | TEC ER No. TEC40162401 |
| | SIM Variant-2- eSIM | Parameters linked with Product Variant | Answer to reset Content eSIM Clause 6.3 Of 3GPP TS 102 671 (Rel.9 and above) Physical and Logical Characteristics eSIM Clause 6 of ETSI TS 102 671 Rel. 9 Voltage classes eSIM Clause 7.1 Of 3GPP TS 102 671 and clause 6.2 of ETSI TS 102 221 Rel. 9 and above | TEC ER No. TEC40162401 TEC ER No. TEC40162401 TEC ER No. TEC40162401 |
| | | Interface: Pre- Personalized Profiles eSIM Interface: Pre- Personalized Profiles | Pre-personalized Profiles eSIM Clause 4 5 of TS 131 102 Rel. 6 and above Pre-personalized Profiles ISIM Clause 4 of TS 131 103 Rel. 5 and above | TEC ER No. TEC40162401 TEC ER No. TEC40162401 |
| | | ISIM Interface: Pre- personalized Profiles SIM | Pre-personalized Profiles SIM Clause 10 of TS 51.011 | TEC ER No. TEC40162401 |

^{*}The validity of Certificate is up to 06/03/2027 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: SIM TESTING FACILITY LABORATORY,

IDEMIA SYSCOM INDIA,

1-A, IDEMIA Tower, Sector 73 Noida,

Gautam Budh Nagar Uttar Pradesh- 201 307

Certificate Number: TEC/MRA/CAB/IND-D/90 Page 3 of 10

| Sl. | Telecom | Test Paramete | Standard/ | |
|-----|------------|----------------------|-------------------------------------|-------------|
| No. | Equipment/ | | Specification | |
| | Product | | | _ |
| | | | | |
| | SIM | Interface: | Pre-personalized Profiles USIM | TEC ER No. |
| | Variant-2- | Pre- | Clause 4 5 of TS 131 102 Rel. 6 and | TEC40162401 |
| | eSIM | personalized | above | |
| | | Profiles | | |
| | | USIM | | |
| | SIM | Interface: | Pre-personalized Profiles eSIM | TEC ER No. |
| | Variant-3- | Pre- | Clause 4 5 of TS 131 102 Rel. 6 and | TEC40162401 |
| | eUICC | Personalized | above | |
| | | Profiles eSIM | | |
| | | Interface: | Pre-personalized Profiles ISIM | TEC ER No. |
| | | Pre- | Clause 4 of TS 131 103 Rel. 5 and | TEC40162401 |
| | | Personalized | above | |
| | | Profiles ISIM | | |
| | | Interface: | Pre-personalized Profiles SIM | TEC ER No. |
| | | Pre- | Clause 10 of TS 51.011 | TEC40162401 |
| | | personalized | | |
| | | Profiles SIM | | |
| | | Interface: | Pre-personalized Profiles USIM | TEC ER No. |
| | | Pre- | Clause 4 5 of TS 131 102 Rel. 6 and | TEC40162401 |
| | | personalized | above | |
| | | Profiles | | |
| | | USIM | | |
| | SIM | Parameters | Passive authentication (RUIM) | TEC ER No. |
| | Variant-4- | linked with | Clause 7 of 3GPP TS 51.011 | TEC40162401 |
| | RUIM | Product | Release 4 | |
| | | Variant | | |
| | | | | |
| | | | | |

^{*}The validity of Certificate is up to 06/03/2027 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: SIM TESTING FACILITY LABORATORY,

IDEMIA SYSCOM INDIA,

1-A, IDEMIA Tower, Sector 73 Noida,

Gautam Budh Nagar Uttar Pradesh- 201 307

Certificate Number: TEC/MRA/CAB/IND-D/90 Page 4 of 10

| Sl. No. | Telecom Equipment/ Product | Test Paramete | Standard/ Specification | |
|------------|----------------------------------|---|---|--|
| | SIM Variant-5- SIM | Parameters linked with Product Variant | Card size and contact locations SIM Clause 4 of ETSI TS 102 221 V11.1.0 Interface protocols SIM Clause 7A of 3GPP TS 31.101 (Rel.5 and above) Minimum application clock frequency SIM Clause 6 of 3GPP TS 31.101 (Rel.5 and above) Network Security (at least but not limited to A3 A8 algorithm) SIM Clause 7.1 7.2 of 3GPP TS 51.011 Release 4 Passive authentication SIM Clause 7 of 3GPP TS 51.011 Release 4 Physical and Logical Characteristics SIM Clause 4 Of 3GPP TS 31.101 (Rel.5 and above) Read or Update access to NVM controlled by Operating System and Issuer application SIM ISO 7816 4 Clause 9.2 of 3GPP TS 51.011 Release 4 Security mechanisms for the SIM application toolkit Stage 2 | TEC ER No. TEC40162401 TEC ER No. TEC40162401 TEC ER No. TEC40162401 TEC ER No. TEC40162401 TEC ER No. TEC40162401 TEC ER No. TEC40162401 TEC ER No. TEC40162401 TEC ER No. TEC40162401 |
| | | | Clause 5 6 7 8 9 of 3GPP TS 03.48 (Release 1999) | |

^{*}The validity of Certificate is up to 06/03/2027 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: SIM TESTING FACILITY LABORATORY,

IDEMIA SYSCOM INDIA,

1-A, IDEMIA Tower, Sector 73 Noida,

Gautam Budh Nagar Uttar Pradesh- 201 307

Certificate Number: TEC/MRA/CAB/IND-D/90 Page 5 of 10

| Sl. No. | Telecom Equipment/ Product | Test Paramete | Standard/ Specification | |
|------------|----------------------------------|---|---|--|
| | SIM Variant-5- SIM | Parameters linked with Product Variant | SIM Application 3GPP TS 51.014 (Release 4 and above) SIM shall support special SSD (Supplementary Secure Domain) for SIM based apps. Clause 7.2 of Global Platform Specifications of SIM Alliance Forum Version 2.1.1 or higher Subscriber Identity Module Application Programming Interface (SIM API) Clause 7 Clause 8 Clause 9 of 3GPP TS 02.19 (Release 1999) Subscriber Identity Module Application Programming Interface (SIM API) for Java Card TM Clause 6 Clause 7 of 3GPP TS 43.019 (Release V5.6.0 and above) Transmission Speed SIM Clause 5.1 of 3GPP TS 31.101 (Rel.5 and above) Voltage classes (Class A Class B Class C at least two consecutive classes e.g. AB or BC) SIM Clause 5A of 3GPP TS 31.101 (Rel.5 and above) | TEC ER No. TEC40162401 TEC ER No. TEC40162401 |

^{*}The validity of Certificate is up to 06/03/2027 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: SIM TESTING FACILITY LABORATORY,

IDEMIA SYSCOM INDIA,

1-A, IDEMIA Tower, Sector 73 Noida,

Gautam Budh Nagar Uttar Pradesh- 201 307

Certificate Number: TEC/MRA/CAB/IND-D/90 Page 6 of 10

| Sl. No. | Telecom Equipment/ Product | Test Paramete | Standard/ Specification | |
|------------|---|---|--|---------------------------|
| | SIM Variant-5- SIM | Interface: SIM ME | Software Components shall include Operating System and SIM Tool Kit Applications Clause 6 Clause 9 of 3GPP TS 51.011 Release 4 or higher. Clause 4 Clause 5 of 3GPP TS 51.014 Rel. 4 or Higher | TEC ER No. TEC40162401 |
| | | | Specification of the Subscriber Identity Module Mobile Equipment (SIM ME) interface ISO-7816-4 3GPP TS 51.011 Release 4 or higher | TEC ER No. TEC40162401 |
| | SIM Variant-6- UICC based ISIM | Parameters linked with Product Variant | Administrative commands for telecommunications applications in Integrated Circuit Cards (ICC) ISIM Clause 6 of ETSI TS 102 222 Release 5 and above | TEC ER No. TEC40162401 |
| | | | Card size and contact locations ISIM Clause 4 Clause 4.5 of ETSI TS 102 221 | TEC ER No. TEC40162401 |
| | | | Interface Protocols ISIM Clause 5.4 of 3GPP TS 31.101 101 (Rel.8 V11.1.0. and above) | TEC ER No. TEC40162401 |
| | | | Minimum application clock frequency ISIM Clause 5.3.1 of 3GPP TS 31.101 (Rel.8 and above) | TEC ER No. TEC40162401 |

^{*}The validity of Certificate is up to 06/03/2027 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: SIM TESTING FACILITY LABORATORY,

IDEMIA SYSCOM INDIA,

1-A, IDEMIA Tower, Sector 73 Noida,

Gautam Budh Nagar Uttar Pradesh- 201 307

Certificate Number: TEC/MRA/CAB/IND-D/90 Page 7 of 10

| Sl. No. | Telecom Equipment/ Product | Test Paramete | Standard/ Specification | |
|------------|---|---|--|--|
| | SIM Variant-6- UICC based ISIM | Parameters linked with Product Variant | Physical and Logical Characteristics ISIM Clause 4A 5 of 3GPP TS 31.101 (Rel.8 and above) Security mechanisms for the (U)SIM application toolkit Stage 2 ISIM Clause 5 6 7 8 9 of 3GPP TS 23.048 (Release v5.9.0 and above) SIM shall support special SSD (Supplementary Secure Domain) for SIM based apps ISIM. Clause 7.2 of Global Platform Specifications of SIM Alliance Forum version 2.1.1 or higher Support for PIN and PUK Characteristics of the IP Multimedia Services Identity Module (ISIM) application ISO7816 4 Clause 9 of ETSI TS 102 221 Rel. 13 | TEC ER No. TEC40162401 TEC ER No. TEC40162401 TEC ER No. TEC40162401 TEC ER No. TEC40162401 |
| | | | Transmission Speed ISIM Clause 5.1 of 3GPP TS 31.101 (Rel.8 and above) Voltage classes (Class A Class B Class C at least two consecutive classes e.g. AB or BC) ISIM Clause 5.2 Clause 5A of 3GPP TS 31.101 (Rel.8 and above) | TEC ER No. TEC40162401 TEC ER No. TEC40162401 |

^{*}The validity of Certificate is up to 06/03/2027 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: SIM TESTING FACILITY LABORATORY,

IDEMIA SYSCOM INDIA,

1-A, IDEMIA Tower, Sector 73 Noida,

Gautam Budh Nagar Uttar Pradesh- 201 307

Certificate Number: TEC/MRA/CAB/IND-D/90 Page 8 of 10

| Sl. | Telecom | Test Paramete | Standard/ | |
|-----|-------------------|---------------|--------------------------------------|---------------|
| No. | Equipment/ | | | Specification |
| | Product | | | |
| | | | | |
| | SIM | Parameters | Administrative commands for | TEC ER No. |
| | Variant-7- | linked with | telecommunications applications in | TEC40162401 |
| | USIM | Product | Integrated Circuit Cards (ICC) USIM | |
| | | Variant | Clause 6 of ETSI TS 102 222 | |
| | | | Release 7 and above | |
| | | | Card size and contact locations RUIM | TEC ER No. |
| | | | Clause 4 of ETSI TS 102 221 | TEC40162401 |
| | | | V11.1.0. | |
| | | | Interface protocols USIM | TEC ER No. |
| | | | Clause 7A of 3GPP TS 31.101 | TEC40162401 |
| | | | (Rel.12 and above) | |
| | | | Minimum application clock frequency | TEC ER No. |
| | | | USIM | TEC40162401 |
| | | | Clause 6 of 3GPP TS 31.101 (Rel.12 | |
| | | | and above) | |
| | | | Physical and Logical Characteristics | TEC ER No. |
| | | | USIM | TEC40162401 |
| | | | Clause 4 of ETSI TS 102 221 Rel. 12 | |
| | | | Security mechanisms for the (U)SIM | TEC ER No. |
| | | | application toolkit Stage 2 | TEC40162401 |
| | | | Clause 5 6 7 8 9 of 3GPP TS 23.048 | |
| | | | (Release v 5.9.0 and above) | |
| | | | SIM shall support special SSD | TEC ER No. |
| | | | (Supplementary Secure Domain) for | TEC40162401 |
| | | | SIM based apps. | |
| | | | Clause 7.2 of Global Platform | |
| | | | Specifications of SIM Alliance Forum | |
| | | | Version 2.1.1 or higher | |

^{*}The validity of Certificate is up to 06/03/2027 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: SIM TESTING FACILITY LABORATORY,

IDEMIA SYSCOM INDIA,

1-A, IDEMIA Tower, Sector 73 Noida,

Gautam Budh Nagar Uttar Pradesh- 201 307

Certificate Number: TEC/MRA/CAB/IND-D/90 Page 9 of 10

| Sl. No. | Telecom Equipment/ Product | Test Paramet | Standard/ Specification | |
|------------|----------------------------------|---|---|---------------------------|
| | SIM Variant-7- USIM | Parameters linked with Product Variant | Subscriber Identity Module Application Programming Interface (SIM API) for Java Card TM Stage 2 USIM Clause 6 7 of 3GPP TS 43.019 (Release V5.6.0 and above) | TEC ER No. TEC40162401 |
| | | | Subscriber Identity Module Application Programming Interface (SIM API) Stage 1 USIM Clause 5 6 7 8 9 10 of 3GPP TS 02.19 (Release 1999) | TEC ER No. TEC40162401 |
| | | | Support for PIN and PUK USIM ISO7816 4 Clause 9 of ETSI TS 102 221 Rel. 13 | TEC ER No. TEC40162401 |
| | | | Transmission Speed USIM Clause 5.1 of 3GPP TS 31.101 (Rel.12 and above) | TEC ER No. TEC40162401 |
| | | | Voltage classes (Class A Class B Class C at least two consecutive classes Eg. AB or BC) USIM Clause 5A of 3GPP TS 31.101 (Rel.12 and above) | TEC ER No. TEC40162401 |

^{*}The validity of Certificate is up to 06/03/2027 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: SIM TESTING FACILITY LABORATORY,

IDEMIA SYSCOM INDIA,

1-A, IDEMIA Tower, Sector 73 Noida,

Gautam Budh Nagar Uttar Pradesh- 201 307

Certificate Number: TEC/MRA/CAB/IND-D/90 Page 10 of 10

| Sl. No. | Telecom Equipment/ Product | Test Paramete | Standard/ Specification | |
|------------|----------------------------------|-------------------------------|---|---------------------------|
| | SIM Variant-7- USIM | Interface: SIM-ME- USIM | Specification of the Subscriber Identity Module Mobile Equipment (SIM ME) interface USIM Clause 5 6 of 3GPP TS 51.011 Release 4 or higher | TEC ER No. TEC40162401 |

AD (CA), TEC

^{*}The validity of Certificate is up to 06/03/2027 or the continued validity of NABL Accreditation, whichever is earlier.