



GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

CERTIFICATE OF DESIGNATION

M/s REACT LABORATORIES, BENGALURU

has been assessed and designated as Conformity Assessment Body (CAB) for its facilities at

3411, 3rd Floor, Service Road, Vijayanagar, Bengaluru-560 040

In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/14

Issue Date: 22/03/2024

Validity: 23/03/2024 to 22/03/2027

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

Vijay Dixit Director (CA) For Designating Authority TEC

Certificate No: TEC/MRA/CAB/IND-D/14 dated 22/03/2024 issued to M/s REACT LABORATORIES, BENGALURU 3411, 3rd Floor, Service Road, Vijayanagar, Bengaluru-560 040



Validity: - 23/03/2024 to 22/03/2027

Terms & Conditions

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 3 NO. TEC 04019:2023.

Some of the conditions are reiterated as under:

A. Obligations of the Designated CAB.

- 1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
- 2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)* partner for testing and evaluation.
- 3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
- 4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
- 5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
- 6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
- 7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
- 8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

- 9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence
 - a) Cessation of its business of conformity assessment for which it is Designated or accredited
 - b) Changes in its legal, commercial, or Organisational status
 - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
 - d) Change of premises

B. REFERENCE TO DESIGNATION STATUS

- 1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
- 2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
- 3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other nonroutine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

- 1. DA shall suspend or withdraw the designation of a CAB if
 - a. Its accreditation is withdrawn.
 - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
 - c. It is guilty of any offence involving fraud or dishonesty.
 - d. DA concludes that there is a just cause for withdrawing the designation.
- 2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
- 3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s REACT LABORATORIES, BENGALURU 3411, 3rd Floor, Service Road, Vijayanagar, Bengaluru-560 040

Certificate Number: TEC/MRA/CAB/IND-D/14

Page 1 of 4

Validity: 23/03/2024 to 22/03/2027

Last Amended on: ----

Sl.	Telecom	Test Parameter or Type of Testing#	Standard/
No.	Equipment/		Specification
	Product		

1	Information	Input Current Voltage, Neutral Conductor	IEC 60950-1:2005 +
	Technology	Clause- 1.6.2	A1:2009 + A2:2013
	Equipment –Safety	Durability of Markings	IEC 60950-1:2005 +
	Requirement	Clause- 1.7.11	A1:2009 + A2:2013
		Access to Energized Parts	IEC 60950-1:2005 +
		Clause- 2.1.1.1	A1:2009 + A2:2013
		Access to ELV Wiring	IEC 60950-1:2005 +
		Clause- 2.1.1.3	A1:2009 + A2:2013
		Energy Hazard Measurement Test	IEC 60950-1:2005 +
		Clause- 2.1.1.5, 2.1.2	A1:2009 + A2:2013
		Discharge of Capacitors in Equipment	IEC 60950-1:2005 +
		Clause- 2.1.1.7	A1:2009 + A2:2013
		SELV Circuits Measurement Test	IEC 60950-1:2005 +
		Clause- 2.2.2, 2.2.3 & 2.3.4	A1:2009 + A2:2013
		TNV Circuits Limits Measurement Test	IEC 60950-1:2005 +
		Clause- 2.3.1	A1:2009 + A2:2013
		Separation of TNV circuits from other	IEC 60950-1:2005 +
		Circuits and Accessible Parts	A1:2009 + A2:2013
		Clause- 2.3.2	
		Connection of TNV Circuits to Other Circuits	
		Clause- 2.3.4	A1:2009 + A2:2013
		Test for Operating Voltages Generated	IEC 60950-1:2005 +
		Externally	A1:2009 + A2:2013
		Clause- 2.3.5	
		Limited Current Circuits Measurement Test	IEC 60950-1:2005 +
		Clause- 2.4	A1:2009 + A2:2013
		Limited Power Sources Measurement Test	IEC 60950-1:2005 +
		Clause- 2.5	A1:2009 + A2:2013



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s REACT LABORATORIES, BENGALURU 3411, 3rd Floor, Service Road, Vijayanagar, Bengaluru-560 040

Certificate Number: TEC/MRA/CAB/IND-D/14

Page 2 of 4

Validity: 23/03/2024 to 22/03/2027

Last Amended on: ----

SI.	Telecom	Test Parameter or Type of Testing#	Standard/
No.	Equipment/		Specification
	Product		

Information	Protective Earthing Conductors and	IEC 60950-1:2005 +
Technology	Protective Bonding Conductors	A1:2009 + A2:2013
Equipment –Safety	Clause- 2.6.3.4	
Requirement	Protection Requirements for Safety Interlocks	IEC 60950-1:2005 +
	Clause- 2.8.2	A1:2009 + A2:2013
	Inadvertent Reactivation	IEC 60950-1:2005 +
	Clause- 2.8.3	A1:2009 + A2:2013
	Humidity Conditioning	IEC 60950-1:2005 +
	Clause- 2.9.2	A1:2009 + A2:2013
	Determination of Working Voltage	IEC 60950-1:2005 +
	Clause- 2.10.2	A1:2009 + A2:2013
	Clearances	IEC 60950-1:2005 +
	Clause- 2.10.3	A1:2009 + A2:2013
	Measurement of Transient Voltages	IEC 60950-1:2005 +
	(Transients from Mains Supply)	A1:2009 + A2:2013
	Clause- 2.10.3.9	
	Creepage Distances	IEC 60950-1:2005 +
	Clause- 2.10.4	A1:2009 + A2:2013
	Wiring, Connections and Supplies: Cord	IEC 60950-1:2005 +
	Anchorage and Dimension Measurement	A1:2009 + A2:2013
	Clause- 3.0	
	Stability	IEC 60950-1:2005 +
	Clause- 4.1	A1:2009 + A2:2013
	Steady Force Test	IEC 60950-1:2005 +
	Clause- 4.2.1, 4.2.2, 4.2.3 & 4.2.4	A1:2009 + A2:2013
	Impact Test	IEC 60950-1:2005 +
	Clause- 4.2.5	A1:2009 + A2:2013
	Drop Test	IEC 60950-1:2005 +
	Clause- 4.2.6	A1:2009 + A2:2013



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s REACT LABORATORIES, BENGALURU 3411, 3rd Floor, Service Road, Vijayanagar, Bengaluru-560 040

Certificate Number: TEC/MRA/CAB/IND-D/14

Page 3 of 4

Validity: 23/03/2024 to 22/03/2027

Last Amended on: ----

SI.	Telecom	Test Parameter or Type of Testing#	Standard/
No.	Equipment/		Specification
	Product		_

Information	Stress Relief Test	IEC 60950-1:2005 +
Technology	Clause- 4.2.7	A1:2009 + A2:2013
Equipment –Safety	Force Test for Wall or Ceiling Mounted	IEC 60950-1:2005 +
Requirement	Equipment	A1:2009 + A2:2013
	Clause- 4.2.10	
	Inspection of Edges and Corners	IEC 60950-1:2005 +
	Clause- 4.3.1	A1:2009 + A2:2013
	Force Test for Handles and Manual Control	IEC 60950-1:2005 +
	Clause- 4.3.2	A1:2009 + A2:2013
	Inspection of Adjustable Controls	IEC 60950-1:2005 +
	Clause- 4.3.3	A1:2009 + A2:2013
	Creepage and Clearance Measurement for	IEC 60950-1:2005 +
	Securing of Parts	A1:2009 + A2:2013
	Clause- 4.3.4	
	Plugs and Sockets	IEC 60950-1:2005 +
	Clause- 4.3.5	A1:2009 + A2:2013
	Torque Test for Direct Plug-in Equipment	IEC 60950-1:2005 +
	Clause- 4.3.6	A1:2009 + A2:2013
	Heating Elements in Earthed Equipment	IEC 60950-1:2005 +
	Clause- 4.3.7	A1:2009 + A2:2013
	Data Evaluation for Batteries	IEC 60950-1:2005 +
	Clause- 4.3.8	A1:2009 + A2:2013
	Data Evaluation for Oil and Grease	IEC 60950-1:2005 +
	Clause- 4.3.9	A1:2009 + A2:2013
	Protection against Hazardous Moving Parts	IEC 60950-1:2005 +
	Clause- 4.4	A1:2009 + A2:2013
	Thermal Requirements	IEC 60950-1:2005 +
	Clause- 4.5.1, 4.5.2, 4.5.3 & 4.5.4	A1:2009 + A2:2013
	Resistance to Abnormal Heat	IEC 60950-1:2005 +
	Clause- 4.5.5	A1:2009 + A2:2013



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s REACT LABORATORIES, BENGALURU 3411, 3rd Floor, Service Road, Vijayanagar, Bengaluru-560 040

Certificate Number: TEC/MRA/CAB/IND-D/14

Page 4 of 4

Validity: 23/03/2024 to 22/03/2027

Last Amended on: ----

Sl.	Telecom	Test Parameter or Type of Testing#	Standard/
No.	Equipment/		Specification
	Product		-

Information	Openings in Enclosures	IEC 60950-1:2005 +
Technology	Clause- 4.6	A1:2009 + A2:2013
Equipment –Safety	Touch Current and Protective Conductor	IEC 60950-1:2005 +
Requirement	Current	A1:2009 + A2:2013
	Clause- 5.1	
	Electric Strength	IEC 60950-1:2005 +
	Clause- 5.2	A1:2009 + A2:2013
	Abnormal Operating and Fault Condition	IEC 60950-1:2005 +
	Clause- 5.3	A1:2009 + A2:2013
	Protection from Hazardous Voltages	IEC 60950-1:2005 +
	Clause- 6.1.1	A1:2009 + A2:2013
	Separation of Telecommunication Network	IEC 60950-1:2005 +
	from Earth	A1:2009 + A2:2013
	Clause- 6.1.2	
	Protection of Equipment Users from Over	IEC 60950-1:2005 +
	Voltages on Telecommunication Networks	A1:2009 + A2:2013
	Clause- 6.2.2	

AD (CA), TEC