



#### GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

# **CERTIFICATE OF DESIGNATION**

M/s Atharva Laboratories Pvt. Ltd., Noida

has been assessed and designated as Conformity Assessment Body (CAB) for its facilities at

#### D-115A, Hosiery Complex, Phase-II, Noida-201305, Gautam Budh Nagar, Uttar Pradesh

## In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/72

Issue Date: 26/02/2024

Validity: 26/02/2024 to 25/02/2027

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

Vijay Dixit Director (CA) For Designating Authority TEC

#### Certificate No: TEC/MRA/CAB/IND-D/72 dated 26/02/2024 issued to M/s Atharva Laboratories Pvt. Ltd. D-115A, Hosiery Complex, Phase-II, Noida-201305, Gautam Budh Nagar, Uttar Pradesh



Validity: - <u>26/02/2024 to 25/02/2027</u>

#### **Terms & Conditions**

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 3 NO. TEC 04019:2023.

Some of the conditions are reiterated as under:

#### A. Obligations of the Designated CAB.

- 1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
- 2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)\* partner for testing and evaluation.
- 3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
- 4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
- 5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
- 6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
- 7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
- 8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

\*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

- 9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence
  - a) Cessation of its business of conformity assessment for which it is Designated or accredited
  - b) Changes in its legal, commercial, or Organisational status
  - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
  - d) Change of premises

## **B. REFERENCE TO DESIGNATION STATUS**

- 1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
- 2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
- 3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

#### C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other nonroutine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

#### D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

- 1. DA shall suspend or withdraw the designation of a CAB if
  - a. Its accreditation is withdrawn.
  - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
  - c. It is guilty of any offence involving fraud or dishonesty.
  - d. DA concludes that there is a just cause for withdrawing the designation.
- 2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
- 3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

## E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s Atharva Laboratories Pvt. Ltd. D-115A, Hosiery Complex, Phase-II, Noida-201305, Gautam Budh Nagar, Uttar Pradesh

Certificate Number: TEC/MRA/CAB/IND-D/72

Validity: 26/02/2024 to 25/02/2027

Page 1 of 5

Last Amended on: ----

SI.	Telecom	Test Parameter or Type of Testing#	Standard/
No.	Equipment/		Specification
	Product		-

1	Information	Double or Reinforced Insulation Bridged by	IEC 60950-1:2005 +
	Technology	Components	A1:2009 + A2:2013
	<b>Equipment</b> –Safety	Clause- 1.5.7.3	
	Requirement	Input Current Voltage, Neutral Conductor	IEC 60950-1:2005 +
		Clause- 1.6.2	A1:2009 + A2:2013
		Removable Parts, Replaceable Batteries &	IEC 60950-1:2005 +
		Equipment for Restricted Access location	A1:2009 + A2:2013
		Clause- 1.7.11, 1.7.13	
		Access to Energized Parts	IEC 60950-1:2005 +
		Clause- 2.1.1.1	A1:2009 + A2:2013
		Protection Requirements	IEC 60950-1:2005 +
		Clause- 2.8.2	A1:2009 + A2:2013
		Energy Hazard Measurements	IEC 60950-1:2005 +
		Clause- 2.1.1.5	A1:2009 + A2:2013
		Capacitance Discharge Test	IEC 60950-1:2005 +
		Clause- 2.1.1.7	A1:2009 + A2:2013
		SELV Reliability Test	IEC 60950-1:2005 +
		Clause- 2.2.2, 2.2.3 & 2.3.4	A1:2009 + A2:2013
		TNV Circuits	IEC 60950-1:2005 +
		Clause- 2.3	A1:2009 + A2:2013
		Limited Current Circuits Measurements	IEC 60950-1:2005 +
		Clause- 2.4.1, 2.4.2	A1:2009 + A2:2013
		Limited Power Source Measurements	IEC 60950-1:2005 +
		Clause- 2.5	A1:2009 + A2:2013
		Protective Earthing Conductor and Protective	IEC 60950-1:2005 +
		Bonding Conductor Test	A1:2009 + A2:2013
		Clause- 2.6.3.4, 2.6.1	



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s Atharva Laboratories Pvt. Ltd. D-115A, Hosiery Complex, Phase-II, Noida-201305, Gautam Budh Nagar, Uttar Pradesh

Certificate Number: TEC/MRA/CAB/IND-D/72

Validity: 26/02/2024 to 25/02/2027

Page 2 of 5

Last Amended on: ----

ſ	SI.	Telecom	Test Parameter or Type of Testing#	Standard/
	No.	Equipment/		Specification
		Product		-

Information	Properties of Insulating Materials, Humidity	IEC 60950-1:2005 +
Technology	Condition	A1:2009 + A2:2013
<b>Equipment</b> –Safety	Clause- 2.9.1, 2.9.2	
Requirement	RMS Working Voltage & Peak Working	IEC 60950-1:2005 +
	Voltage	A1:2009 + A2:2013
	Clause- 2.10.2.2, 2.10.2.3	
	Measurement of Transient Voltages	IEC 60950-1:2005 +
	Clause- 2.10.3.9	A1:2009 + A2:2013
	Distance through Insulation	IEC 60950-1:2005 +
	Clause- 2.10.5.2	A1:2009 + A2:2013
	Cord anchorages and Strain Relief Test	IEC 60950-1:2005 +
	Clause- 3.2.6	A1:2009 + A2:2013
	Cord Guard Test	IEC 60950-1:2005 +
	Clause- 3.2.8	A1:2009 + A2:2013
	Stranded Wire	IEC 60950-1:2005 +
	Clause- 3.3.8	A1:2009 + A2:2013
	Stability Tests	IEC 60950-1:2005 +
	Clause- 4.1	A1:2009 + A2:2013
	Mechanical Strength- General Steady Force	IEC 60950-1:2005 +
	Test	A1:2009 + A2:2013
	Clause- 4.2.1, 4.2.2, 4.2.3& 4.2.4	
	Drop Test	IEC 60950-1:2005 +
	Clause- 4.2.6	A1:2009 + A2:2013
	Stress Relief Test	IEC 60950-1:2005 +
	Clause- 4.2.7	A1:2009 + A2:2013
	Wall or Ceiling mounted Equipment	IEC 60950-1:2005 +
	Clause- 4.2.10	A1:2009 + A2:2013
	Designs and Construction-Edges and Corner,	IEC 60950-1:2005 +
	Handles and Manual Controls	A1:2009 + A2:2013
	Clause- 4.3.1, 4.3.2	



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s Atharva Laboratories Pvt. Ltd. D-115A, Hosiery Complex, Phase-II, Noida-201305, Gautam Budh Nagar, Uttar Pradesh

Certificate Number: TEC/MRA/CAB/IND-D/72

Page 3 of 5

Validity: 26/02/2024 to 25/02/2027

Last Amended on: ----

Sl.	Telecom	Test Parameter or Type of Testing#	Standard/
No.	Equipment/		Specification
	Product		

Information Technology	Connection by the Plug and Sockets Clause- 4.3.5	IEC 60950-1:2005 + A1:2009 + A2:2013
Equipment –Safety Requirement	Dust, Powder, Liquids and Gases Clause- 4.3.10	IEC 60950-1:2005 + A1:2009 + A2:2013
	Protection against Hazardous Moving Parts Clause- 4.4, 4.4.1, 4.4.2, 4.4.3, 4.4.4	IEC 60950-1:2005 + A1:2009 + A2:2013
	Thermal Requirements Clause- 4.5	IEC 60950-1:2005 + A1:2009 + A2:2013
	Openings in Enclosures Clause- 4.6	IEC 60950-1:2005 + A1:2009 + A2:2013
	Resistance to Fire Clause- 4.7	IEC 60950-1:2005 + A1:2009 + A2:2013
	Electrical Requirements and Simulated Abnormal Conditions & Touch Current and Protective Conductor Current & Annex D Clause- 5.1, Annex D	IEC 60950-1:2005 + A1:2009 + A2:2013
	Electrical Strength Clause- 5.2	IEC 60950-1:2005 + A1:2009 + A2:2013
	Abnormal Operating and Fault conditions & Protection against Overload and Abnormal Operation Clause- 5.3, 5.3.1	IEC 60950-1:2005 + A1:2009 + A2:2013
	Transformer Abnormal Operation Test Clause- 5.3.3, Annex C.1	IEC 60950-1:2005 + A1:2009 + A2:2013
	Protection of the Equipment Users from Over Voltages on Telecom Networks Clause- 6.2	IEC 60950-1:2005 + A1:2009 + A2:2013

ISO 9001: 2015

Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# **SCOPE OF DESIGNATION** (ANNEXURE)

Laboratory Name: M/s Atharva Laboratories Pvt. Ltd. D-115A, Hosiery Complex, Phase-II, Noida-201305, Gautam Budh Nagar, Uttar Pradesh

Certificate Number: TEC/MRA/CAB/IND-D/72

Page 4 of 5

Validity: 26/02/2024 to 25/02/2027

Last Amended on: ----

Sl.	Telecom	Test Parameter or Type of Testing#	Standard/
No.	Equipment/		Specification
	Product		_

	Information	Impulse Test	IEC 60950-1:2005 +
	Technology	Clause- 6.2.2.1	A1:2009 + A2:2013
	Equipment –Safety	Voltage Surge Test	IEC 60950-1:2005 +
	Requirement	Clause- 7.4.2	A1:2009 + A2:2013
	Requirement	Impulse Test	IEC 60950-1:2005 +
		Clause- 7.4.3	A1:2009 + A2:2013
		Hot Flaming Oil Test	IEC 60950-1:2005 +
		Clause- Annex. A3	A1:2009 + A2:2013
2.	Safety of	Continuous Charging at Constant Voltage	IEC 62133-2:2017/
2.	Secondary cells	(Cell)	IS 16046-2:2018
	v	Clause- 7.2.1	15 100 10 2.2010
	and batteries	External Short Circuit (Cell)	IEC 62133-2:2017/
	(Lithium-ion	Clause- 7.3.1	IS 16046-2:2018
	System)	External Short Circuit (Battery)	IEC 62133-2:2017/
		Clause- 7.3.2	IS 16046-2:2018
		Free Fall	IEC 62133-2:2017/
		Clause- 7.3.3	IS 16046-2:2018
		Thermal Abuse (Cell)	IEC 62133-2:2017/
		Clause- 7.3.4	IS 16046-2:2018
		Crush (Cells)	IEC 62133-2:2017/
		Clause- 7.3.5	IS 16046-2:2018
		Overcharging of Battery	IEC 62133-2:2017/
		Clause- 7.3.6	IS 16046-2:2018
		Forced Discharge (Cells)	IEC 62133-2:2017/
		Clause- 7.3.7	IS 16046-2:2018
		Mechanical Tests (Batteries)	IEC 62133-2:2017/
		Clause- 7.3.8	IS 16046-2:2018



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

# SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s Atharva Laboratories Pvt. Ltd. D-115A, Hosiery Complex, Phase-II, Noida-201305, Gautam Budh Nagar, Uttar Pradesh

Certificate Number: TEC/MRA/CAB/IND-D/72

Page 5 of 5

Validity: 26/02/2024 to 25/02/2027

Last Amended on: ----

Sl.	Telecom	Test Parameter or Type of Testing#	Standard/
No	. Equipment/		Specification
	Product		_

Safety of Secondary cells	Vibration Clause- 7.3.8.1	IEC 62133-2:2017/ IS 16046-2:2018
and batteries		
(Lithium-ion	Mechanical Chock	IEC 62133-2:2017/
System)	Clause- 7.3.8.2	IS 16046-2:2018

AD (CA), TEC