



GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

CERTIFICATE OF DESIGNATION

M/s Aracion Technology Private Limited, Laboratory, Bangalore
has been assessed and designated as Conformity Assessment Body (CAB)
for its facilities at

1st Floor, B-23 HK Arcade, 1A Kssidec, Industrial Area, Mahadevapura,
Bangalore-560048

In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/108

Issue Date: 01/10/2025

Validity: 01/10/2025 to 30/09/2028

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

Sanjeev Kumar Arya
Director (CA)
For Designating Authority
TEC

**Certificate No: TEC/MRA/CAB/IND-D/108 dated 01/10/2025 issued to
M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048**



Validity: - 01/10/2025 to 30/09/2028

Terms & Conditions

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 2 NO. TEC/DES-01/02.DEC.2017.

Some of the conditions are reiterated as under:

A. Obligations of the Designated CAB.

1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)* partner for testing and evaluation.
3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence
 - a) Cessation of its business of conformity assessment for which it is Designated or accredited
 - b) Changes in its legal, commercial, or Organisational status
 - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
 - d) Change of premises

B. REFERENCE TO DESIGNATION STATUS

1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other non-routine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

1. DA shall suspend or withdraw the designation of a CAB if
 - a. Its accreditation is withdrawn.
 - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
 - c. It is guilty of any offence involving fraud or dishonesty.
 - d. DA concludes that there is a just cause for withdrawing the designation.
2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION
(ANNEXURE)

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 1 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/Specification
1.	Equipment's Operating in 2.4 GHz and 5 GHz Band	RF Output Power (Conducted Mode Only) Clause- 4.3.1.2, 4.3.2.2, 5.4.2 ETSI EN 300 328	TEC ER No. TEC59432407
		Duty Cycle, Tx Sequence, Tx-Gap (Conducted Mode Only) Clause- 4.3.1.3, 4.3.2.4, 5.4.2 ETSI EN 300 328	TEC ER No. TEC59432407
		Accumulated Transmit Time, Frequency Occupation and Hopping Sequence (Conducted Mode Only) Clause- 4.3.1.4, 5.4.4 ETSI EN300 328	TEC ER No. TEC59432407
		Hopping Frequency Separation (Conducted Mode Only) Clause- 4.3.1.5, 5.4.5 ETSI EN300 328	TEC ER No. TEC59432407
		Medium Utilization (Conducted Mode Only) Clause- 4.3.1.6, 4.3.2.5, 5.4.2 ETSI EN 300 328	TEC ER No. TEC59432407
		Adaptivity (Conducted Mode Only) Clause- 4.3.1.7, 4.3.2.6, 5.4.6 ETSI EN 300 328	TEC ER No. TEC59432407
		Occupied Channel Bandwidth (Conducted Mode Only) Clause- 4.3.1.8, 4.3.2.7, 5.4.7 ETSI EN 300 328	TEC ER No. TEC59432407
		Transmitter unwanted Emission in OOB Domain (Conducted Mode Only) Clause- 4.3.1.9, 4.3.2.8, 5.4.8 ETSI EN 300 328	TEC ER No. TEC59432407

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION **(ANNEXURE)**

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 2 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/Specification
	Equipment's Operating in 2.4 GHz and 5 GHz Band	Transmitter unwanted emissions in the spurious domain (Conducted Mode Only) Clause- 4.3.1.10, 4.3.2.9, 5.4.9 ETSI EN 300 328	TEC ER No. TEC59432407
		Receiver Spurious Emission (Conducted Mode Only) Clause- 4.3.1.11, 4.3.2.10, 5.4.10 ETSI EN 300 328	TEC ER No. TEC59432407
		Receiver Blocking (Conducted Mode Only) Clause- 4.3.1.12, 4.3.2.11, 5.4.11 ETSI EN 300 328	TEC ER No. TEC59432407
		Geo Location Capability (Conducted Mode Only) Clause- 4.3.1.13, 4.3.2.12 ETSI EN 300 328	TEC ER No. TEC59432407
		Power Spectral Density (Conducted Mode Only) Clause- 4.3.2.3, 5.4.3 ETSI EN300 328	TEC ER No. TEC59432407
		Nominal and Occupied Channel Bandwidth (Conducted Mode Only) Clause- 4.2.2 ETSI EN 301 893	TEC ER No. TEC59432407
		RF Output Power, Transmit Power Control(TPC), Power Density (Conducted Mode Only) Clause- 4.2.3 ETSI EN 301 893	TEC ER No. TEC59432407

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION
(ANNEXURE)

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 3 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/Specification
	Equipment's Operating in 2.4 GHz and 5 GHz Band	Transmitter Unwanted Emissions Outside the 5 GHz RLAN Bands (Conducted Mode Only) Clause- 4.2.4.1 ETSI EN 301 893	TEC ER No. TEC59432407
		Transmitter Unwanted Emissions within the 5 GHz RLAN Bands (Conducted Mode Only) Clause- 4.2.4.2 ETSI EN 301 893	TEC ER No. TEC59432407
		Receiver Spurious Emissions (Conducted Mode Only) Clause- 4.2.5 ETSI EN 301 893	TEC ER No. TEC59432407
		Adaptivity (Conducted Mode Only) Clause- 4.2.7 ETSI EN 301 893	TEC ER No. TEC59432407
		Geo-Location Capability (Conducted Mode Only) Clause- 4.2.10 ETSI EN 301 893	TEC ER No. TEC59432407
		Carrier Frequencies (Conducted Mode Only) Clause- 5.4.2 ETSI EN 301 893	TEC ER No. TEC59432407
		Dynamic Frequency Selection (DFS) (Conducted Mode Only) Clause- 4.2.6 ETSI EN 301 893	TEC ER No. TEC59432407
		Receiver Blocking (Conducted Mode Only) Clause- 4.2.8 ETSI EN 301 893	TEC ER No. TEC59432407

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION **(ANNEXURE)**

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 4 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/Specification
	Equipment's Operating in 2.4 GHz and 5 GHz Band	Designation of Centre Frequencies and Frequency Error (Conducted Mode Only) Clause 4.2.1 ETSI EN 302 502	TEC ER No. TEC59432407
		Transmitter RF Output Power, EIRP and EIRP Spectral Density (Conducted Mode Only) Clause- 4.2.2 ETSI EN 302 502	TEC ER No. TEC59432407
		Transmitter Unwanted Emissions Clause- 5.4.4 ETSI EN 302 502	TEC ER No. TEC59432407
		Transmitter Unwanted Emissions Outside the 5725 MHz to 5875 MHz Band (Conducted Mode Only) Clause- 4.2.3.2 ETSI EN 302 502	TEC ER No. TEC59432407
		Transmitter Power Control (Conducted Mode Only) Clause- 4.2.4 ETSI EN 302 502	TEC ER No. TEC59432407
		Receiver Spurious Emissions (Conducted Mode Only) Clause- 4.2.5, 5.4.5 ETSI EN 302 502	TEC ER No. TEC59432407
		Dynamic Frequency Selection (DFS) (Conducted Mode Only) Clause- 4.2.6, 5.4.6 ETSI EN 302 502	TEC ER No. TEC59432407
		Receiver Blocking (Conducted Mode Only) Clause- 4.2.7, 5.4.7 ETSI EN 302 502	TEC ER No. TEC59432407

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION
(ANNEXURE)

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 5 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/Specification
	Equipment's Operating in 2.4 GHz and 5 GHz Band	Frequency Error (Conducted Mode Only) Clause- 5.4.2 ETSI EN 302 502	TEC ER No. TEC59432407
		Transmitter RF Output Power, EIRP and EIRP Spectral Density (Conducted Mode Only) Clause- 5.4.3 ETSI EN 302 502	TEC ER No. TEC59432407
		Transmitter Unwanted Emission (Conducted Mode Only) Clause- 4.2.3 ETSI EN 302 502	TEC ER No. TEC59432407
		Receiver Spurious Emissions (Conducted Mode Only) Clause 5.4.5 ETSI EN 302 502	TEC ER No. TEC59432407
		Dynamic Frequency Selection (DFS) (Conducted Mode Only) Clause- 5.4.6 ETSI EN 302 502	TEC ER No. TEC59432407
		Receiver Blocking (Conducted Mode Only) Clause- 5.4.7 ETSI EN 302 502	TEC ER No. TEC59432407
		Spurious Conducted Emissions and Restricted Bands of Operation (Conducted Mode Only) FCC Part 15 Subpart C (Clause 15.209/ 15.205) FCC Part 15 Subpart E (Clause 15.407 (b) (6) & (7))	TEC ER No. TEC59432407

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION **(ANNEXURE)**

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 6 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/Specification
2.	PTP PMP Microwave Fixed Radio Systems	Transmitter Output Power Clause- 5.3.2, 6.3.2 ETSI EN 302 326-2	TEC ER No. TEC 56422308
		Transmitter Radio Frequency Tolerance Clause- 5.3.3, 6.3.3 ETSI EN 302 326-2	TEC ER No. TEC 56422308
		Transmitter Radio Frequency Spectrum Mask and Emission Clause- 5.3.4, 6.3.4 ETSI EN 302 326-2 (CAB does not have capability to test 2 nd harmonics for equipment operating in 28 GHz)	TEC ER No. TEC 56422308
		Transmitter Unwanted Emissions in the Spurious domain Clause- 5.3.5, 6.3.5 ETSI EN 302 326-2 (CAB does not have capability to test 2 nd harmonics for equipment operating in 28 GHz)	TEC ER No. TEC 56422308
		Transmitter Power Control (ATPC and RTPC) Clause- 5.3.6, 6.3.6 ETSI EN 302 326-2	TEC ER No. TEC 56422308
		Transmitter Remote Frequency Control (RFC) Clause- 5.3.7, 6.3.7 ETSI EN 302 326-2	TEC ER No. TEC 56422308
		Receiver Unwanted Emissions in the Spurious domain Clause- 5.4.2, 6.4.2 ETSI EN 302 326-2	TEC ER No. TEC 56422308

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
 Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION
(ANNEXURE)

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
 1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
 Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 7 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/Specification
	PTP PMP Microwave Fixed Radio Systems	(CAB does not have capability to test 2 nd harmonics for equipment operating in 28 GHz)	
		Receiver Selectivity Clause- 5.4.4, 6.4.4 ETSI EN 302 326-2	TEC ER No. TEC 56422308
		Environmental Profile Clause- 5.2 ETSI EN 302 326-2	TEC ER No. TEC 56422308
		Environmental Conditions for testing Clause- 6.2 ETSI EN 302 326-2	TEC ER No. TEC 56422308
		Transmitter Output Power Clause- 6.3.2 ETSI EN 302 326-2	TEC ER No. TEC 56422308
		Transmitter Radio Frequency Tolerance Clause- 6.3.3 ETSI EN 302 326-2	TEC ER No. TEC 56422308
		Transmitter Power Control (ATPC and RTPC) Clause- 6.3.6 ETSI EN 302 326-2	TEC ER No. TEC 56422308
		Transmitter Dynamic Change of Modulation Order Clause- 6.3.8 ETSI EN 302 326-2	TEC ER No. TEC 56422308
		General Requirement of PMP Devices Clause- 6.4.1 ETSI EN 302 326-2	TEC ER No. TEC 56422308
		BER as a function of Receiver Input Signal Level (RSL)	TEC ER No.

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION **(ANNEXURE)**

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 8 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/Specification
	PTP PMP Microwave Fixed Radio Systems	Clause- 6.4.3 ETSI EN 302 326-2		TEC 56422308
		Transmitter Power and Power Environmental Variation Clause- 4.2.1, 5.2.1 ETSI EN 302 217-2		TEC ER No. TEC 56422308
		Transmitter Power and Frequency Control Clause- 4.2.2, 5.2.2 ETSI EN 302 217-2		TEC ER No. TEC 56422308
		Transmitter Radio Frequency Spectrum Mask Clause- 5.2.3 ETSI EN 302 217-2		TEC ER No. TEC 56422308
		Receiver Selectivity Clause- 5.3.3 ETSI EN 302 217-2		TEC ER No. TEC 56422308
3.	Base Station for Cellular Network (4G)	BTS with AAS Receiver Parameters	Reference Sensitivity Level 3GPP TS 37.145-1 Clause- 7.2	TEC ER No. TEC42722410
			Blocking or Out-of-Band Blocking 3GPP TS 37.145-1 Clause- 7.5	TEC ER No. TEC42722410
			Receiver Spurious Emissions 3GPP TS 37.145-1 Clause- 7.6	TEC ER No. TEC42722410
			Receiver Intermodulation 3GPP TS 37.145-1 Clause- 7.7	TEC ER No. TEC42722410
		BTS with	Receiver Spurious Emissions 3GPP TS 37.141 Clause- 7.6	TEC ER No. TEC42722410

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION
(ANNEXURE)

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 9 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/Specification
	Base Station for Cellular Network (4G)	MSR Receiver Parameters	In-Band Selectivity and Blocking or In Band Blocking and Narrow Band Blocking 3GPP TS 37.141 Clause- 7.4	TEC ER No. TEC42722410
			Out-of-Band Blocking 3GPP TS 37.141 Clause- 7.5	TEC ER No. TEC42722410
			Receiver Intermodulation 3GPP TS 37.141 Clause- 7.7	TEC ER No. TEC42722410
			Reference Sensitivity Level 3GPP TS 37.141 Clause- 7.2	TEC ER No. TEC42722410
		BTS with MSR Transmitter Parameters	Base Station Output Power 3GPP TS 37.141 Clause- 6.2	TEC ER No. TEC42722410
			Transmitter Spurious Emissions 3GPP TS 37.141 Clause- 6.6.1	TEC ER No. TEC42722410
			Operating Band Unwanted Emissions 3GPP TS 37.141 Clause- 6.6.2	TEC ER No. TEC42722410
		BTS with MSR Transmitter Parameters	Adjacent Channel Leakage Power Ratio (ACLR) 3GPP TS 37.141 Clause- 6.6.4	TEC ER No. TEC42722410
			Transmitter Intermodulation 3GPP TS 37.141 Clause- 6.7	TEC ER No. TEC42722410
		BTS-eNodeB for LTE-	Receiver Spurious Emissions 3GPP TS 36.141 Clause- 7.7	TEC ER No. TEC42722410
			Blocking 3GPP TS 36.141 Clause- 7.6	TEC ER No. TEC42722410

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION **(ANNEXURE)**

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 10 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/Specification
		Receiver Parameters	Receiver Intermodulation 3GPP TS 36.141 Clause- 7.8	TEC ER No. TEC42722410
			Adjacent Channel Selectivity (ACS) and Narrow-Band Blocking 3GPP TS 36.141 Clause- 7.5	TEC ER No. TEC42722410
			Reference Sensitivity Level 3GPP TS 36.141 Clause- 7.2	TEC ER No. TEC42722410
		BTS-eNodeB for LTE-Transmitter Parameters	Operating Band Unwanted Emissions 3GPP TS 36.141 Clause- 6.6.3	TEC ER No. TEC42722410
			Adjacent Channel Leakage Power Ratio (ACLR) 3GPP TS 36.141 Clause- 6.6.2	TEC ER No. TEC42722410
			Transmitter Spurious Emissions 3GPP TS 36.141 Clause- 6.6.4	TEC ER No. TEC42722410
			Base Station Output Power 3GPP TS 36.141 Clause- 6.2	TEC ER No. TEC42722410
			Transmitter Intermodulation 3GPP TS 36.141 Clause- 6.7	TEC ER No. TEC42722410
		BTS with Multi Standard Radio Transmitter Parameters	Base Station Output Power 3GPP TS 37.141 Clause- 6.2	TEC ER No. TEC42732410
			Transmitter Spurious Emissions 3GPP TS 37.141 Clause- 6.6.1	TEC ER No. TEC42732410
			Operating Band Unwanted Emissions 3GPP TS 37.141 Clause- 6.6.2	TEC ER No. TEC42732410
			Adjacent Channel Leakage Power Ratio (ACLR) 3G PP TS 37.141 Clause- 6.6.4	TEC ER No. TEC42732410
4.	Base Station for Cellular Network for (5G)			

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION **(ANNEXURE)**

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 11 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/Specification
	Base Station for Cellular Network for (5G)		Transmitter Intermodulation 3GPP TS 37.141 Clause- 6.7 TEC ER No. TEC42732410
		BTS with Multi Standard Radio Receiver Parameters	Receiver Spurious Emissions 3GPP TS 37.141 Clause- 7.6 TEC ER No. TEC42732410
			In-Band Selectivity and Blocking or In Band Blocking and Narrow Band Blocking 3GPP TS 37.141 Clause- 7.4 TEC ER No. TEC42732410
			Out-of-band blocking 3GPP TS 37.141 Clause- 7.5 TEC ER No. TEC42732410
			Receiver Intermodulation 3GPP TS 37.141 Clause- 7.7 TEC ER No. TEC42732410
			Reference Sensitivity Level 3GPP TS 37.141 Clause- 7.2 TEC ER No. TEC42732410
		Base Station 5G NR Type 1C	Adjacent Channel Leakage Power Ratio-5G NR 1-C 3GPP TS 38.141-1 Clause- 6.6.3.5.3 TEC ER No. TEC42732410
			Adjacent Channel Selectivity- 5G NR 1-C 3GPP TS 38.141-1 Clause- 7.4.1 TEC ER No. TEC42732410
			Base Station Output Power- 5G NR 1-C 3GPP TS 38.141-1 Clause- 6.2 TEC ER No. TEC42732410

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION
(ANNEXURE)

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 12 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/Specification
	Base Station for Cellular Network for (5G)	Base Station 5G NR Type 1C	In-Band Blocking-5G NR 1-C 3GPP TS 38.141-1 Clause- 7.4.2	TEC ER No. TEC42732410
			Operating Band unwanted Emission-5G NR 1-C 3GPP TS 38.141-1 Clause- 6.6.4.5.7	TEC ER No. TEC42732410
			Transmitter Spurious Emissions-5G NR 1-C 3GPP TS 38.141-1 Clause- 6.6.5.5.3	TEC ER No. TEC42732410
			Out-of -Band blocking-5G NR 1-C 3GPP TS 38.141-1 Clause- 7.5	TEC ER No. TEC42732410
			Receiver Intermodulation-5G NR 1-C 3GPP TS 38.141-1 Clause-7.7	TEC ER No. TEC42732410
			Receiver Spurious Emissions-5G NR 1-C 3GPP TS 38.141-1 Clause- 7.6.5.2	TEC ER No. TEC42732410
			Reference Sensitivity Level-5G NR 1-C 3GPP TS 38.141-1 Clause- 7.2	TEC ER No. TEC42732410
			Transmitter Intermodulation-5G NR 1-C 3GPP TS 38.141-1 Clause- 6.7.5.1	TEC ER No. TEC42732410
		Base Station 5G	Adjacent Channel Leakage Power Ratio-5G NR 1-H 3GPP TS 38.141-1 Clause- 6.6.3.5.4	TEC ER No. TEC42732410

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION
(ANNEXURE)

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 13 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing		Standard/Specification
	Base Station for Cellular Network for (5G)	NR Type 1H	Adjacent Channel Selectivity- 5G NR 1-H 3GPP TS 38.141-1 Clause- 7.4.1	TEC ER No. TEC42732410
			Base Station Output Power- 5G NR 1-H 3GPP TS 38.141-1 Clause- 6.2	TEC ER No. TEC42732410
			In-Band Blocking- 5G NR 1-H 3GPP TS 38.141-1 Clause- 7.4.2	TEC ER No. TEC42732410
			Operating Band unwanted Emissions- 5G NR 1-H 3GPP TS 38.141-1 Clause- 6.6.4.5.8	TEC ER No. TEC42732410
			Out-of-Band Blocking-5G NR 1-H 3GPP TS 38.141-1 Clause- 7.5	TEC ER No. TEC42732410
			Receiver Intermodulation-5G NR 1-H 3GPP TS 38.141-1 Clause- 7.7	TEC ER No. TEC42732410
			Receiver Spurious Emissions- 5G NR 1-H 3GPP TS 38.141-1 Clause- 7.6.5.3	TEC ER No. TEC42732410
			Reference Sensitivity Level- 5G NR 1-H 3GPP TS 38.141-1 Clause- 7.2	TEC ER No. TEC42732410
		Base Station 5G NR Type 1H	Transmitter Intermodulation- 5G NR 1-H 3GPP TS 38.141-1 Clause- 6.7.5.2	TEC ER No. TEC42732410
			Transmitter Spurious Emission-5G NR 1-H 3GPP TS 38.141-1 Clause 6.6.5.5.4	TEC ER No. TEC42732410

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION
(ANNEXURE)

Laboratory Name: M/s Aracion Technology Private Limited, Laboratory, Bangalore
1st Floor, B-23 HK Arcade, 1A Ksside, Industrial Area,
Mahadevapura, Bangalore-560048

Certificate Number: TEC/MRA/CAB/IND-D/108

Page 14 of 14

Validity: 01/10/2025 to 30/09/2028

Last Amended on: ----

Sl. No.	Telecom Equipment/ Product	Test Parameter or Type of Testing	Standard/ Specification
------------	----------------------------------	-----------------------------------	----------------------------

AD (CA-II), TEC

***The validity of Certificate is up to 30/09/2028 or the continued validity of NABL Accreditation, whichever is earlier.**