



GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE

Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

CERTIFICATE OF DESIGNATION

M/S U L INDIA PRIVATE LIMITED, BENGALURU

has been assessed and designated as Conformity Assessment Body (CAB) for its facilities at

The Oak Building, Second Floor, Kalyani Platina Campus, Sy. No. 129/4 EPIP Zone, Phase II, Whitefield, Bengaluru- 560 066

In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/26-1

Issue Date: 11/03/2025 Validity: 14/03/2025 to 13/03/2028

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

Sanjeev Kumar Arya Director (CA) For Designating Authority TEC

Certificate No: TEC/MRA/CAB/IND-D/26-1 dated 11/03/2024 issued to
M/s U L India Private Limited, Bengaluru
The Oak Building, Second Floor, Kalyani Platina Campus,
Sy. No. 129/4 EPIP Zone, Phase II, Whitefield, Bengaluru- 560066



Validity: -14/03/2025 to 13/03/2028

Terms & Conditions

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 3 NO. TEC 04019:2023.

Some of the conditions are reiterated as under:

A. Obligations of the Designated CAB.

- 1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
- 2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)* partner for testing and evaluation.
- 3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
- 4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
- 5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
- 6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
- 7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
- 8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

^{*}Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

1-82/2024-祇.ए./己.美.税 1/3258069/2025

9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence

- a) Cessation of its business of conformity assessment for which it is Designated or accredited
- b) Changes in its legal, commercial, or Organisational status
- c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
- d) Change of premises

B. REFERENCE TO DESIGNATION STATUS

- 1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
- 2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
- 3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other non-routine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

- 1. DA shall suspend or withdraw the designation of a CAB if
 - a. Its accreditation is withdrawn.
 - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
 - c. It is guilty of any offence involving fraud or dishonesty.
 - d. DA concludes that there is a just cause for withdrawing the designation.
- 2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
- 3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s UL India Private Limited, Bengaluru

The Oak Building, Second Floor, Kalyani Platina Campus,

Sv. No. 129/4 EPIP Zone, Phase II, Whitefield,

Bengaluru- 560066.

Certificate Number: TEC/MRA/CAB/IND-D/26-1 Page 1 of 12

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|---------------------------------|--|-----------------|
| No. | Equipment/Product | | Specification |
| | | | 1 2 |
| 1. | Environmental | Vibration Test | QM-333:2010 |
| | Testing of Telecommunication | Drop Test | QM-333:2010 |
| | Equipment | Toppling Test | QM-333:2010 |
| | | Fall Test | QM-333:2010 |
| | | Cold Test | QM-333:2010 |
| | | Dry Heat Test | QM-333:2010 |
| | | Change of Temperature Test (2 Chamber Method) | QM-333:2010 |
| | | Damp Heat Cyclic Test | QM-333:2010 |
| | | Damp Heat Steady State Test | QM-333:2010 |
| 2. | Safety Requirements for | Fault Conditions Test Clause- 5.3 | IEC 60215 :2016 |
| | Radio Transmitting Equipment | Resistance To Humidity Clause- 6.3.2 | IEC 60215 :2016 |
| | | Resistance to Ingress of Water Clause- 6.3.3 | IEC 60215 :2016 |
| | | Protection against Harmful Electric Shock & Radio Frequency Skin Burns, Opening in Enclosure Clause- 7.1, 7.3 | IEC 60215 :2016 |
| | | High Temperatures Clause- 8.2, 8.2.1, 8.2.2 | IEC 60215 :2016 |
| | | Creepage and Clearance Distances Annex-A | IEC 60215 :2016 |

^{*}The validity of Certificate is up to 13/03/2028 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s UL India Private Limited, Bengaluru

The Oak Building, Second Floor, Kalyani Platina Campus,

Sv. No. 129/4 EPIP Zone, Phase II, Whitefield,

Bengaluru- 560066.

Certificate Number: TEC/MRA/CAB/IND-D/26-1 Page 2 of 12

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|---------------------------|---|------------------|
| No. | Equipment/Product | | Specification |
| | | | |
| | Safety | Ionizing Radiation | IEC 60215 :2016 |
| | Requirements for | Clause- 8.5.2 | |
| | Radio Transmitting | | |
| | Equipment | | |
| 3. | Audio/Video, | Fixing Conductor | IEC 62368-1:2018 |
| | Information and | Clause-4.6 | |
| | Communication | Equipment for Direct Insertion into | IEC 62368-1:2018 |
| | Technology | Mains Socket- Outlets | |
| | Equipment-: Safety | Clause-4.7 | |
| | Requirement | Equipment containing Coin / Button Cell | IEC 62368-1:2018 |
| | | Batteries | |
| | | Clause-4.8 | |
| | | Stress Relief Test | IEC 62368-1:2018 |
| | | Clause-T.8 | |
| | | Relocation Stability Test | IEC 62368-1:2018 |
| | | Clause-8.6.3 | |
| | | Battery Replacement Test | IEC 62368-1:2018 |
| | | Clause-4.8.4.3 | |
| | | Drop Test | IEC 62368-1:2018 |
| | | Clause-4.8.4.4 | |
| | | Impact Test | IEC 62368-1:2018 |
| | | Clause-4.8.4.5 | |
| | | Crush Test | IEC 62368-1:2018 |
| | | Clause-4.8.4.6 | |
| | | Force Test (Battery Compartment | IEC 62368-1:2018 |
| | | door/Cover) | |
| | | Clause-4.8.5 | |
| | | Classification and Limits of Electrical | IEC 62368-1:2018 |
| | | Energy Sources | |
| | | Clause-5.2 | |

^{*}The validity of Certificate is up to 13/03/2028 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s UL India Private Limited, Bengaluru

The Oak Building, Second Floor, Kalyani Platina Campus,

Sv. No. 129/4 EPIP Zone, Phase II, Whitefield,

Bengaluru- 560066.

Certificate Number: TEC/MRA/CAB/IND-D/26-1 Page 3 of 12

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|---------------------------|---|--------------------|
| No. | Equipment/Product | 71 | Specification |
| L | | | |
| | Audio/Video, | Equipment for Direct Insertion in to | IEC 62368-1:2018 |
| | Information and | Mains Socket-Outlets | |
| | Communication | Clause-4.7 | |
| | Technology | Maximum Operating Temperature | IEC 62368-1:2018 |
| | Equipment-: Safety | (Temperature Measurement) | |
| | Requirement | Clause-5.4.1.4 | |
| | | Thermal cycling | IEC 62368-1:2018 |
| | | Clause- G.15.2.6, 5.4.1.5.3 | |
| | | RMS Working voltage / Peak Working | IEC 62368-1:2018 |
| | | voltage (Working Voltage) | |
| | | Clause- 5.4.1.8 | |
| | | Ball Pressure Test | IEC 62368-1:2018 |
| | | Clause- 5.4.1.10.3 | |
| | | Clearance, Creepage | IEC 62368-1:2018 |
| | | Clause- 5.4.3 | |
| | | Determining the Adequacy of a | IEC 62368-1:2018 |
| | | Clearance using an Electric Strength Test | |
| | | Clause- 5.4.2.4 | TTG (00 to 1 00 to |
| | | Standard Test Procedure for Non- | IEC 62368-1:2018 |
| | | Separable Thin Sheet Material | |
| | | Clause- 5.4.4.6.4 | TEG (22 (0.1.2010) |
| | | Mandrel Test | IEC 62368-1:2018 |
| | | Clause- 5.4.4.6.5 | TEG (22 (0.1.2010) |
| | | Antenna Terminal Insulation | IEC 62368-1:2018 |
| | | Clause-5.4.5 | TEC (22(0.1.2010 |
| | | Insulation of Internal Wire as a Part of | IEC 62368-1:2018 |
| | | Supplementary Safeguard | |
| | | Clause- 5.4.6 | IEC (22(0.1.2010 |
| | | Humidity Conditioning | IEC 62368-1:2018 |
| | | Clause- 5.4.8 | |

^{*}The validity of Certificate is up to 13/03/2028 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s UL India Private Limited, Bengaluru

The Oak Building, Second Floor, Kalyani Platina Campus,

Sv. No. 129/4 EPIP Zone, Phase II, Whitefield,

Bengaluru- 560066.

Certificate Number: TEC/MRA/CAB/IND-D/26-1 Page 4 of 12

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|----------|---------------------------|--|----------------------|
| No. | Equipment/Product | restruction type of resting | Specification |
| 2100 | =qp | | |
| | Audio/Video, | Electric Strength Test | IEC 62368-1:2018 |
| | Information and | Clause- 5.4.9 | |
| | Communication | Impulse Test | IEC 62368-1:2018 |
| | Technology | Clause- 5.4.10.2.2 | |
| | Equipment-: Safety | Steady-State Test (Electric Strength test) | IEC 62368-1:2018 |
| | Requirement | Clause- 5.4.10.2.3 | |
| | | Capacitor Discharge Test | IEC 62368-1:2018 |
| | | Clause- 5.5.2.2 | |
| | | Separation between External Circuit and | IEC 62368-1:2018 |
| | | Earth | |
| | | Clause- 5.4.11 | |
| | | Resistance of the Protective Bonding | IEC 62368-1:2018 |
| | | System (Earth Bond Test) | |
| | | Clause- 5.6.6 | |
| | | Prospective Touch Voltage, Touch | IEC 62368-1:2018 |
| | | Current and Protective Conductor Current | |
| | | Clause- 5.7 | |
| | | Back Feed Safeguard in Battery Backed | IEC 62368-1:2018 |
| | | up Supplies | |
| | | Clause- 5.8 | WG (22(0.1.2010 |
| | | Power Source Circuit Classification | IEC 62368-1:2018 |
| | | Clause- 6.2.2 | WG (22(0.1.2010 |
| | | Top Openings and Top Opening | IEC 62368-1:2018 |
| | | Properties | |
| | | Clause- 6.4.8.3 | IEC (22(0.1.2012 |
| | | Static Stability Test | IEC 62368-1:2018 |
| | | Clause- 8.6.2 | IEC (02(0.1.2010 |
| | | Downward Force Test | IEC 62368-1:2018 |
| <u> </u> | | Clause- 8.6.2.3 | |

^{*}The validity of Certificate is up to 13/03/2028 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s UL India Private Limited, Bengaluru

The Oak Building, Second Floor, Kalyani Platina Campus,

Sv. No. 129/4 EPIP Zone, Phase II, Whitefield,

Bengaluru- 560066.

Certificate Number: TEC/MRA/CAB/IND-D/26-1 Page 5 of 12

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|---|--|--------------------|
| No. | Equipment/Product | Jess I was warden of Type of Topology | Specification |
| | 1 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - | | , |
| | Audio/Video, | Relocation Stability Test | IEC 62368-1:2018 |
| | Information and | Clause- 8.6.3 | |
| | Communication | Glass Slide Test | IEC 62368-1:2018 |
| | Technology | Clause- 8.6.4 | |
| | Equipment-: Safety | Horizontal Force Test | IEC 62368-1:2018 |
| | Requirement | Clause- 8.6.5 | |
| | | Equipment Mounted to a Wall or Ceiling | IEC 62368-1:2018 |
| | | Clause- 8.7 | |
| | | Handle Strength | IEC 62368-1:2018 |
| | | Clause- 8.8 | |
| | | Wheels or Casters Attachment | IEC 62368-1:2018 |
| | | Requirement | |
| | | Clause- 8.9 | |
| | | Mechanical Strength Test for SRME | IEC 62368-1:2018 |
| | | Clause- 8.11.3 | |
| | | Vibration Test | IEC 62368-1:2018 |
| | | G.15.2.4 | |
| | | Input Test | IEC 62368-1:2018 |
| | | B.2.5 | |
| | | Simulated Abnormal Operating | IEC 62368-1:2018 |
| | | Conditions / Simulated Single Fault | |
| | | Conditions | |
| | | Annex B.3 | TTG (00 to 1 00 to |
| | | Test for the Permanence of Marking | IEC 62368-1:2018 |
| | | Annex F- 3.10,3.10.2, 3.10.3 | IEC (22(0.1.2010 |
| | | Mains Supply Connection | IEC 62368-1:2018 |
| | | (Cord Anchorage) | |
| | | Annex- G.7 | |
| | | | |

^{*}The validity of Certificate is up to 13/03/2028 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s UL India Private Limited, Bengaluru

The Oak Building, Second Floor, Kalyani Platina Campus,

Sv. No. 129/4 EPIP Zone, Phase II, Whitefield,

Bengaluru- 560066.

Certificate Number: TEC/MRA/CAB/IND-D/26-1 Page 6 of 12

| Sl. No. | Telecom | Test Parameter or Type of Testing | Standard/ Specification |
|------------|--|--|----------------------------|
| NO. | Equipment/Product | | Specification |
| | Audio/Video, Information and Communication | Criteria for Telephone Ringing Signals (TNV Circuit Test) Annex- H | IEC 62368-1:2018 |
| | Technology Equipment-: Safety | Limited Power Source Annex- Q.1 | IEC 62368-1:2018 |
| | Requirement | Steady Force Test Annex- T.2 To T.5 | IEC 62368-1:2018 |
| | | Enclosure Impact Test Annex- T.6 | IEC 62368-1:2018 |
| | | Glass Impact Test Annex- T.9 | IEC 62368-1:2018 |
| 4. | IT Equipment – | Input Test | IEC 60950-1:2005 + |
| | Safety | Clause-1.6.2 | A1:2009 + A2: 2013 |
| | Requirements | Thermal Requirement | IEC 60950-1:2005 + |
| | | Clause- 4.5.1 | A1:2009 + A2: 2013 |
| | | Access to Energized Parts | IEC 60950-1:2005 + |
| | | Clause-2.1.1.1 | A1:2009 + A2: 2013 |
| | | Access to ELV wiring | IEC 60950-1:2005 + |
| | | Clause-2.1.1.3 | A1:2009 + A2: 2013 |
| | | Access to Hazardous Voltage Wiring | IEC 60950-1:2005 + |
| | | Clause-2.1.1.4 | A1:2009 + A2: 2013 |
| | | Overload of Operator Accessible Parts | IEC 60950-1:2005 + |
| | | Clause-5.3 | A1:2009 + A2: 2013 |
| | | Humidity Conditioning | IEC 60950-1:2005 + |
| | | Clause-2.9.2 | A1:2009 + A2: 2013 |
| | | Electric Strength Test | IEC 60950-1:2005 + |
| | | Clause-5.2 | A1:2009 + A2: 2013 |
| | | Touch Current Test | IEC 60950-1:2005 + |
| | | Clause-5.1 | A1:2009 + A2: 2013 |

^{*}The validity of Certificate is up to 13/03/2028 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s UL India Private Limited, Bengaluru

The Oak Building, Second Floor, Kalyani Platina Campus,

Sv. No. 129/4 EPIP Zone, Phase II, Whitefield,

Bengaluru- 560066.

Certificate Number: TEC/MRA/CAB/IND-D/26-1 Page 7 of 12

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|-------------------|--|--|
| No. | Equipment/Product | g | Specification |
| | — 1P | L | ~ F *********************************** |
| | IT equipment – | Abnormal Operation Test | IEC 60950-1:2005 + |
| | Safety | Clause-5.3 | A1:2009 + A2: 2013 |
| | Requirements | Capacitance Discharge Test | IEC 60950-1:2005 + |
| | _ | Clause-2.1.1.7 | A1:2009 + A2: 2013 |
| | | Limited Power Source Measurement Test | IEC 60950-1:2005 + |
| | | Clause-2.5 | A1:2009 + A2: 2013 |
| | | Working Voltage determination | IEC 60950-1:2005 + |
| | | Clause-2.10.2 | A1:2009 + A2: 2013 |
| | | Protective Bonding Test II | IEC 60950-1:2005 + |
| | | Clause-2.6.3.4 | A1:2009 + A2: 2013 |
| | | Limited Current Circuit Measurement | IEC 60950-1:2005 + |
| | | Clause-2.4.2 | A1:2009 + A2: 2013 |
| | | Limitation of Touch Current to a | IEC 60950-1:2005 + |
| | | Telecommunication and Cable Distribution | A1:2009 + A2: 2013 |
| | | System | |
| | | Clause-5.1.8 | |
| | | Requirement of Separation between | IEC 60950-1:2005 + |
| | | Telecommunication Network from Earth | A1:2009 + A2: 2013 |
| | | Clause-6.1.2 | |
| | | Steady Force Test | IEC 60950-1:2005 + |
| | | Clause-4.2.2, 4.2.3, 4.2.4 | A1:2009 + A2: 2013 |
| | | Impact Test | IEC 60950-1:2005 + |
| | | Clause-4.2.5 | A1:2009 + A2: 2013 |
| | | Cord Anchorages and Strain Relief Test | IEC 60950-1:2005 + |
| | | Clause-3.2.6 | A1:2009 + A2: 2013 |
| | | Cord Guard Test | IEC 60950-1:2005 + |
| | | Clause-3.2.8 | A1:2009 + A2: 2013 |
| | | Hazardous Moving Parts Test | IEC 60950-1:2005 + |
| | | Clause-4.4 | A1:2009 + A2: 2013 |

^{*}The validity of Certificate is up to 13/03/2028 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s UL India Private Limited, Bengaluru

The Oak Building, Second Floor, Kalyani Platina Campus,

Sv. No. 129/4 EPIP Zone, Phase II, Whitefield,

Bengaluru- 560066.

Certificate Number: TEC/MRA/CAB/IND-D/26-1 Page 8 of 12

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|--------------------------|--|--------------------|
| No. | Equipment/Product | | Specification |
| | | | |
| | IT equipment – | Stability Test | IEC 60950-1:2005 + |
| | Safety | Clause-4.1 | A1:2009 + A2: 2013 |
| | Requirements | Durability of Marking Test | IEC 60950-1:2005 + |
| | | Clause-1.7.11 | A1:2009 + A2: 2013 |
| | | Stress Relief Test | IEC 60950-1:2005 + |
| | | Clause-4.2.7 | A1:2009 + A2: 2013 |
| | | Drop Test | IEC 60950-1:2005 + |
| | | Clause- 4.2.6 | A1:2009 + A2: 2013 |
| | | TNV Circuits Limits | IEC 60950-1:2005 + |
| | | Clause- 2.3.1 | A1:2009 + A2: 2013 |
| | | Separation of TNV Circuits from Other | IEC 60950-1:2005 + |
| | | Circuits & from Accessible Parts | A1:2009 + A2: 2013 |
| | | Protection by Basic Insulation, Protection | |
| | | by Earthing, Protection by Other | |
| | | Constructions | |
| | | Clause-2.3.2 | |
| | | Separation from Hazardous Voltages | IEC 60950-1:2005 + |
| | | Clause-2.3.3 | A1:2009 + A2: 2013 |
| | | Connection of TNV Circuits to Other | IEC 60950-1:2005 + |
| | | Circuits | A1:2009 + A2: 2013 |
| | | Clause-2.3.4 | |
| | | Test for Operating Voltages Generated | IEC 60950-1:2005 + |
| | | Externally | A1:2009 + A2: 2013 |
| | | Clause-2.3.5 | |
| | | Energy Hazard | IEC 60950-1:2005 + |
| | | Clause-2.1.1.5 | A1:2009 + A2: 2013 |
| | | Energy Hazards – d.c. Main Supplies | IEC 60950-1:2005 + |
| | | Clause-2.1.1.8 | A1:2009 + A2: 2013 |
| | | Audio Amplifiers in IT Equipment | IEC 60950-1:2005 + |
| | | Clause-2.1.1.9 | A1:2009 + A2: 2013 |

^{*}The validity of Certificate is up to 13/03/2028 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s UL India Private Limited, Bengaluru

The Oak Building, Second Floor, Kalyani Platina Campus,

Sv. No. 129/4 EPIP Zone, Phase II, Whitefield,

Bengaluru- 560066.

Certificate Number: TEC/MRA/CAB/IND-D/26-1 Page 9 of 12

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|--------------------------|---|--------------------|
| No. | Equipment/Product | | Specification |
| | | | |
| | IT equipment – | SELV Circuit | IEC 60950-1:2005 + |
| | Safety | Clause-2.2 | A1:2009 + A2: 2013 |
| | Requirements | TNV Circuits | IEC 60950-1:2005 + |
| | | Clause-2.3 | A1:2009 + A2: 2013 |
| | | Short Circuit Backup Protection | IEC 60950-1:2005 + |
| | | Clause-2.7.3 | A1:2009 + A2: 2013 |
| | | Creepage/ Clearance/Distance through | IEC 60950-1:2005 + |
| | | Insulation, Peak Working Voltage | A1:2009 + A2: 2013 |
| | | Clause-2.10, 2.10.2, 2.10.2.3 | |
| | | Clearances, Measurement of Transient | IEC 60950-1:2005 + |
| | | Voltages, Clearance in Secondary Circuits | A1:2009 + A2: 2013 |
| | | Clause-2.10.3 | |
| | | Creepage Distances | IEC 60950-1:2005 + |
| | | Clause-2.10.4 | A1:2009 + A2: 2013 |
| | | Solid Insulation, Non-Separable Thin | IEC 60950-1:2005 + |
| | | Sheet Material | A1:2009 + A2: 2013 |
| | | Clause-2.10.5 | |
| | | Construction of Printed Boards | IEC 60950-1:2005 + |
| | | Clause-2.10.6 | A1:2009 + A2: 2013 |
| | | Semiconductor Devices | IEC 60950-1:2005 + |
| | | Clause-2.10.5.4 | A1:2009 + A2: 2013 |
| | | Thermal Cycling & Thermal Ageing | IEC 60950-1:2005 + |
| | | Clause-2.10.9 | A1:2009 + A2: 2013 |
| | | Abrasion Resistance Test | IEC 60950-1:2005 + |
| | | Clause-2.10.8.4 | A1:2009 + A2: 2013 |
| | | Test for Pollution Degree 1 Environment | IEC 60950-1:2005 + |
| | | and for Insulating Compound | A1:2009 + A2: 2013 |
| | | Clause-2.10.10 | |
| | | Enclosed and Sealed Parts | IEC 60950-1:2005 + |
| | | Clause-2.10.12 | A1:2009 + A2: 2013 |

^{*}The validity of Certificate is up to 13/03/2028 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s UL India Private Limited, Bengaluru

The Oak Building, Second Floor, Kalyani Platina Campus,

Sv. No. 129/4 EPIP Zone, Phase II, Whitefield,

Bengaluru- 560066.

Certificate Number: TEC/MRA/CAB/IND-D/26-1 Page 10 of 12

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|------|-------------------|---|--------------------|
| No. | Equipment/Product | | Specification |
| 2,00 | | | Pro |
| | IT equipment – | Insulation of Conductor, Termination of | IEC 60950-1:2005 + |
| | Safety | Conductor | A1:2009 + A2: 2013 |
| | Requirements | Clause-3.1.4, 3.1.9 | |
| | | Permanently Connected Equipment, | IEC 60950-1:2005 + |
| | | Appliance Inlets | A1:2009 + A2: 2013 |
| | | Clause-3.2.3, 3.2.4 | |
| | | Steady Force Test | IEC 60950-1:2005 + |
| | | Clause-4.2.2, 4.2.3, 4.2.4 | A1:2009 + A2: 2013 |
| | | Wall or Ceiling Mounted Equipment | IEC 60950-1:2005 + |
| | | Clause-4.2.10 | A1:2009 + A2: 2013 |
| | | Handles & Manual Controls | IEC 60950-1:2005 + |
| | | Clause-4.3.2 | A1:2009 + A2: 2013 |
| | | Batteries | IEC 60950-1:2005 + |
| | | Clause-4.3.8 | A1:2009 + A2: 2013 |
| | | Resistance to Abnormal Heat | IEC 60950-1:2005 + |
| | | Clause- 4.5.5 | A1:2009 + A2: 2013 |
| | | Top and Side Openings | IEC 60950-1:2005 + |
| | | Clause- 4.6.1 | A1:2009 + A2: 2013 |
| | | Bottoms of the Enclosures | IEC 60950-1:2005 + |
| | | Clause- 4.6.2 | A1:2009 + A2: 2013 |
| | | Evaluation Measure of Larger Openings | IEC 60950-1:2005 + |
| | | Clause- 4.6.4.2 | A1:2009 + A2: 2013 |
| | | Adhesives for Constructional | IEC 60950-1:2005 + |
| | | Clause- 4.6.5 | A1:2009 + A2: 2013 |
| | | Resistance to Fire Purposes | IEC 60950-1:2005 + |
| | | Clause- 4.7, 4.7.1, 4.7.2, 4.7.2.1, 4.7.2.2 | A1:2009 + A2: 2013 |
| | | Materials for Fire Enclosures | IEC 60950-1:2005 + |
| | | Clause- 4.7.3.2 | A1:2009 + A2: 2013 |

^{*}The validity of Certificate is up to 13/03/2028 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s UL India Private Limited, Bengaluru

The Oak Building, Second Floor, Kalyani Platina Campus,

Sv. No. 129/4 EPIP Zone, Phase II, Whitefield,

Bengaluru- 560066.

Certificate Number: TEC/MRA/CAB/IND-D/26-1 Page 11 of 12

| Sl. | Telecom | Test Parameter or Type of Testing | Standard/ |
|-----|--------------------------|--|--------------------|
| No. | Equipment/Product | | Specification |
| | IT equipment – | Materials used in High Voltage | IEC 60950-1:2005 + |
| | Safety | Components | A1:2009 + A2: 2013 |
| | Requirements | Clause- 4.7.3.2 | |
| | | Abnormal Operating and Fault Conditions | IEC 60950-1:2005 + |
| | | Clause- 5.3 | A1:2009 + A2: 2013 |
| | | Protection of Equipment Users from Over | IEC 60950-1:2005 + |
| | | Voltages on Telecommunication Network | A1:2009 + A2: 2013 |
| | | Clause- 6.2.1 | |
| | | Protection of the Telecommunication | IEC 60950-1:2005 + |
| | | Wiring System from Overheating | A1:2009 + A2: 2013 |
| | | Clause- 6.3 | |
| | | Connection to Cable Distribution Systems | IEC 60950-1:2005 + |
| | | Clause- 7.3 | A1:2009 + A2: 2013 |
| | | Surge Test | IEC 60950-1:2005 + |
| | | Clause- 7.4.2 | A1:2009 + A2: 2013 |
| | | Impulse Test | IEC 60950-1:2005 + |
| | | Clause- 7.4.3.6.2 | A1:2009 + A2: 2013 |
| | | Direct Plug-in Equipment | IEC 60950-1:2005 + |
| | | Clause- 4.3.6 | A1:2009 + A2: 2013 |
| | | Ball Pressure Test | IEC 60950-1:2005 + |
| | | Clause- 4.5.5 | A1:2009 + A2: 2013 |
| | | Barrier Adhesive Test | IEC 60950-1:2005 + |
| | | Clause- 4.6.5 | A1:2009 + A2: 2013 |
| | | Resistance to Fire | IEC 60950-1:2005 + |
| | | Clause- 4.7 | A1:2009 + A2: 2013 |
| | | Requirements for the Mounting Means of | IEC 60950-1:2005 + |
| | | Rack-Mounted Equipment | A1:2009 + A2: 2013 |
| | | Annex-DD | |
| | | | |

^{*}The validity of Certificate is up to 13/03/2028 or the continued validity of NABL Accreditation, whichever is earlier.

GOVERNMENT OF INDIA MINISTRY OF COMMUNICATIONS DEPARTMENT OF TELECOMMUNICATIONS TELECOMMUNICATION ENGINEERING CENTRE



Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s UL India Private Limited, Bengaluru

The Oak Building, Second Floor, Kalyani Platina Campus,

Sv. No. 129/4 EPIP Zone, Phase II, Whitefield,

Bengaluru- 560066.

Certificate Number: TEC/MRA/CAB/IND-D/26-1 Page 12 of 12

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/ Specification |
|------------|------------------------------|---|----------------------------|
| | IT againment | Household and Home/Office Document/ | IEC 60950-1:2005 + |
| | IT equipment – Safety | Media Shredders | A1:2009 + A2: 2013 |
| | Requirements | Annex-EE Transformer and Wire Insulation Electric | IEC 60950-1:2005 + |
| | | Strength Test Clause- 2.10.5.13 | A1:2009 + A2: 2013 |

AD (CA), TEC

*The validity of Certificate is up to 13/03/2028 or the continued validity of NABL Accreditation, whichever is earlier.