



**GOVERNMENT OF INDIA  
MINISTRY OF COMMUNICATIONS  
DEPARTMENT OF TELECOMMUNICATIONS  
TELECOMMUNICATION ENGINEERING CENTRE**  
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

## **CERTIFICATE OF DESIGNATION**

**M/S CONFORMITY TESTING LABS PRIVATE LTD., UNIT-2 NEW DELHI**  
has been assessed and designated as Conformity Assessment Body (CAB)  
for its facilities at

**A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064**

### **In the field of Testing**

**Certificate No. TEC/MRA/CAB/IND-D/57**

**Issue Date: 01/09/2025**

**Validity: 28/08/2025 to 27/08/2028**

**This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.**

**(To see the scope of designation of this laboratory, you may also visit TEC website [www.tec.gov.in](http://www.tec.gov.in))**

**Signed for and on behalf of TEC**

**Sanjeev Kumar Arya  
Director (CA)  
For Designating Authority  
TEC**

**Certificate No: TEC/MRA/CAB/IND-D/57 dated 01/09/2025 issued to  
M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi  
A-33, Mayapuri Industrial Area, Phase-1, New Delhi-110064.**



**Validity: - 28/08/2025 to 27/08/2028**

### **Terms & Conditions**

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 2 NO. TEC/DES-01/02.DEC.2017.

Some of the conditions are reiterated as under:

#### **A. Obligations of the Designated CAB.**

1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)\* partner for testing and evaluation.
3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

\*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence
  - a) Cessation of its business of conformity assessment for which it is Designated or accredited
  - b) Changes in its legal, commercial, or Organisational status
  - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
  - d) Change of premises

## **B. REFERENCE TO DESIGNATION STATUS**

1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

## **C. POST-DESIGNATION SURVEILLANCE**

As and when required, DA shall conduct surveillance assessments and other non-routine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

## **D. SUSPENSION OR WITHDRAWAL OF DESIGNATION**

1. DA shall suspend or withdraw the designation of a CAB if
  - a. Its accreditation is withdrawn.
  - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
  - c. It is guilty of any offence involving fraud or dishonesty.
  - d. DA concludes that there is a just cause for withdrawing the designation.
2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

## **E. AMENDMENT TO THE SCHEME**

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.

**GOVERNMENT OF INDIA**  
**MINISTRY OF COMMUNICATIONS**  
**DEPARTMENT OF TELECOMMUNICATIONS**  
**TELECOMMUNICATION ENGINEERING CENTRE**  
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



## **SCOPE OF DESIGNATION** **(ANNEXURE)**

**Laboratory Name:** M/s Conformity Testing Labs Private Ltd., Unit-2, New Delhi  
A-33, Mayapuri Industrial Area, Phase-1, New Delhi-110064.

**Certificate Number:** TEC/MRA/CAB/IND-D/57

**Page 1 of 1**

**Validity:** 28/08/2025 to 27/08/2028

**Last Amended on:** ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
1.	<b>Information Technology Equipment-Safety Requirements</b>	Power Interface Clause- 1.6	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Marking and Instructions Clause- 1.7	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Protection from Hazards Clause- 2.1	IEC 60950-1: 2005+ A1: 2009+A2:2013
		SELV Circuits Clause- 2.2	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Limited Current Circuits Clause- 2.4	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Limited Power Source Clause- 2.5	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Resistance of Safety Earth Connection Clause- 2.6	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Over-Current and Earth Fault Protection Clause- 2.7	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Safety Interlocks Clause-2.8	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Electrical Insulation Clause- 2.9	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Clearances and Creepage Distances and distances through insulation Clause- 2.10	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Wiring Connection and Supply Clause- 3.0, 3.1, 3.2, 3.3, 3.4 & 3.5	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Stability Clause-4.1	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Mechanical Strength (Impact Test, Drop test, Stress Relief Test) Clause- 4.2	IEC 60950-1: 2005+ A1: 2009+A2:2013

**\*The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

**GOVERNMENT OF INDIA**  
**MINISTRY OF COMMUNICATIONS**  
**DEPARTMENT OF TELECOMMUNICATIONS**  
**TELECOMMUNICATION ENGINEERING CENTRE**  
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



**SCOPE OF DESIGNATION**  
**(ANNEXURE)**

**Laboratory Name:** M/s Conformity Testing Labs Private Ltd., Unit-2, New Delhi  
A-33, Mayapuri Industrial Area, Phase-1, New Delhi-110064.

**Certificate Number:** TEC/MRA/CAB/IND-D/57

**Page 2 of 1**

**Validity:** 28/08/2025 to 27/08/2028

**Last Amended on:** ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/Specification
	<b>Information Technology Equipment-Safety Requirements</b>	Design & Construction Clause- 4.3	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Protection against Hazardous Moving Parts Clause- 4.4	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Thermal Requirements Clause- 4.5	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Opening in Enclosure Clause- 4.6	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Resistance to Fire Clause- 4.7	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Touch Current & Protective Conductor Current Clause-5.1	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Electric Strength Clause- 5.2	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Abnormal Operating and Fault Condition Clause- 5.3	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Connection to Telecom Networks Clause- 6.1, 6.2 & 6.3	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Connection to Cable Distribution Systems Clause-7.1, 7.2 & 7.3	IEC 60950-1: 2005+ A1: 2009+A2:2013
<b>2.</b>	<b>Environmental Testing for Telecom Equipment</b>	Cold Test	QM-333 ISSUE MARCH 2010
		Dry Heat Test	QM-333 ISSUE MARCH 2010
		Damp Heat Test (Cyclic)	QM-333 ISSUE MARCH 2010
		Rapid Temperature Cycle	QM-333 ISSUE MARCH 2010

**\*The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

**GOVERNMENT OF INDIA**  
**MINISTRY OF COMMUNICATIONS**  
**DEPARTMENT OF TELECOMMUNICATIONS**  
**TELECOMMUNICATION ENGINEERING CENTRE**  
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



## **SCOPE OF DESIGNATION** **(ANNEXURE)**

**Laboratory Name:** M/s Conformity Testing Labs Private Ltd., Unit-2, New Delhi  
A-33, Mayapuri Industrial Area, Phase-1, New Delhi-110064.

**Certificate Number:** TEC/MRA/CAB/IND-D/57

**Page 3 of 1**

**Validity:** 28/08/2025 to 27/08/2028

**Last Amended on:** ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/Specification
	<b>Environmental Testing for Telecom Equipment</b>	Damp Heat Test (Steady State)	QM-333 ISSUE MARCH 2010
		Water Immersion Test	QM-333 ISSUE MARCH 2010
		Salt Mist Test (Corrosion Test)	QM-333 ISSUE MARCH 2010
		Drop Test	QM-333 ISSUE MARCH 2010
		Topple test	QM-333 ISSUE MARCH 2010
		Fall Test	QM-333 ISSUE MARCH 2010
<b>3.</b>	<b>EMI/EMC Testing of Telecom Equipment</b>	Electrostatic Discharge (EDS) Test IEC 61000-4-2:2008	TEC/SD/DD/EMC-221/05/OCT-16
		Telecom Surge Immunity Test IEC 61000-4-5:2017	TEC/SD/DD/EMC-221/05/OCT-16
<b>4.</b>	<b>Uninterruptible Power Systems (UPS)- Safety Requirements</b>	Power Interface Clause-4.6	IEC 62040-1:2008
		Marking & Instructions Clause-4.7	IEC 62040-1:2008
		Protection against Electric Shock and Energy Hazards Clause-5.1	IEC 62040-1:2008
		Safety Extra Low Voltages (SELV) Clause-5.2.1	IEC 62040-1:2008
		Limited Current Circuits Clause-5.2.3	IEC 62040-1:2008
		Limited Power Sources Clause-5.2.5	IEC 62040-1:2008

**\*The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

**GOVERNMENT OF INDIA  
MINISTRY OF COMMUNICATIONS  
DEPARTMENT OF TELECOMMUNICATIONS  
TELECOMMUNICATION ENGINEERING CENTRE**  
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



## **SCOPE OF DESIGNATION** **(ANNEXURE)**

**Laboratory Name:** M/s Conformity Testing Labs Private Ltd., Unit-2, New Delhi  
A-33, Mayapuri Industrial Area, Phase-1, New Delhi-110064.

**Certificate Number:** TEC/MRA/CAB/IND-D/57

**Page 4 of 1**

**Validity:** 28/08/2025 to 27/08/2028

**Last Amended on:** ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/Specification
	<b>Uninterruptible Power Systems (UPS)- Safety Requirements</b>	Protecting Earthing and Bonding Clause-5.3	IEC 62040-1:2008
		AC & DC Power Isolation Clause-5.4	IEC 62040-1:2008
		Over Current and Earth Fault Protection Clause-5.5	IEC 62040-1:2008
		Protection of Personal Safety Interlocks Clause-5.6	IEC 62040-1:2008
		Clearance, Creepage distance and distance through insulation Clause-5.7	IEC 62040-1:2008
		Wiring, Connections and Supply-General Clause-6, 6.1, 6.2 & 6.3	IEC 62040-1:2008
		Enclosure Clause-7.1	IEC 62040-1:2008
		Stability Clause-7.2	IEC 62040-1:2008
		Construction Details Clause-7.4	IEC 62040-1:2008
		Resistance to Fire Clause-7.5	IEC 62040-1:2008
		Temperature Rise Clause-7.7	IEC 62040-1:2008
		General Provision for Earth Leakage Clause-8.1	IEC 62040-1:2008
		Electric Strength Clause-8.2	IEC 62040-1:2008
		Abnormal Operating and Fault Condition Clause-8.3	IEC 62040-1:2008

**\*The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**



**GOVERNMENT OF INDIA  
MINISTRY OF COMMUNICATIONS  
DEPARTMENT OF TELECOMMUNICATIONS  
TELECOMMUNICATION ENGINEERING CENTRE**  
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



## **SCOPE OF DESIGNATION** **(ANNEXURE)**

**Laboratory Name:** M/s Conformity Testing Labs Private Ltd., Unit-2, New Delhi  
A-33, Mayapuri Industrial Area, Phase-1, New Delhi-110064.

**Certificate Number:** TEC/MRA/CAB/IND-D/57

**Page 5 of 1**

**Validity:** 28/08/2025 to 27/08/2028

**Last Amended on:** ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/Specification
	<b>Uninterruptible Power Systems (UPS)- Safety Requirements</b>	Connection to Telecommunication Networks Clause-9.0	IEC 62040-1:2008
<b>5.</b>	<b>Secondary cells and batteries containing alkaline or other non-acid electrolytes-Safety Requirements</b>	External Short Circuit (Cell) Clause-7.3.1	IEC 62133-2:2017
		External Short Circuit (Battery) Clause-7.3.2	IEC 62133-2:2017
		Thermal Abuse (Cells) Clause-7.3.4	IEC 62133-2:2017
		Crush (Cell) Test Clause-7.3.5	IEC 62133-2:2017
		Over Charging Test Clause-7.3.6	IEC 62133-2:2017
		Forced Discharge Test Clause-7.3.7	IEC 62133-2:2017

**AD (CA-II), TEC**

**\*The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**