



**GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE**
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001

CERTIFICATE OF DESIGNATION

M/S CONFORMITY TESTING LABS PRIVATE LTD., UNIT-2 NEW DELHI
has been assessed and designated as Conformity Assessment Body (CAB)
for its facilities at

A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/57

Issue Date: 01/09/2025

Validity: 28/08/2025 to 27/08/2028

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

Digitally signed by
Sanjeev Kumar Arya
Date: 01-09-2025
17:16:23 Sanjeev Kumar Arya
Director (CA)
For Designating Authority
TEC

**Certificate No: TEC/MRA/CAB/IND-D/57 dated 01/09/2025 issued to
M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial Area, Phase-1, New Delhi-110064.**



Validity: - 28/08/2025 to 27/08/2028

Terms & Conditions

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 2 NO. TEC/DES-01/02.DEC.2017.

Some of the conditions are reiterated as under:

A. Obligations of the Designated CAB.

1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)* partner for testing and evaluation.
3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence
 - a) Cessation of its business of conformity assessment for which it is Designated or accredited
 - b) Changes in its legal, commercial, or Organisational status
 - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
 - d) Change of premises

B. REFERENCE TO DESIGNATION STATUS

1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other non-routine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

1. DA shall suspend or withdraw the designation of a CAB if
 - a. Its accreditation is withdrawn.
 - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
 - c. It is guilty of any offence involving fraud or dishonesty.
 - d. DA concludes that there is a just cause for withdrawing the designation.
2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2, New Delhi
A-33, Mayapuri Industrial Area, Phase-1, New Delhi-110064.

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 1 of 1

Validity: 28/08/2025 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/ Specification |
|--|---|---|--|
| 1. | Information Technology Equipment-Safety Requirements | Power Interface Clause- 1.6 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Marking and Instructions Clause- 1.7 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Protection from Hazards Clause- 2.1 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | SELV Circuits Clause- 2.2 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Limited Current Circuits Clause- 2.4 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Limited Power Source Clause- 2.5 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Resistance of Safety Earth Connection Clause- 2.6 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Over-Current and Earth Fault Protection Clause- 2.7 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Safety Interlocks Clause-2.8 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Electrical Insulation Clause- 2.9 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Clearances and Creepage Distances and distances through insulation Clause- 2.10 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Wiring Connection and Supply Clause- 3.0, 3.1, 3.2, 3.3, 3.4 & 3.5 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Stability Clause-4.1 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| Mechanical Strength (Impact Test, Drop test, Stress Relief Test) Clause- 4.2 | IEC 60950-1: 2005+ A1: 2009+A2:2013 | | |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
 Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION
(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2, New Delhi
 A-33, Mayapuri Industrial Area, Phase-1, New Delhi-110064.

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 2 of 1

Validity: 28/08/2025 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/ Specification |
|-------------------------|---|--|--|
| | Information Technology Equipment-Safety Requirements | Design & Construction Clause- 4.3 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Protection against Hazardous Moving Parts Clause- 4.4 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Thermal Requirements Clause- 4.5 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Opening in Enclosure Clause- 4.6 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Resistance to Fire Clause- 4.7 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Touch Current & Protective Conductor Current Clause-5.1 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Electric Strength Clause- 5.2 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Abnormal Operating and Fault Condition Clause- 5.3 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Connection to Telecom Networks Clause- 6.1, 6.2 & 6.3 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | Connection to Cable Distribution Systems Clause-7.1, 7.2 & 7.3 | IEC 60950-1: 2005+ A1: 2009+A2:2013 |
| | | 2. Environmental Testing for Telecom Equipment | |
| Dry Heat Test | QM-333 ISSUE MARCH 2010 | | |
| Damp Heat Test (Cyclic) | QM-333 ISSUE MARCH 2010 | | |
| Rapid Temperature Cycle | QM-333 ISSUE MARCH 2010 | | |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION
(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2, New Delhi
A-33, Mayapuri Industrial Area, Phase-1, New Delhi-110064.

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 3 of 1

Validity: 28/08/2025 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|-----------|---|--|-----------------------------|
| | Environmental Testing for Telecom Equipment | Damp Heat Test (Steady State) | QM-333 ISSUE MARCH 2010 |
| | | Water Immersion Test | QM-333 ISSUE MARCH 2010 |
| | | Salt Mist Test (Corrosion Test) | QM-333 ISSUE MARCH 2010 |
| | | Drop Test | QM-333 ISSUE MARCH 2010 |
| | | Topple test | QM-333 ISSUE MARCH 2010 |
| | | Fall Test | QM-333 ISSUE MARCH 2010 |
| 3. | EMI/EMC Testing of Telecom Equipment | Electrostatic Discharge (EDS) Test IEC 61000-4-2:2008 | TEC/SD/DD/EMC-221/05/OCT-16 |
| | | Telecom Surge Immunity Test IEC 61000-4-5:2017 | TEC/SD/DD/EMC-221/05/OCT-16 |
| 4. | Uninterruptible Power Systems (UPS)- Safety Requirements | Power Interface Clause-4.6 | IEC 62040-1:2008 |
| | | Marking & Instructions Clause-4.7 | IEC 62040-1:2008 |
| | | Protection against Electric Shock and Energy Hazards Clause-5.1 | IEC 62040-1:2008 |
| | | Safety Extra Low Voltages (SELV) Clause-5.2.1 | IEC 62040-1:2008 |
| | | Limited Current Circuits Clause-5.2.3 | IEC 62040-1:2008 |
| | | Limited Power Sources Clause-5.2.5 | IEC 62040-1:2008 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION
(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2, New Delhi
A-33, Mayapuri Industrial Area, Phase-1, New Delhi-110064.

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 4 of 1

Validity: 28/08/2025 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|--|---|--|------------------------|
| | Uninterruptible Power Systems (UPS)- Safety Requirements | Protecting Earthing and Bonding Clause-5.3 | IEC 62040-1:2008 |
| | | AC & DC Power Isolation Clause-5.4 | IEC 62040-1:2008 |
| | | Over Current and Earth Fault Protection Clause-5.5 | IEC 62040-1:2008 |
| | | Protection of Personal Safety Interlocks Clause-5.6 | IEC 62040-1:2008 |
| | | Clearance, Creepage distance and distance through insulation Clause-5.7 | IEC 62040-1:2008 |
| | | Wiring, Connections and Supply-General Clause-6, 6.1, 6.2 & 6.3 | IEC 62040-1:2008 |
| | | Enclosure Clause-7.1 | IEC 62040-1:2008 |
| | | Stability Clause-7.2 | IEC 62040-1:2008 |
| | | Construction Details Clause-7.4 | IEC 62040-1:2008 |
| | | Resistance to Fire Clause-7.5 | IEC 62040-1:2008 |
| | | Temperature Rise Clause-7.7 | IEC 62040-1:2008 |
| | | General Provision for Earth Leakage Clause-8.1 | IEC 62040-1:2008 |
| | | Electric Strength Clause-8.2 | IEC 62040-1:2008 |
| Abnormal Operating and Fault Condition Clause-8.3 | IEC 62040-1:2008 | | |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2, New Delhi
 A-33, Mayapuri Industrial Area, Phase-1, New Delhi-110064.

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 5 of 1

Validity: 28/08/2025 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|-----------|--|--|------------------------|
| | Uninterruptible Power Systems (UPS)- Safety Requirements | Connection to Telecommunication Networks Clause-9.0 | IEC 62040-1:2008 |
| 5. | Secondary cells and batteries containing alkaline or other non-acid electrolytes- Safety Requirements | External Short Circuit (Cell) Clause-7.3.1 | IEC 62133-2:2017 |
| | | External Short Circuit (Battery) Clause-7.3.2 | IEC 62133-2:2017 |
| | | Thermal Abuse (Cells) Clause-7.3.4 | IEC 62133-2:2017 |
| | | Crush (Cell) Test Clause-7.3.5 | IEC 62133-2:2017 |
| | | Over Charging Test Clause-7.3.6 | IEC 62133-2:2017 |
| | | Forced Discharge Test Clause-7.3.7 | IEC 62133-2:2017 |

Digitally signed by
 Buddha Priya Rahul
 Date: 01-09-2025

AD-17-23-30, TEC

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

दूरसंचार विभाग
दूरसंचार अभियांत्रिकी केंद्र
खुशीद लाल भवन, जनपथ, नई दिल्ली -110001

स. 1-32/2025-सी.ए./टी.ई.सी.

Dated: -12.02.2026

To,

Mrs. Reenu Gupta, Head Quality
M/s Conformity Testing Labs Private Limited, Unit-2, New Delhi
A-33, Mayapuri Industrial Area, Phase 1, Delhi-110064
Mob: +91 7840889997
E-mail:- qa@labctl.in

Subject: Enhancement of scope of CAB Designation- M/s Conformity Testing Labs Private Limited, Unit-2, New Delhi, A-33, Mayapuri Industrial Area, Phase 1, Delhi-110064 - regarding.

Ref.:- 1. TEC CAB Designation Certificate no. TEC/MRA/CAB/IND-D/57 dated 28.08.2025

2. Your application for enhancement of Scope of CAB Designation vide Application no. SW1613651625-M008_D001_A194-1734763588087 dated 21.12.2024 submitted on NSWS CAB Designation Portal.

This is in reference to your application for enhancement of Scope of CAB Designation of Certificate No. TEC/MRA/CAB/IND-D/57 dated 28.08.2025, valid upto 27.08.2028, submitted vide Application no. SW1613651625-M008_D001_A194-1734763588087 dated 21.12.2024 in online mode on NSWS CAB Designation Portal.

2. In reference to the recommendations of Site visit assessment team, the scope of designation of CAB Certificate no. referred above is hereby enhanced in respect of test parameters of “**Audio/Video, Information and Communication Technology Equipment: Safety Requirements**” as per detail mentioned in Annexure attached.

3. All other details, terms and conditions and validity of CAB Designation Certificate no. TEC/MRA/CAB/IND-D/57 dated 28.08.2025 shall remain unchanged.

4. This is issued with the approval of Competent Authority.

(Buddha Priya Rahul)
AD (CA-II), TEC

Copy to:

1. DDG (Radio), TEC, New Delhi for kind information and necessary action please.



**GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001**

CERTIFICATE OF DESIGNATION

M/S CONFORMITY TESTING LABS PRIVATE LTD., UNIT-2 NEW DELHI
has been assessed and designated as Conformity Assessment Body (CAB)
for its facilities at

A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/57

Issue Date: 12/02/2026

Validity: 12/02/2026 to 27/08/2028

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

Digitally signed by
Sanjeev Kumar Arya
Date: 12-02-2026
16:07:14

**Sanjeev Kumar Arya
Director (CA)
For Designating Authority
TEC**

**Certificate No: TEC/MRA/CAB/IND-D/57 dated 12/02/2026 issued to
M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064**



Validity: - 12/02/2026 to 27/08/2028

Terms & Conditions

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 3 NO. TEC 04019:2023.

Some of the conditions are reiterated as under:

A. Obligations of the Designated CAB.

1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)* partner for testing and evaluation.
3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence
 - a) Cessation of its business of conformity assessment for which it is Designated or accredited
 - b) Changes in its legal, commercial, or Organisational status
 - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
 - d) Change of premises

B. REFERENCE TO DESIGNATION STATUS

1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other non-routine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

1. DA shall suspend or withdraw the designation of a CAB if
 - a. Its accreditation is withdrawn.
 - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
 - c. It is guilty of any offence involving fraud or dishonesty.
 - d. DA concludes that there is a just cause for withdrawing the designation.
2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 1 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|-----------|---|--|------------------------|
| 1. | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Energy source classifications (Clause-4.2) | IEC 62368-1 |
| | | Protection against energy sources (Clause-4.3) | IEC 62368-1 |
| | | Safeguards between a class 1 energy source and an ordinary person (Clause- 4.3.2.1) | IEC 62368-1 |
| | | Safeguards between a class 2 energy source and an ordinary person (Clause-4.3.2.2) | IEC 62368-1 |
| | | Safeguards between a class 2 energy source and an ordinary person during ordinary person servicing conditions (Clause-4.3.2.3) | IEC 62368-1 |
| | | Safeguards between a class 3 energy source and an ordinary person (Clause-4.3.2.4) | IEC 62368-1 |
| | | Safeguards between a class 1 energy source and an instructed person (Clause-4.3.3.1) | IEC 62368-1 |
| | | Safeguards between a class 2 energy source and an instructed person (Clause-4.3.3.2) | IEC 62368-1 |
| | | Safeguards between a class 3 energy source and an instructed person (Clause-4.3.3.3) | IEC 62368-1 |
| | | Safeguards for protection of a skilled person (Clause-4.3.4) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION
(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 2 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---------------------------|-----------------------------------|------------------------|
|---------|---------------------------|-----------------------------------|------------------------|

| | | |
|---|---|-------------|
| Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Safeguards between a class 1 energy source and a skilled person (Clause-4.3.4.1) | IEC 62368-1 |
| | Safeguards between a class 2 energy source and a skilled person (Clause-4.3.4.2) | IEC 62368-1 |
| | Safeguards between a class 3 energy source and a skilled person (Clause-4.3.4.3) | IEC 62368-1 |
| | Safeguards in a restricted access area (Clause-4.3.5) | IEC 62368-1 |
| | Safeguards (Clause-4.4) | IEC 62368-1 |
| | Equivalent materials or components (Clause-4.4.1) | IEC 62368-1 |
| | Composition of a safeguard (Clause-4.4.2) | IEC 62368-1 |
| | Steady force tests (Clause-4.4.3.2) | IEC 62368-1 |
| | Drop tests (Clause-4.4.3.3) | IEC 62368-1 |
| | Impact tests (Clause-4.4.3.4) | IEC 62368-1 |
| | Internal accessible safeguard tests (Clause-4.4.3.5) | IEC 62368-1 |
| | Glass impact tests (Clause-4.4.3.6) | IEC 62368-1 |
| | Glass fixation test (Clause-4.4.3.7) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi - 110 001



SCOPE OF DESIGNATION
(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 3 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---|---|------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Thermoplastic material tests (Clause-4.4.3.8) | IEC 62368-1 |
| | | Compliance criteria (Clase-4.4.3.10) | IEC 62368-1 |
| | | Displacement of a safeguard by an insulating liquid (Clause-4.4.4) | IEC 62368-1 |
| | | Safety interlocks (Clause-4.4.5) | IEC 62368-1 |
| | | Explosion (Clause-4.5) | IEC 62368-1 |
| | | Fixing of conductors (Clause-4.6) | IEC 62368-1 |
| | | Equipment for direct insertion into mains socket-outlets (Clause-4.7) | IEC 62368-1 |
| | | Compliance criteria (Clause-4.7.3) | IEC 62368-1 |
| | | Equipment containing coin / button cell batteries (Clause-4.8) | IEC 62368-1 |
| | | Construction (Clause-4.8.3) | IEC 62368-1 |
| | | Stress relief test (Clause-4.8.4.2) | IEC 62368-1 |
| | | Battery replacement test (Clause-4.8.4.3) | IEC 62368-1 |
| | | Drop test (Clause-4.8.4.4) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 4 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---|--|------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Impact test (Clause-4.8.4.5) | IEC 62368-1 |
| | | Crush test (Clause-4.8.4.6) | IEC 62368-1 |
| | | Compliance criteria (Clause-4.8.5) | IEC 62368-1 |
| | | Likelihood of fire or shock due to entry of conductive objects (Clause-4.9) | IEC 62368-1 |
| | | Components requirements (Clause-4.10) | IEC 62368-1 |
| | | Disconnect device (Clause-4.10.1) | IEC 62368-1 |
| | | Switches and relays (Clause-4.10.2) | IEC 62368-1 |
| | | Electrically-caused injury (Clause-5) | IEC 62368-1 |
| | | Classification and limits of electrical energy sources (Clause-5.2) | IEC 62368-1 |
| | | ES1 (Clause-5.2.1.1) | IEC 62368-1 |
| | | ES2 (Clause-5.2.1.2) | IEC 62368-1 |
| | | ES3 (Clause-5.2.1.3) | IEC 62368-1 |
| | | Electrical energy source ES1 and ES2 limits (Clause-5.2.2) | IEC 62368-1 |
| | | Steady state voltage and current limits (Clause-5.2.2.2) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 5 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---|---|------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Capacitance limits (Clause-5.2.2.3) | IEC 62368-1 |
| | | Single pulse limits (Clause-5.2.2.4) | IEC 62368-1 |
| | | Limits for repetitive pulses (Clause-5.2.2.5) | IEC 62368-1 |
| | | Ringing signals (Clause-5.2.2.6) | IEC 62368-1 |
| | | Audio signals (Clause-5.2.2.7) | IEC 62368-1 |
| | | Protection against electrical energy sources (Clause-5.3) | IEC 62368-1 |
| | | Accessibility to electrical energy sources and safeguards (Clause-5.3.2) | IEC 62368-1 |
| | | Contact requirements (Clause-5.3.2.2) | IEC 62368-1 |
| | | Compliance criteria (Clause-5.3.2.3) | IEC 62368-1 |
| | | Terminals for connecting stripped wire (Clause-5.3.2.4) | IEC 62368-1 |
| | | Insulation materials and requirements (Clause-5.4) | IEC 62368-1 |
| | | Properties of insulating material (Clause-5.4.1.2) | IEC 62368-1 |
| | | Maximum operating temperatures for materials, components and systems (Clause-5.4.1.4) | IEC 62368-1 |
| | | Pollution degrees (Clause-5.4.1.5) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 6 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---|---|------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Test for pollution degree 1 environment and for an insulating compound (Clause-5.4.1.5.2) | IEC 62368-1 |
| | | Thermal cycling test procedure (Clause-5.4.1.5.3) | IEC 62368-1 |
| | | Insulation in transformers with varying dimensions (Clause-5.4.1.6) | IEC 62368-1 |
| | | Insulation in circuits generating starting pulses (Clause-5.4.1.7) | IEC 62368-1 |
| | | Determination of working voltage (Clause-5.4.1.8) | IEC 62368-1 |
| | | RMS working voltage (Clause-5.4.1.8.2) | IEC 62368-1 |
| | | Thermoplastic parts on which conductive metallic parts are directly mounted (Clause-5.4.1.10) | IEC 62368-1 |
| | | Vicat test (Clause-5.4.1.10.2) | IEC 62368-1 |
| | | Ball pressure test (Clause-5.4.1.10.3) | IEC 62368-1 |
| | | Clearances (Clause-5.4.2) | IEC 62368-1 |
| | | Procedure 1 for determining clearance (Clause-5.4.2.2) | IEC 62368-1 |
| | | Procedure 2 for determining clearance (Clause-5.4.2.3) | IEC 62368-1 |
| | | Determining transient voltages (Clause-5.4.2.3.2) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 7 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---|---|------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Determining AC mains transient voltages (Clause-5.4.2.3.2.2) | IEC 62368-1 |
| | | Determining DC mains transient voltages (Clause-5.4.2.3.2.3) | IEC 62368-1 |
| | | Determining external circuit transient voltages (Clause-5.4.2.3.2.4) | IEC 62368-1 |
| | | Determining transient voltage levels by measurement (Clause-5.4.2.3.2.5) | IEC 62368-1 |
| | | Determining required withstand voltage (Clause-5.4.2.3.3) | IEC 62368-1 |
| | | Determining clearances using required withstand voltage (Clause-5.4.2.3.4) | IEC 62368-1 |
| | | Determining the adequacy of a clearance using an electric strength test (Clause-5.4.2.4) | IEC 62368-1 |
| | | Multiplication factors for altitudes higher than 2 000 m above sea level (Clause-5.4.2.5) | IEC 62368-1 |
| | | Compliance criteria (Clause-5.4.2.6) | IEC 62368-1 |
| | | Creepage distances (Clause-5.4.3) | IEC 62368-1 |
| | | Material group and CTI (Clause-5.4.3.3) | IEC 62368-1 |
| | | Compliance criteria (Clause-5.4.3.4) | IEC 62368-1 |
| | | Solid insulation (Clause-5.4.4) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 8 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---|--|------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Minimum distance through insulation (Clause-5.4.4.2) | IEC 62368-1 |
| | | Insulating compound forming solid insulation (Clause-5.4.4.3) | IEC 62368-1 |
| | | Solid insulation in semiconductor devices (Clause-5.4.4.4) | IEC 62368-1 |
| | | Insulating compound forming cemented joints (Clause-5.4.4.5) | IEC 62368-1 |
| | | Thin sheet material (Clause-5.4.4.6) | IEC 62368-1 |
| | | General requirements (Clause-5.4.4.6.1) | IEC 62368-1 |
| | | Separable thin sheet material (Clause-5.4.4.6.2) | IEC 62368-1 |
| | | Non-separable thin sheet material (Clause-5.4.4.6.3) | IEC 62368-1 |
| | | Standard test procedure for non-separable thin sheet material (Clause-5.4.4.6.4) | IEC 62368-1 |
| | | Mandrel test (Clause-5.4.4.6.5) | IEC 62368-1 |
| | | Solid insulation in wound components (Clause-5.4.4.7) | IEC 62368-1 |
| | | Compliance criteria (Clause-5.4.4.8) | IEC 62368-1 |
| | | Solid insulation requirements at frequencies higher than 30 kHz (Clause-5.4.4.9) | IEC 62368-1 |
| | | Antenna terminal insulation (Clause-5.4.5) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 9 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---|---|------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Antenna terminal insulation Test Method (Clause-5.4.5.2) | IEC 62368-1 |
| | | Antenna terminal insulation Compliance Criteria (Clause-5.4.5.3) | IEC 62368-1 |
| | | Insulation of internal wire as a part of a supplementary safeguard (Clause-5.4.6) | IEC 62368-1 |
| | | Tests for semiconductor components and for cemented joints (Clause-5.4.7) | IEC 62368-1 |
| | | Humidity conditioning (Clause-5.4.8) | IEC 62368-1 |
| | | Electric strength test (Clause-5.4.9) | IEC 62368-1 |
| | | Test procedure for type testing of solid insulation (Clause-5.4.9.1) | IEC 62368-1 |
| | | Test procedure for routine tests (Clause-5.4.9.2) | IEC 62368-1 |
| | | Safeguards against transient voltages from external circuits (Clause-5.4.10) | IEC 62368-1 |
| | | Impulse test (Clause-5.4.10.2.2) | IEC 62368-1 |
| | | Steady state test (Clause-5.4.10.2.3) | IEC 62368-1 |
| | | Compliance criteria (Clause-5.4.10.3) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 10 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/ Product | Test Parameter or Type of Testing | Standard/ Specification |
|------------------------|---|--|----------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Separation between external circuits and earth (Clause-5.4.11) | IEC 62368-1 |
| | | Requirements for separation between external circuits and earth (Clause-5.4.11.2) | IEC 62368-1 |
| | | Test method and compliance criteria for separation between external circuits and earth (Clause-5.4.11.3) | IEC 62368-1 |
| | | General requirements for Insulating liquid (Clause-5.4.12.1) | IEC 62368-1 |
| | | Electric strength of an insulating liquid (Clause-5.4.12.2) | IEC 62368-1 |
| | | Compatibility of an insulating liquid (Clause-5.4.12.3) | IEC 62368-1 |
| | | Container for insulating liquid (Clause-5.4.12.4) | IEC 62368-1 |
| | | Components as safeguards (Clause-5.5) | IEC 62368-1 |
| | | Capacitors and RC units (Clause-5.5.2) | IEC 62368-1 |
| | | Transformers (Clause-5.5.3) | IEC 62368-1 |
| | | Optocouplers (Clause-5.5.4) | IEC 62368-1 |
| | | Relays (Clause-5.5.5) | IEC 62368-1 |
| | | Resistors (Clause-5.5.6) | IEC 62368-1 |
| SPDs (Clause-5.5.7) | IEC 62368-1 | | |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 11 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/ Product | Test Parameter or Type of Testing | Standard/ Specification |
|---------|---|---|----------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Safeguards for socket-outlets in outdoor equipment (Clause-5.5.9) | IEC 62368-1 |
| | | Protective conductor (Clause-5.6) | IEC 62368-1 |
| | | Requirements for protective conductors (Clause-5.6.2) | IEC 62368-1 |
| | | Colour of insulation (Clause-5.6.2.2) | IEC 62368-1 |
| | | Requirements for protective earthing conductors (Clause-5.6.3) | IEC 62368-1 |
| | | Requirements for protective bonding conductors (Clause-5.6.4) | IEC 62368-1 |
| | | Determination of the protective current rating (Clause-5.6.4.2) | IEC 62368-1 |
| | | Mains supply as the source (Clause-5.6.4.2.1) | IEC 62368-1 |
| | | Other than mains supply as the source (Clause-5.6.4.2.2) | IEC 62368-1 |
| | | Internal circuit as the source (Clause-5.6.4.2.3) | IEC 62368-1 |
| | | Current limiting and overcurrent protective devices (Clause-5.6.4.2.4) | IEC 62368-1 |
| | | Terminals for protective conductors (Clause-5.6.5) | IEC 62368-1 |
| | | Resistance of the protective bonding system (Clause-5.6.6) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 12 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---------------------------|-----------------------------------|------------------------|
|---------|---------------------------|-----------------------------------|------------------------|

| | | |
|---|---|-------------|
| Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Test method for Resistance of the protective bonding system (Clause-5.6.6.2) | IEC 62368-1 |
| | Compliance Criteria for Resistance of the protective bonding system (Clause-5.6.6.3) | IEC 62368-1 |
| | Reliable connection of a protective earthing conductor (Clause-5.6.7) | IEC 62368-1 |
| | Functional earthing (Clause-5.6.8) | IEC 62368-1 |
| | Prospective touch voltage, touch current and protective conductor current (Clause-5.7) | IEC 62368-1 |
| | Measuring devices and networks (Clause-5.7.2) | IEC 62368-1 |
| | Measurement of touch current (Clause-5.7.2.1) | IEC 62368-1 |
| | Measurement of voltage (Clause-5.7.2.2) | IEC 62368-1 |
| | Equipment set-up, supply connections and earth connections (Clause-5.7.3) | IEC 62368-1 |
| | Unearthed accessible parts (Clause-5.7.4) | IEC 62368-1 |
| | Earthed accessible conductive parts (Clause-5.7.5) | IEC 62368-1 |
| | Requirements when touch current exceeds ES2 limits (Clause-5.7.6) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 13 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---------------------------|-----------------------------------|------------------------|
|---------|---------------------------|-----------------------------------|------------------------|

| | | |
|---|--|-------------|
| Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Prospective touch voltage and touch current associated with external circuits (Clause-5.7.7) | IEC 62368-1 |
| | Touch current from coaxial cables (Clause-5.7.7.1) | IEC 62368-1 |
| | Prospective touch voltage and touch current associated with paired conductor cables (Clause-5.7.7.2) | IEC 62368-1 |
| | Summation of touch currents from external circuits (Clause-5.7.8) | IEC 62368-1 |
| | Backfeed safeguard in battery backed up supplies (Clause-5.8) | IEC 62368-1 |
| | Electrically-caused fire (Clause-6) | IEC 62368-1 |
| | Classification of power sources (PS) and potential ignition sources (PIS) (Clause-6.2) | IEC 62368-1 |
| | Power source circuit classifications (Clause-6.2.2) | IEC 62368-1 |
| | Power measurement for worst-case fault (Clause-6.2.2.2) | IEC 62368-1 |
| | Power measurement for worst-case power source fault (Clause-6.2.2.3) | IEC 62368-1 |
| | PS1 Circuit (Clause-6.2.2.4) | IEC 62368-1 |
| | PS2 Circuit (Clause-6.2.2.5) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 14 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---|---|------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | PS3 Circuit (Clause-6.2.2.6) | IEC 62368-1 |
| | | Classification of potential ignition sources (Clause-6.2.3) | IEC 62368-1 |
| | | Arcing PIS (Clause-6.2.3.1) | IEC 62368-1 |
| | | Resistive PIS (Clause-6.2.3.2) | IEC 62368-1 |
| | | Safeguards against fire under normal operating conditions and abnormal operating conditions (Clause-6.3) | IEC 62368-1 |
| | | Compliance criteria for Safeguards against fire under normal operating conditions and abnormal operating conditions (Clause-6.3.2) | IEC 62368-1 |
| | | Safeguards against fire under single fault conditions (Clause-6.4) | IEC 62368-1 |
| | | Reduction of the likelihood of ignition under single fault conditions in PS1 circuits (Clause-6.4.2) | IEC 62368-1 |
| | | Reduction of the likelihood of ignition under single fault conditions in PS2 circuits and PS3 circuits (Clause-6.4.3) | IEC 62368-1 |
| | | Control of fire spread in PS1 circuits (Clause-6.4.4) | IEC 62368-1 |
| | | Control of fire spread in PS2 circuits (Clause-6.4.5) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 15 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---|--|------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Control of fire spread in a PS3 circuit (Clause-6.4.6) | IEC 62368-1 |
| | | Separation of combustible materials from a PIS (Clause-6.4.7) | IEC 62368-1 |
| | | Separation by a fire barrier (Clause-6.4.7.3) | IEC 62368-1 |
| | | Fire enclosures and fire barriers (Clause-6.4.8) | IEC 62368-1 |
| | | Fire enclosure and fire barrier material properties (Clause-6.4.8.2) | IEC 62368-1 |
| | | Requirements for a fire barrier (Clause-6.4.8.2.1) | IEC 62368-1 |
| | | Requirements for a fire enclosure (Clause-6.4.8.2.2) | IEC 62368-1 |
| | | Constructional requirements for a fire enclosure and a fire barrier (Clause-6.4.8.3) | IEC 62368-1 |
| | | Fire enclosure and fire barrier openings (Clause-6.4.8.3.1) | IEC 62368-1 |
| | | Fire barrier dimensions (Clause-6.4.8.3.2) | IEC 62368-1 |
| | | Top openings and top opening properties (Clause-6.4.8.3.3) | IEC 62368-1 |
| | | Bottom openings and bottom opening properties (Clause-6.4.8.3.4) | IEC 62368-1 |
| | | Side openings and side opening properties (Clause-6.4.8.3.5) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 16 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---------------------------|-----------------------------------|------------------------|
|---------|---------------------------|-----------------------------------|------------------------|

| | | |
|---|---|-------------|
| Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Integrity of a fire enclosure (Clause-6.4.8.3.6) | IEC 62368-1 |
| | Separation of a PIS from a fire enclosure and a fire barrier (Clause-6.4.8.4) | IEC 62368-1 |
| | Flammability of an insulating liquid (Clause-6.4.9) | IEC 62368-1 |
| | Internal and external wiring (Clause-6.5) | IEC 62368-1 |
| | Requirements for interconnection to building wiring. (Clause-6.5.2) | IEC 62368-1 |
| | Internal wiring for socket-outlets (Clause-6.5.3) | IEC 62368-1 |
| | Safeguards against fire due to the connection of additional equipment (Clase-6.6) | IEC 62368-1 |
| | Injury caused by hazardous substances (Clause-7) | IEC 62368-1 |
| | Reduction of exposure to hazardous substances (Clause-7.2) | IEC 62368-1 |
| | Ozone exposure (Clause-7.3) | IEC 62368-1 |
| | Use of personal safeguards or personal protective equipment (PPE) (Clause-7.4) | IEC 62368-1 |
| | Mechanically-caused injury (Clause-8) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 17 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/ Product | Test Parameter or Type of Testing | Standard/ Specification |
|---------|---|--|----------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Mechanical energy source classifications (Clause-8.2) | IEC 62368-1 |
| | | MS1 (Clause-8.2.2) | IEC 62368-1 |
| | | MS2 (Clause-8.2.3) | IEC 62368-1 |
| | | MS3 (Clause-8.2.4) | IEC 62368-1 |
| | | Safeguards against mechanical energy sources (Clause-8.3) | IEC 62368-1 |
| | | Safeguards against parts with sharp edges and corners (Clause-8.4) | IEC 62368-1 |
| | | Safeguards against moving parts (Clause-8.5) | IEC 62368-1 |
| | | Instructional safeguard requirements (Clause-8.5.2) | IEC 62368-1 |
| | | Compliance criteria (Safeguards against moving parts) (Clause-8.5.3) | IEC 62368-1 |
| | | Special categories of equipment containing moving Parts (Clause-8.5.4) | IEC 62368-1 |
| | | Equipment containing work cells with MS3 parts (Clause-8.5.4.2) | IEC 62368-1 |
| | | Protection of persons in the work cell (Clause-8.5.4.2.1) | IEC 62368-1 |
| | | Access Protection Override (Clause-8.5.4.2.2) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 18 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---|--|------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Visual indicator (Clause-8.5.4.2.2.2) | IEC 62368-1 |
| | | Emergency stop system (Clause-8.5.4.2.3) | IEC 62368-1 |
| | | Endurance requirements (Clause-8.5.4.2.4) | IEC 62368-1 |
| | | Equipment having an electromechanical device for destruction of media (Clause-8.5.4.3) | IEC 62368-1 |
| | | Instructional safeguards against moving parts (Clause-8.5.4.3.2) | IEC 62368-1 |
| | | Disconnection from the supply (Clause-8.5.4.3.3) | IEC 62368-1 |
| | | High pressure lamps (Clause-8.5.5) | IEC 62368-1 |
| | | Test method for High pressure lamps (Clause-8.5.5.2) | IEC 62368-1 |
| | | Compliance criteria for High pressure lamps (Clause-8.5.5.3) | IEC 62368-1 |
| | | Stability of equipment (Clause-8.6) | IEC 62368-1 |
| | | Static stability (Clause-8.6.2) | IEC 62368-1 |
| | | Test setup for Static stability (Clause-8.6.2.1) | IEC 62368-1 |
| | | Static stability test (Clause-8.6.2.2) | IEC 62368-1 |
| | | Downward force test (Clause-8.6.2.3) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 19 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/ Product | Test Parameter or Type of Testing | Standard/ Specification |
|---------|---|--|----------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Compliance criteria for Stability of equipment (Clause -8.6.2.4) | IEC 62368-1 |
| | | Relocation stability (Clause-8.6.3) | IEC 62368-1 |
| | | Test method and compliance criteria for Relocation stability (Clause-8.6.3.2) | IEC 62368-1 |
| | | Glass slide test (Clause-8.6.4) | IEC 62368-1 |
| | | Horizontal force test and compliance criteria (Clause-8.6.5) | IEC 62368-1 |
| | | Equipment mounted to a wall, ceiling or other structure (Clause-8.7) | IEC 62368-1 |
| | | Test methods for Equipment mounted to a wall, ceiling or other structure (Clause-8.7.2) | IEC 62368-1 |
| | | Compliance criteria for Equipment mounted to a wall, ceiling or other structure (Clause-8.7.3) | IEC 62368-1 |
| | | Handle strength (Clause-8.8) | IEC 62368-1 |
| | | Test method (Handle strength) (Clause-8.8.2) | IEC 62368-1 |
| | | Wheels or casters attachment requirements (Clause-8. 9) | IEC 62368-1 |
| | | Test method for wheels or casters attachment requirements (Clause-8.9.2) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 20 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---|---|------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Carts, stands, and similar carriers (Clause-8.10) | IEC 62368-1 |
| | | Marking and instructions (Clause-8.10.2) | IEC 62368-1 |
| | | Cart, stand or carrier loading test and compliance criteria (Clause-8.10.3) | IEC 62368-1 |
| | | Cart, stand or carrier impact test (Clause-8.10.4) | IEC 62368-1 |
| | | Mechanical stability (Clause-8.10.5) | IEC 62368-1 |
| | | Thermoplastic temperature stability (Clause-8.10.6) | IEC 62368-1 |
| | | Mounting means for slide-rail mounted equipment (SRME) (Clause-8.11) | IEC 62368-1 |
| | | Mechanical strength test (Clause-8.11.3) | IEC 62368-1 |
| | | Downward force test (Clause-8.11.3.1) | IEC 62368-1 |
| | | Lateral push force test (Clause-8.11.3.2) | IEC 62368-1 |
| | | Integrity of slide rail end stops (Clause-8.11.3.3) | IEC 62368-1 |
| | | Telescoping or rod antennas (Clause-8.12) | IEC 62368-1 |
| | | Thermal burn injury (Clause-9) | IEC 62368-1 |
| | | Thermal energy source classifications (Clause-9.2) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 21 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---------------------------|-----------------------------------|------------------------|
|---------|---------------------------|-----------------------------------|------------------------|

| | | |
|---|--|-------------|
| Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Touch temperature limits (Clause-9.3) | IEC 62368-1 |
| | Safeguards against thermal energy sources (Clause-9.4) | IEC 62368-1 |
| | Requirements for safeguards (Clause-9.5) | IEC 62368-1 |
| | Requirements for wireless power transmitters (Clause-9. 6) | IEC 62368-1 |
| | Radiation (Clause-10) | IEC 62368-1 |
| | Radiation energy source classifications (Clause-10.2) | IEC 62368-1 |
| | Safeguards against laser radiation (Clause-10.3) | IEC 62368-1 |
| | Safeguards against optical radiation from lamps and lamp systems (including LED types) (Clause-10.4) | IEC 62368-1 |
| | Safeguards against X-radiation (Clause-10.5) | IEC 62368-1 |
| | Safeguards against acoustic energy sources (Clause-10.6) | IEC 62368-1 |
| | Classification (Clause-10.6.2) | IEC 62368-1 |
| | Requirements for dose-based systems (Clause-10.6.3) | IEC 62368-1 |
| | Measurement methods (Clause-10.6.4) | IEC 62368-1 |
| | Protection of persons (Clause-10.6.5) | IEC 62368-1 |

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**

SCOPE OF DESIGNATION (ANNEXURE)

Laboratory Name: M/s Conformity Testing Labs Private Ltd., Unit-2 New Delhi
A-33, Mayapuri Industrial area, Phase-1, New Delhi-110064

Certificate Number: TEC/MRA/CAB/IND-D/57

Page 22 of 22

Validity: 12/02/2026 to 27/08/2028

Last Amended on: ----

| Sl. No. | Telecom Equipment/Product | Test Parameter or Type of Testing | Standard/Specification |
|---------|---|--|------------------------|
| | Audio/Video, Information and Communication Technology Equipment: Safety Requirements | Requirements for listening devices (headphones, earphones, etc.) (Clause-10.6.6) | IEC 62368-1 |
| | | Corded listening devices with analogue input (Clause-10.6.6.1) | IEC 62368-1 |
| | | Corded listening devices with digital input (Clause-10.6.6.2) | IEC 62368-1 |
| | | Cordless listening devices (Clause-10.6.6.3) | IEC 62368-1 |

TEC

AD (CA-II), TEC

***The validity of Certificate is up to 27/08/2028 or the continued validity of NABL Accreditation, whichever is earlier.**