



**GOVERNMENT OF INDIA
MINISTRY OF COMMUNICATIONS
DEPARTMENT OF TELECOMMUNICATIONS
TELECOMMUNICATION ENGINEERING CENTRE
Gate No. 5, Khurshid Lal Bhawan, Janpath, New Delhi-110001**

CERTIFICATE OF DESIGNATION

M/s Aforeserve Labs Private Limited

has been assessed and designated as Conformity Assessment Body (CAB)
for its facilities at

Plot No. 138, Sector 7, IMT Manesar, Gurugram, HARYANA

In the field of Testing

Certificate No. TEC/MRA/CAB/IND-D/49

Issue Date: 21/11/2023

Validity: 21/11/2023 to 11/06/2025

This Certificate remains valid for the Scope of Designation as specified in the Annexure subject to the continued validity of NABL Accreditation and satisfied compliance to the Standards/specifications against which lab has been designated and strict compliance to the relevant terms and conditions of TEC CAB Designation Scheme.

(To see the scope of designation of this laboratory, you may also visit TEC website www.tec.gov.in)

Signed for and on behalf of TEC

**Vijay Dixit
Director (CA)
For Designating Authority
TEC**

1/3140126 Certificate No: TEC/MRA/CAB/IND-D/49 dated 21/11/2023 issued to
M/s Aforeserve Labs Private Limited
Plot No. 138, Sector 7, IMT Manesar, Gurugram, Haryana



Validity: - 21/11/2023 to 11/06/2025

Terms & Conditions

This certificate is issued as per the terms and conditions stipulated in the TEC SCHEME FOR DESIGNATING DOMESTIC CONFORMITY ASSESEMENT BODIES AND CERTIFICATION BODIES FOR CONFORMITY ASSESEMENT AND CERTIFICATION OF TELECOMMUNICATION EQUIPMENT ISSUE 3 NO. TEC 04019:2023.

Some of the conditions are reiterated as under:

A. Obligations of the Designated CAB.

1. It shall ensure that it maintains its accreditation status from any recognised Indian accreditation body like NABL during validity period of certificate.
2. It shall follow the stipulated procedures, rules and policies laid down by Designating Authority (DA) or Mutual Recognition Agreement (MRA)* partner for testing and evaluation.
3. In respect of tests for which it is seeking designation, it shall have no interest whatsoever in any business to carry on testing in an unfair or biased manner.
4. It shall fully indemnify DA from and against all liabilities, damages, claims, costs, and expenses incurred or sustained by DA as a result of any action taken or omitted by DA relating to the process of designation.
5. It shall comply with DA's or MRA partner's terms and conditions for designation and recognition as modified from time to time.
6. It shall be under obligation to participate in the online process prescribed by TEC for test and certification against TEC's GR/IR/ER and standards.
7. It shall have a record system which shall have a retention period of at least 5 years for documents related to the equipment testing. It shall maintain all the relevant documents including list of products submitted for testing, product-wise testing and evaluation reports. These documents shall be produced before the DA within seven days, as and when required.
8. It shall ensure the Intellectual Property Rights of the customers in the course of testing by maintaining professional ethics, secrecy and keeping all the product related information confidential.

*Applicable only if recognized by MRA (Mutual Recognition Agreement) partner.

9. It shall notify the DA in writing of occurrence of any of the following incident(s) within 2 weeks of its occurrence
 - a) Cessation of its business of conformity assessment for which it is Designated or accredited
 - b) Changes in its legal, commercial, or Organisational status
 - c) Changes, which may affect continuing compliance with any of the criteria or requirement specified by DA or MRA partner.
 - d) Change of premises

B. REFERENCE TO DESIGNATION STATUS

1. Designated CABs may advertise their designation status with regard to standards or parts thereof which are included in the scope of designation.
2. The advertisement should not imply, or otherwise suggest that DA or MRA Partner has endorsed the product or imply that the designated CAB is an agent or representative of DA or MRA Partner.
3. CABs whose designations have been suspended or withdrawn for any reason, shall discontinue advertisement of their designated status and not make any misleading statements regarding their designation status.

C. POST-DESIGNATION SURVEILLANCE

As and when required, DA shall conduct surveillance assessments and other non-routine assessments on the Designated CABs to ensure that standards of practices are maintained as well as to investigate complaints made against them.

D. SUSPENSION OR WITHDRAWAL OF DESIGNATION

1. DA shall suspend or withdraw the designation of a CAB if
 - a. Its accreditation is withdrawn.
 - b. It is found that the CAB is not complying with the stipulated criteria or requirements.
 - c. It is guilty of any offence involving fraud or dishonesty.
 - d. DA concludes that there is a just cause for withdrawing the designation.
2. A CAB whose designation, and recognition in case of MRA, has been suspended or withdrawn shall be removed from the list of designated CABs, in case it fails to take corrective measures.
3. DA shall keep the designation of a Designated CAB under suspension, until the completion of formal review process.

E. AMENDMENT TO THE SCHEME

DA reserves the rights to amend the scheme, as and when required, for the purpose of streamlining designation process.



SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Aforeserve Labs Private Limited

Plot No. 138, Sector 7, IMT Manesar, Gurugram, HARYANA

Certificate Number: TEC/MRA/CAB/IND-D/49

Page 1 of 4

Validity: 21/11/2023 to 11/06/2025

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
1.	Information Technology Equipment-Safety Requirements	Power Interface Clause- 1.6	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Marking and Instructions Clause- 1.7	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Protection from Electric Shock and Energy Hazards Clause- 2.1	IEC 60950-1: 2005+ A1: 2009+A2:2013
		SELV Circuits Clause- 2.2	IEC 60950-1: 2005+ A1: 2009+A2:2013
		TNV Circuit Test Clause-2.3	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Limited Power Sources Clause- 2.5	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Provision of Earthing and Bonding Clause- 2.6	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Over Current and Earth Fault Protection in Primary Circuits Clause- 2.7	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Safety Interlocks Clause- 2.8.1, 2.8.2, 2.8.3, 2.8.4, 2.8.5, 2.8.6	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Electrical Insulation Clause- 2.9	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Clearances & Creepage Distances and Distance through Insulation Clause- 2.10.1, 2.10.2, 2.10.3.1, 2.10.3.3, 2.10.3.4, 2.10.3.5, 2.10.4, 2.10.5 (except 2.10.5.4), 2.10.6, 2.10.7, 2.10.8, 2.10.9, 2.10.10, 2.10.11	IEC 60950-1: 2005+ A1: 2009+A2:2013

***The validity of Certificate is up to 11/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.**



SCOPE OF DESIGNATION

(ANNEXURE)

Laboratory Name: M/s Aforeserve Labs Private Limited
Plot No. 138, Sector 7, IMT Manesar, Gurugram, HARYANA

Certificate Number: TEC/MRA/CAB/IND-D/49

Page 2 of 4

Validity: 21/11/2023 to 11/06/2025

Last Amended on: ----

Sl. No.	Telecom Equipment/Product	Test Parameter or Type of Testing	Standard/ Specification
	Information Technology Equipment-Safety Requirements	Main Transient Voltage Clause- 2.10.3.2, 2.10.3.6, 2.10.3.7, 2.10.3.8, 2.10.3.9	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Wiring Connection & Supply Clause- 3.0 (except Cl. no. 3.2.5.1 and 3.2.5.2)	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Stability Clause- 4.1	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Mechanical Strength Clause- 4.2	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Design and Construction Clause- 4.3 except 4.3.13.2, 4.3.13.3, 4.3.13.4, 4.3.13.5	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Protection against Hazardous Moving Parts Clause- 4.4	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Thermal Requirements Clause- 4.5	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Opening in Enclosures Clause-4.6.1, 4.6.3, 4.6.4.1, 4.6.4.2, 4.6.4.3	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Resistance to Fire Clause- 4.7	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Touch Current and Protective Conductor Current Clause- 5.1	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Electric Strength Clause- 5.2	IEC 60950-1: 2005+ A1: 2009+A2:2013
		Abnormal Operating and Fault Conditions Clause- 5.3	IEC 60950-1: 2005+ A1: 2009+A2:2013

***The validity of Certificate is up to 11/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.**



SCOPE OF DESIGNATION **(ANNEXURE)**

Laboratory Name: M/s Aforeserve Labs Private Limited

Plot No. 138, Sector 7, IMT Manesar, Gurugram, HARYANA

Certificate Number: TEC/MRA/CAB/IND-D/49

Page 3 of 4

Validity: 21/11/2023 to 11/06/2025

Last Amended on: ----

Sl. No.	Telecom Equipment/ Product	Test Parameter or Type of Testing	Standard/ Specification
2.	Environmental testing of Telecom Equipment	Low Temperature (Cold Cycle) Test	QM-333, March 2010
		High Temperature (Dry Heat Cycle) Test	QM-333, March 2010
		Damp Heat (Steady State) Test	QM-333, March 2010
		Rapid Temperature Cycle Test	QM-333, March 2010
3.	Uninterruptible Power Supply (UPS) - Safety Requirement	Power Interface Clause- 4.6	IEC 62040-1:2008
		Marking & Instruction-General Clause-4.7.1	IEC 62040-1:2008
		Power Rating Clause- 4.7.2	IEC 62040-1:2008
		High Leakage Current Clause- 4.7.13	IEC 62040-1:2008
		Battery Clause- 4.7.20	IEC 62040-1:2008
		Protection against Electric Shock and Energy Hazards Clause- 5.1.1, 5.1.2, 5.1.3, 5.1.4, 5.1.5	IEC 62040-1:2008
		Limited Current Circuits Clause- 5.2.3	IEC 62040-1:2008
		Limited Power Source Clause- 5.2.5	IEC 62040-1:2008
		Protective Earthing Clause- 5.3.2	IEC 62040-1:2008
Clearance, Creepage Distance and Distance through Insulation Clause- 5.7	IEC 62040-1:2008		

***The validity of Certificate is up to 11/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.**



SCOPE OF DESIGNATION **(ANNEXURE)**

Laboratory Name: M/s Aforeserve Labs Private Limited
Plot No. 138, Sector 7, IMT Manesar, Gurugram, HARYANA

Certificate Number: TEC/MRA/CAB/IND-D/49

Page 4 of 4

Validity: 21/11/2023 to 11/06/2025

Last Amended on: ----

Sl. No.	Telecom Equipment/ Product	Test Parameter or Type of Testing	Standard/ Specification
	Uninterruptible Power Supply (UPS) - Safety Requirement	General Provisions for Connection to Power Clause- 6.2.1	IEC 62040-1:2008
		Stability Clause- 7.2	IEC 62040-1:2008
		Mechanical Strength Clause- 7.3	IEC 62040-1:2008
		Verification of Construction Clause- 7.4	IEC 62040-1:2008
		Resistance to Fire Clause- 7.5	IEC 62040-1:2008
		Temperature Clause- 7.7	IEC 62040-1:2008
		General Provision for Earth Leakage Clause- 8.1	IEC 62040-1:2008
		Electric Strength Clause- 8.2	IEC 62040-1:2008
		Abnormal Operating and Fault Conditions Clause- 8.3	IEC 62040-1:2008
		Connection to Telecommunication Networks Clause- 9	IEC 62040-1:2008

AD (CA), TEC

***The validity of Certificate is up to 11/06/2025 or the continued validity of NABL Accreditation, whichever is earlier.**